

# Introductory Algebra Student Workbook

---

Fifth Edition

## Development Team

---

Jenifer Bohart, Scottsdale Community College

William Meacham, Scottsdale Community College

Amy Volpe, Scottsdale Community College

James Sousa, Phoenix College

Judy Sutor, Scottsdale Community College

Donna Gaudet, Scottsdale Community College





Introductory Algebra Student Workbook by Scottsdale Community College is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 Unported License](https://creativecommons.org/licenses/by-nc-sa/4.0/).

## About this Workbook

---

This workbook was created by mathematics instructors at Scottsdale Community College in Scottsdale, Arizona. It is designed to lead students through Introductory Algebra, and to help them develop a deep understanding of the concepts. Each Unit includes the following components:

### MEDIA LESSON

- The Media Lesson is the main instructional component for each Unit.
- Ideas are introduced with practical applications.
-  **Example** problems are to be completed by watching online videos and taking notes/writing down the problem as written by the instructor. Video links can be found at <http://sccmath.wordpress.com> or may be located within the Online Homework Assessment System.
-  **You Try** problems help reinforce media lesson concepts and should be worked in the order they appear, showing as much work as possible. Answers can be checked in Appendix A.

### PRACTICE PROBLEMS

- This section follows the Media Lesson. For each Unit, the Practice Problems include Skills Practice, Applications, and Extension Questions.
- Your instructor will provide information on accessing answers/solutions for these problems.

### UNIT REVIEW

- Unit Reviews are meant to test your understanding of the concepts of the Unit.
- Complete the Review without the use of the workbook or your notes and then look back through the Unit to check your answers.

### ONLINE HOMEWORK/ASSESSMENT

- If you are using these materials as part of a formal class and your class utilizes an online homework/assessment system, your instructor will provide information as to how to access and use that system in conjunction with this workbook.

# Table of Contents

|  |     |
|--|-----|
| Arithmetic Review .....                    | 5   |
| Arithmetic Review: Media Lesson .....      | 7   |
| Arithmetic Review: Practice Problems ..... | 17  |
| Arithmetic Review .....                    | 25  |
| Unit 1: Introduction to Variables .....    | 27  |
| Unit 1: Media Lesson.....                  | 29  |
| Unit 1: Practice Problems .....            | 39  |
| Unit 1: Review .....                       | 51  |
| Unit 2: Algebraic Expressions .....        | 53  |
| Unit 2: Media Lesson.....                  | 55  |
| Unit 2: Practice Problems .....            | 65  |
| Unit 2: Review .....                       | 71  |
| Unit 3: Solving Equations.....             | 73  |
| Unit 3: Media Lesson.....                  | 75  |
| Unit 3: Practice Problems .....            | 87  |
| Unit 3: Review .....                       | 95  |
| Unit 4: Inequalities.....                  | 97  |
| Unit 4: Media Lesson.....                  | 99  |
| Unit 4: Practice Problems .....            | 109 |
| Unit 4: Review .....                       | 117 |
| Unit 5: Graphs.....                        | 119 |
| Unit 5: Media Lesson.....                  | 121 |
| Unit 5: Practice Problems .....            | 131 |
| Unit 5: Review .....                       | 143 |
| Unit 6: Formulas and Patterns.....         | 145 |
| Unit 6: Media Lesson.....                  | 147 |
| Unit 6: Practice Problems .....            | 159 |
| Unit 6: Review .....                       | 173 |
| Unit 7: Introduction to Functions.....     | 175 |
| Unit 7: Media Lesson.....                  | 177 |
| Unit 7: Practice Problems .....            | 189 |
| Unit 7: Review .....                       | 197 |

|  |     |
|--|-----|
| Unit 8: Formulas and Functions.....              | 199 |
| Unit 8: Media Lesson.....                        | 201 |
| Unit 8: Practice Problems .....                  | 215 |
| Unit 8: Review .....                             | 227 |
| Unit 9: Introduction to Linear Functions .....   | 229 |
| Unit 9: Media Lesson.....                        | 231 |
| Unit 9: Practice Problems .....                  | 243 |
| Unit 9: Review .....                             | 251 |
| Unit 10: The Equation of a Linear Function ..... | 253 |
| Unit 10: Media Lesson.....                       | 255 |
| Unit 10: Practice Problems .....                 | 267 |
| Unit 10: Review .....                            | 285 |
| Unit 11: Linear Equations and Inequalities ..... | 287 |
| Unit 11: Media Lesson.....                       | 289 |
| Unit 11: Practice Problems .....                 | 297 |
| Unit 11: Review .....                            | 305 |
| Unit 12: Systems of Equations.....               | 307 |
| Unit 12: Media Lesson.....                       | 309 |
| Unit 12: Practice Problems .....                 | 319 |
| Unit 12: Review .....                            | 331 |
| Unit 13: Polynomials and Exponents.....          | 333 |
| Unit 13: Media Lesson.....                       | 335 |
| Unit 13: Practice Problems .....                 | 347 |
| Unit 13: Review .....                            | 355 |
| Appendix A: You-Try Answers.....                 | 357 |

# Arithmetic Review

---

**Section R1:** Order of Operations

**Section R2:** Fractions

**Section R3:** Operations on Fractions

**Section R4:** Signed Numbers

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Order of Operations  |  |
| Absolute Value   |  |
| Numerator  |  |
| Denominator  |  |
| Common Denominator   |  |

|                      |  |
|----------------------|--|
| Equivalent Fractions |  |
| Reduced Fraction     |  |
| Improper Fraction    |  |
| Mixed Number         |  |
| Reciprocal           |  |

# Arithmetic Review: Media Lesson

---

## Section R1: Order of Operations

### PEMDAS

If we are working with a mathematical expression that contains more than one operation, then we need to understand how to simplify. The acronym **PEMDAS** stands for *P*arentheses, *E*xponents, *M*ultiplication, *D*ivision, *A*ddition, *S*ubtraction.

- P      Terms inside parenthesis ( ) or brackets [ ]
- E      Exponents and roots
- MD     Multiplication and division (**from Left to Right**).
- AS     Addition and subtraction (**from Left to Right**).

Use the order of operations to evaluate each of the following expressions.  
Use your calculator to check your answers.



**Example 1:**

$$(2 \cdot 5)^2$$

$$2 \cdot 5^2$$

$$10 - 7 + 1$$

$$10 - (7 + 1)$$




**Example 2:**

$$24 \div (4 - 2)^3$$

 **Example 3:**  $4 + 5(1 + 12 \div 6)^2$

 **Example 4:**  $\frac{15-3}{1+5}$

Section R1: You Try

 Use the order of operations to evaluate each of the following expressions. Show all steps as in the media examples. Use your calculator to check your answers.

a.  $11 + 3(7 - 2)^2$

b.  $\frac{6+8}{4-2}$




## Section R2: Fractions

## Improper Fractions and Mixed Numbers

**Converting a mixed number to an improper fraction:**

1. Multiply the denominator and the whole number
2. Add the numerator
3. Write the result over the denominator

 **Example 1:** Express as an improper fraction.

$$3\frac{2}{7}$$

$$12\frac{1}{3}$$

**Converting an improper fraction to a mixed number:**


1. Divide the numerator by the denominator
2. The quotient becomes the whole number part of the mixed number
3. Write the remainder over the denominator


 **Example 2:** Express an improper fraction as a mixed number.

$$\frac{42}{5}$$

$$\frac{53}{9}$$

Equivalent Fractions



 **Example 3:** Find two fractions equivalent to  $\frac{2}{7}$ .

Fractions in Simplest Form

 **Example 4:** Write the following fractions in simplest form.

$$\frac{3}{18}$$

$$\frac{42}{54}$$

ONE and ZERO

 **Example 5:**

$$\frac{1}{4} =$$

$$\frac{4}{1} =$$

$$\frac{4}{4} =$$

$$\frac{0}{4} =$$

$$\frac{4}{0} =$$

## Section R2 – YOU TRY



Complete the problems below. Show all steps as in the media examples.

a. Reduce the fraction  $\frac{24}{36}$  to lowest terms.

b. Rewrite the mixed number  $4\frac{1}{5}$  as an improper fraction.

c. Rewrite the improper fraction  $\frac{35}{11}$  as a mixed number.

d. Find two fractions equivalent to  $\frac{3}{5}$ .

## Section R3: Operations on Fractions

### Addition and Subtraction of Fractions

#### **Adding and Subtracting Fractions:**

1. Rewrite mixed numbers and whole numbers as improper fractions.
2. Find a common denominator
3. Rewrite the fractions as equivalent fractions with the common denominator
4. Add or subtract the numerators
5. Be sure to reduce your answer to simplest form!



**Example 1:** Perform the indicated operations

a.  $\frac{1}{2} + \frac{1}{3}$

b.  $\frac{11}{15} - \frac{5}{12}$

c.  $4\frac{3}{5} - 1\frac{5}{6}$

d.  $2 - \frac{8}{5}$

## Multiplication and Division of Fractions

**Multiplying Fractions:**

1. Rewrite mixed numbers and whole numbers as improper fractions.
2. Multiply straight across (Multiply the numerators with the numerators, and the denominators with the denominators) NOTE: There is no need to find a common denominator when multiplying.
3. Be sure to reduce your answer to simplest form!

**Example 2:** Multiply. Write your answers in simplest form

a.  $\frac{2}{3} \times \frac{3}{4}$

b.  $\frac{12}{25} \times \frac{35}{48}$

c.  $\frac{7}{8} \times 5$

d.  $3\frac{1}{5} \times 1\frac{1}{9}$

**Dividing Fractions:**

1. Rewrite mixed numbers and whole numbers as improper fractions.  
NOTE: There is no need to find a common denominator when dividing.
2. Change the **second** fraction (the divisor) to its reciprocal
3. Multiply
4. Be sure to reduce your answer to simplest form!

**Example 3:** Divide. Write your answers in simplest form.

a.  $\frac{1}{2} \div \frac{3}{5}$

b.  $8 \div \frac{4}{5}$

## Order of Operations with Fractions



**Example 4:** Perform the indicated operations.  $\frac{1}{2} + \frac{3}{2} \times \frac{2}{5}$

## Section R3 – You Try



Perform the indicated operations. Show all steps as in the media examples. Each answer must be written as a **reduced** fraction. Where appropriate, write your answer as **both** a mixed number **and** an improper fraction.

a.  $\frac{3}{5} + \frac{2}{3}$

b.  $\frac{3}{5} \left( \frac{2}{3} \right)$

c.  $\frac{3}{5} \div \frac{2}{3}$


d.  $3 - \frac{12}{5}$

e.  $\frac{3}{7} \div 5$

f.  $\frac{3}{4} \div \frac{4}{5} \times \frac{5}{6}$


## Section R4: Signed Numbers

## The Number Line



## Absolute Value

The **ABSOLUTE VALUE** of a number is the distance that number is from 0 on the number line.

 **Example 1:** Find the absolute value:

a.  $|-3|$

b.  $|3|$


c.  $-|-3|$

d.  $|0|$

## MATHEMATICAL OPERATIONS WITH SIGNED NUMBERS

Some hints for working with signed numbers:

- Use ( ) to separate numbers with negative signs
- When two signs are given together, use these rules to resolve the signs:  
 $(-)(-) = +$      $(-)(+) = -$      $(+)(-) = -$      $(+)(+) = +$
- Use the number line to add and subtract

 **Example 2:** Perform the indicated operations.

a.  $3 + (-2)$

b.  $-3 + 2 =$

c.  $-3 - (-2)$

d.  $-3 + (-2)$


 **Example 3:** Multiply and divide.

a.  $(-5)(-6)$

b.  $3(-4)$


c.  $\frac{-24}{8}$

d.  $\frac{2}{3}\left(-\frac{1}{5}\right)$

 **Example 4:** Evaluate the following exponents:

$$(-5)^2 \qquad -5^2$$

$$(-5)^3 \qquad -5^3$$

 **Example 5:** Perform the indicated operations.

$$-8 \div (-2)^3 - (-3) - 5^2$$

#### SIMPLIFIED FORM FOR A SIGNED FRACTION


The following fractions are all equivalent (meaning they have the same value):

$$\frac{-1}{2} = \frac{1}{-2} = -\frac{1}{2}$$

Notice that only the placement of the negative sign is different.

HOWEVER, only the last one,  $-\frac{1}{2}$  is considered to be in simplest form.

#### Section R4 – You Try

 Complete the problems below. Show all steps as in the media examples. Use your calculator to check your answers.

a. Find the absolute value:  $|-5| = \underline{\hspace{2cm}}$                        $-|-5| = \underline{\hspace{2cm}}$

b.  $(-2)^3 - 2^3$

c.  $6 + 12 \div 3 \times 4 - (-2) - 4$



Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Arithmetic Review: Practice Problems

### Skills Practice

1. Evaluate using the correct order of operations. Show all of your work. Use your calculator to check your answer. Write your answers as integers or reduced fractions.

a.  $8 \times 3^2 \times 2 \div 4$

b.  $24 \div (1 + 2)^3$

c.  $20 - (8 - 2) \div 3 \cdot 4$

d.  $10 \times 3^2 + \frac{15-3}{3 \times 2}$

e.  $\left(\frac{8+2}{7-2}\right)^2$

f.  $2 + 4 \times 8 - (2 + 3)^2$

2. Express the following fractions as improper fractions. Write your answer in simplest form.

a.  $2\frac{3}{8}$

b.  $-2\frac{3}{4}$

c.  $4\frac{2}{6}$

3. Express the following fractions as mixed numbers. Write your answer in simplest form.

a.  $\frac{43}{8}$

b.  $\frac{38}{12}$

c.  $\frac{70}{6}$

4. For each of the following pairs, circle the **larger** number.

a.  $\frac{5}{7}$        $\frac{5}{8}$

b.  $\frac{5}{7}$        $\frac{7}{5}$

c.  $\frac{5}{7}$        $\frac{6}{7}$

d.  $\frac{4}{7}$        $\frac{1}{2}$

e.  $\frac{5}{6}$        $\frac{6}{7}$

f.  $\frac{1}{7}$        $\frac{7}{1}$

5. Write each of the following in simplest form.

a.  $\frac{54}{72}$

b.  $\frac{165}{345}$

c.  $4\frac{12}{28}$

6. Show the each step involved in evaluating each of the following. Write your answers in simplest form.

a.  $\frac{1}{6} + \frac{2}{9}$

b.  $\frac{5}{8} - \frac{6}{12}$

c.  $\frac{1}{3} + \frac{2}{7}$

d.  $\frac{8}{9} - \frac{6}{12}$

e.  $2\frac{3}{4} + 3\frac{4}{5}$

f.  $2\frac{2}{5} - 1\frac{1}{3}$

7. Evaluate each of the following. Show all steps. Write your answers in simplest form.

a.  $\frac{24}{3} \times \frac{27}{8}$

b.  $8 \times \frac{3}{24}$

c.  $\frac{1}{4} \times \frac{3}{5} \times \frac{2}{9}$

d.  $\frac{24}{3} \div \frac{8}{3}$

e.  $\frac{3}{5} \div \frac{9}{15}$

f.  $2\frac{1}{3} \div 1\frac{1}{2}$

8. Evaluate using the correct order of operations. Show all of your work. Use your graphing calculator to check your answer

a.  $(-2)^2 - 2^2$

b.  $2(-3)^3 \times 8 \div 4$

c.  $-\frac{2}{3} - \frac{8}{3} \times \frac{3}{2}$

d.  $\frac{2}{5} \left(-\frac{5}{8}\right)^2$

e.  $(-4)^2 - 12 \div 3 \times 9$

f.  $\frac{8-(1+3)^2}{4-(-5)}$


|              |
|--------------|
| Applications |
|--------------|

9. Sam takes out a \$25,000 student loan to pay his expenses while he is in college. After graduation, he will begin making payments of \$167.68 per month for the next 20 years to pay off the loan. How much more will Sam end up paying for the loan than the original value of \$25,000? Show all of your work. Write your answer in a complete sentence.
10. Abie makes \$39,000 a year, and spends about \$250 each month on entertainment. What fraction of her annual income is spent on entertainment? Show all of your work. Write your answer in a complete sentence.
11. Last year, the daily high temperatures in northern Washington for the first week of January were  $-8^{\circ}$ ,  $-5^{\circ}$ ,  $-4^{\circ}$ ,  $0^{\circ}$ ,  $8^{\circ}$ ,  $7^{\circ}$ ,  $-5^{\circ}$  Fahrenheit. What was the average daily high temperature for that week? Show all of your work. Write your answer in a complete sentence.

12. Michelle wants to make cupcakes for her daughter's birthday. The recipe calls for  $\frac{3}{4}$  cup of brown sugar,  $1\frac{1}{2}$  cups of white sugar, and 2 cups of powdered sugar, and will make 12 cupcakes. How much sugar will be in each cupcake? Show all of your work. Write your answer in a complete sentence.
13. Judy took Jen and Bill to the casino. Bill and Jen each won \$100 playing the nickel slots. To say thanks, Jen gave Judy  $\frac{1}{4}$ <sup>th</sup> of her winnings and Bill gave Judy  $\frac{1}{5}$ <sup>th</sup> of his winnings. Who gave Judy more money? How much more? Show all of your work. Write your answer in a complete sentence.
14. So far this season, a hockey team has won 8 games and lost 4 games. This team has won what fraction of the games that it has played? Show all of your work. Write your answer in a complete sentence.


15. Marta earns \$12.50 per hour during a 40-hour work week. If she works overtime, she earns time and a half pay for every additional hour that she works. This week, she has worked 46 hours. Determine her pay for this week. Show all of your work. Write your answer in a complete sentence.
16. At a store, there is a display of 240 boxes of cereal. Of the 240 boxes,  $\frac{3}{5}$  are brand A and  $\frac{2}{5}$  are brand B. How many boxes of brand B cereal must be added so that the display has  $\frac{1}{2}$  of each brand? Show all of your work. Write your answer in a complete sentence.
17. Sara buys a bag of candy. In the bag,  $\frac{1}{2}$  of the candies are red,  $\frac{1}{5}$  are green, and the remainder are white. What fraction of the candies are white? Show all of your work, Write your answer in a complete sentence.

## Extension

18. If  represents 1, what would  $\frac{2}{3}$  look like?

19. If  represents  $\frac{2}{3}$ , what would 1 look like?

20. If  represents  $\frac{4}{3}$ , what would  $\frac{1}{3}$  look like?

21. If  represents 1, what would  $\frac{4}{3}$  look like?

22. If  represents  $\frac{4}{3}$ , what would 1 look like?

23. Complete the table below.

| Fraction       | Decimal | Percent |
|----------------|---------|---------|
| $\frac{3}{5}$  |         |         |
|                | 0.02    |         |
|                |         | 72%     |
|                | 0.025   |         |
| $4\frac{1}{2}$ |         |         |

24. Find the reciprocal of each of the numbers below.

a.  $\frac{2}{3}$

b.  $-\frac{7}{9}$

c. 8

d. -8

e.  $\frac{1}{5}$

f.  $5\frac{1}{2}$

g. Why does zero not have a reciprocal?



Name: \_\_\_\_\_

Date: \_\_\_\_\_


## Arithmetic Review

---

1. Write  $2\frac{5}{8}$  as an improper fraction. \_\_\_\_\_

2. Write  $\frac{29}{3}$  as a mixed number. \_\_\_\_\_

3. On the scale below, the letter A represents the fraction \_\_\_\_\_



4. For each of the following pairs, circle the **larger** number.

a.  $\frac{1}{7}$       $\frac{1}{8}$

b.  $\frac{5}{7}$       $\frac{7}{5}$

c.  $\frac{5}{7}$       $\frac{6}{7}$

d.  $\frac{4}{7}$       $\frac{1}{2}$

e. 1      $\frac{8}{9}$

f.  $\frac{16}{3}$      5

5. (8 points) Simplify each of the following fractions if possible. Write "DNE" if the answer does not exist.

$\frac{5}{1} =$  \_\_\_\_\_

$\frac{5}{5} =$  \_\_\_\_\_

$\frac{5}{15} =$  \_\_\_\_\_

$\frac{0}{5} =$  \_\_\_\_\_

6. Perform the indicated operations.

a.  $-5 + 3 =$  \_\_\_\_\_

d.  $5 - (-3) =$  \_\_\_\_\_

g.  $(-5)^2 =$  \_\_\_\_\_

b.  $-5 - 3 =$  \_\_\_\_\_

e.  $5(-3) =$  \_\_\_\_\_

h.  $-5^2 =$  \_\_\_\_\_

c.  $-5 + (-3) =$  \_\_\_\_\_

f.  $-5(-3) =$  \_\_\_\_\_

i.  $(-5)^3 =$  \_\_\_\_\_

7. Add, subtract, multiply and divide as indicated. Each answer must be written as a **reduced** fraction or whole number. Where appropriate, write your answer as **both** an improper fraction **and** a mixed number.

a.  $\frac{35}{8} \left( -\frac{12}{5} \right)$

b.  $\frac{2}{5} - 3$

c.  $6\frac{1}{2} + \left( -\frac{3}{5} \right)$

d.  $\frac{3}{5} \div 7$

8. Evaluate using the correct order of operations. Show all of your work.

a.  $\frac{1}{2} \div \frac{2}{3} \times \frac{3}{4}$

b.  $8 + 3(5 - 7)^2$

# Unit 1: Introduction to Variables

---

**Section 1.1:** Writing Algebraic Expressions

**Section 1.2:** The Story of “ $x$ ”

**Section 1.3:** Evaluating Algebraic Expressions

**Section 1.4:** Applications

**Section 1.5:** Geometric Formulas

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Variable   |  |
| Algebraic Expression   |  |
| Evaluate an Algebraic Expression   |  |
| The Story of “ $x$ ”   |  |

|                      |  |
|----------------------|--|
| Commutative Property |  |
| Exact Form           |  |
| Approximate Form     |  |

## Unit 1: Media Lesson

---

### Section 1.1: Writing Algebraic Expressions

#### Definitions

A **variable**, usually represented by a letter or symbol, can be defined as:

- A quantity that may change within the context of a mathematical problem.
- A placeholder for a specific value.

An **algebraic expression** is a mathematical statement that can contain numbers, variables, and operations (addition, subtraction, multiplication, division, etc...).




**Example 1:** Juan is 6 inches taller than Niko. Let  $N$  represent Niko's height in inches. Write an algebraic expression to represent Juan's height.




**Example 2:** Juan is 6 inches taller than Niko. Let  $J$  represent Juan's height in inches. Write an algebraic expression to represent Niko's height.



**Example 3:** Suppose sales tax in your town is currently 9.8%. Write an algebraic expression representing the sales tax for an item that costs  $D$  dollars.

 **Example 4:** You started this year with \$362 saved and you continue to save an additional \$30 per month. Write an algebraic expression to represent the total amount saved after  $m$  months.

 **Example 5:** Movie tickets cost \$8 for adults and \$5.50 for children. Write an algebraic expression to represent the total cost for  $A$  adults and  $C$  children to go to a movie.

Section 1.1 – You Try



Complete the following problems. Show all steps as in the media examples.

- a. There are about 80 calories in one chocolate chip cookie. If we let  $n$  be the number of chocolate chip cookies eaten, write an algebraic expression for the number of calories consumed.
  
  
  
  
  
  
  
  
  
  
- b. Brendan recently hired a contractor to do some necessary repair work. The contractor gave a quote of \$450 for materials and supplies plus \$38 an hour for labor. Write an algebraic expression to represent the total cost for the repairs if the contractor works for  $h$  hours.
  
  
  
  
  
  
  
  
  
  
- c. A concession stand charges \$3.50 for a slice of pizza and \$1.50 for a soda. Write an algebraic expression to represent the total cost for  $P$  slices of pizza and  $S$  sodas.

Section 1.2: The Story of “ $x$ ”

**Example 1:** Tell the story of  $x$  in each of the following expressions.

a.  $x - 5$

b.  $5 - x$

c.  $2x$

d.  $x^2$



**Example 2:** Tell the story of  $x$  in each of the following expressions.

a.  $2x + 4$

b.  $2(x + 4)$

c.  $5(x - 3)^2 - 2$



**Example 3:** Write an algebraic expression that summarizes the stories below.

- a. Step 1: Add 3 to  $x$   
Step 2: Divide by 2
- b. Step 1: Divide  $x$  by 2  
Step 2: Add 3



**Example 4:** Write an algebraic expression that summarizes the story below.

- Step 1: Subtract  $x$  from 7  
Step 2: Raise to the third power  
Step 3: Multiply by 3  
Step 4: Add 1

Section 1.2 – You Try



Complete the following problems.

- a. Tell the story of  $x$  in the expression  $\frac{x-3}{5}$

- b. Write an algebraic expression that summarizes the story below:

- Step 1: Multiply  $x$  by 2  
Step 2: Add 5  
Step 3: Raise to the second power.



## Section 1.3: Evaluating Algebraic Expressions



**Example 1:** Find the value of each expression when  $w = 2$ . Simplify your answers.

$$w - 6$$

$$6 - w$$

$$5w - 3$$

$$w^3$$

$$3w^2$$

$$(3w)^2$$


$$\frac{4}{5w}$$


$$\frac{5w}{4}$$

$$3^w$$




**Example 2:** Evaluate  $ab + c$  given  $a = -5$ ,  $b = 7$ , and  $c = -3$

 **Example 3:** Evaluate  $a^2 - b^2$  given  $a = -5$  and  $b = -3$

 **Example 4:** A local window washing company charges \$11.92 for each window plus a reservation fee of \$7.

- a. Write an algebraic expression to represent the total cost from the window washing company for washing  $w$  windows.
  
  
  
  
  
  
  
  
  
  
- b. Use this expression to determine the total cost for washing 17 windows.

Section 1.3 – You Try

 Evaluate  $b^2 - 4ac$  given  $a = 5$ ,  $b = -1$ ,  $c = 2$ .

## Section 1.4: Applications



**Example 1:** The maximum heart rate is the highest heart rate achieved during maximal exercise. In general, you get the most benefits and reduce the risks when you exercise within your *target* heart rate zone. Usually this is when your exercise heart rate (pulse) is about 80 percent of your maximum heart rate. The formula  $M = 0.8(220 - A)$ , gives the *recommended* maximum heart rate,  $M$ , in beats per minute, for a person who is  $A$  years of age. What is the recommended maximum heart rate for a person who is 40 years old?



**Example 2:** A golfer strikes a golf ball. The height,  $H$  (in feet), of the ball above the ground after  $t$  seconds is given by the equation  $H = -16t^2 + 80t$ . Determine the height of the ball after 3 seconds. Show all of your work, and write your answer in a complete sentence.



**Example 3:** Simple interest is given by the formula  $A = P + Prt$ . Where  $A$  is the accrued value of the investment after  $t$  years, and  $P$  is the starting principal invested at an annual percentage rate of  $r$ , expressed as a decimal. Sally buys a \$1,000 savings bond that pays 4% simple interest each year. How much will the bond be worth after 5 years?



**Example 4:** The formula  $P = 266(1.009)^t$  estimates the population of the United States (in millions of people),  $t$  years after 1995.

- Use this formula to estimate the U.S. population in 1995. Round your answer to the nearest million.
  
- Use this formula to estimate the U.S. population in 2016. Round your answer to the nearest million.

Section 1.4 – You Try



Paul is planning to sell bottled water at the local carnival. He buys 2 crates of water (2000 bottles) for \$360 and plans on selling the bottles for \$1.50 each. Paul's profit,  $P$  in dollars, from selling  $b$  bottles of water is given by the formula  $P = 1.5b - 360$ . Determine Paul's profit if he sells all 2000 bottles of water. Show all of your work, and write your answer in a complete sentence.

## Section 1.5: Geometric Formulas



**Example 1:** The circumference of a circle with radius  $r$  is given by the formula  $C = 2\pi r$

Determine the circumference of a circle with radius 32 cm. Write your answer in **exact form** (in terms of  $\pi$ ) *and* in **approximate form**, rounded to the nearest hundredth.




**Example 2:** The formula for the volume of a cone of base radius  $r$  and height  $h$  is

$$V = \frac{1}{3}\pi r^2 h$$

Determine the volume of a cone with base radius 5 inches and height 12 inches. Write your answer in **exact form** (in terms of  $\pi$ ) *and* in **approximate form**, rounded to the nearest hundredth.

## The Pythagorean Theorem


The Pythagorean Theorem states that given any right triangle with legs  $a$  and  $b$ , and hypotenuse  $c$  as below, the following relationship is always true:  $a^2 + b^2 = c^2$ . Consequently, if the lengths of two sides are known, the length of the third side can be found using the formulas below:




$$a = \sqrt{c^2 - b^2}$$


$$b = \sqrt{c^2 - a^2}$$

$$c = \sqrt{a^2 + b^2}$$


 **Example 3:** Find the length of the leg  $x$  of the right triangle shown below. Write your answer in **exact form** and in **approximate form**, rounded to the nearest thousandth.



Section 1.5 – You Try

 Complete the following problems. Show all steps as in the media examples.

- a. The formula for the volume,  $V$ , of a cylinder of radius  $r$  and height  $h$  is  $V = \pi r^2 h$ . Determine the volume of a cylinder with radius 4 inches and height 10 inches. Write your answer in **exact form** (in terms of  $\pi$ ) and in **approximate form**, rounded to the nearest hundredth. Include appropriate units in your answer.
- b. Use the Pythagorean Theorem to find the length of side  $x$  of the right triangle shown below. Write your answer in **exact form** and in **approximate form**, rounded to the nearest hundredth. Include appropriate units in your answer.



Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 1: Practice Problems

### Skills Practice

1. Tell the story of  $x$  in each of the following expressions.

a.  $x - 11$

b.  $x + 5$

c.  $5x$

d.  $x^5$

e.  $x^3$

f.  $2 - x$

g.  $2x - 3$

h.  $8x^2$

i.  $(2x)^2$

j.  $7 - 2x$

k.  $5(7 - x)^3$

l.  $\left(\frac{3x-8}{5}\right)^3$

2. Write an algebraic expression that summarizes the stories below.

- a. Step 1: Add 8 to  $x$   
Step 2: Raise to the third power
- b. Step 1: Divide  $x$  by 8  
Step 2: Subtract 5
- c. Step 1: Subtract 3 from  $x$   
Step 2: Multiply by 7
- d. Step 1: Multiply  $x$  by 10  
Step 2: Raise to the 3<sup>rd</sup> power  
Step 3: Multiply by 2
- e. Step 1: Add 5 to  $x$   
Step 2: Divide by 2  
Step 3: Raise to the second power  
Step 4: Add 8
- f. Step 1: Raise  $x$  to the second power  
Step 2: Multiply by 5  
Step 3: Subtract from 9
- g. Step 1: Subtract  $x$  from 2  
Step 2: Multiply by -8  
Step 3: Raise to the third power  
Step 4: Add 1  
Step 5: Divide by 3
- h. Step 1: Multiply  $x$  by -4  
Step 2: Add 9  
Step 3: Divide by 2  
Step 4: Raise to the fifth power



3. Find the value of each expression when  $b = -8$ . Simplify your answers.

a.  $b - 11$

b.  $b + 5$

c.  $5b$

d.  $b^2$

e.  $b^3$

f.  $2 - b$

4. Evaluate each of the following given  $q = 10$ .

a.  $2q - 3$

b.  $8q^2$

c.  $(2q)^2$

d.  $\frac{4}{7q}$

e.  $7 - 2q$

f.  $2^q$

5. Find the value of each expression when  $c = \frac{2}{3}$ . Write your answers as proper fractions or mixed numbers in simplest form.

a.  $c - 5$

b.  $c + \frac{3}{5}$

c.  $\frac{3}{5}c$

d.  $c^2$

e.  $c^3$

f.  $\frac{2}{c}$

6. Evaluate the following expressions for the given values. Simplify your answers.

a.  $\frac{-b}{2a}$  for  $a = 6, b = 4$

b.  $\frac{4x-8}{5+x}$  for  $x = 3$

c.  $\frac{3}{5}ab$  for  $a = 8, b = 1\frac{2}{3}$

d.  $3x^2 + 2x - 1$  for  $x = -1$

e.  $x^2 - y^2$  for  $x = -3, y = -2$

f.  $2x - 7y$  for  $x = 5, y = 3$

g.  $\sqrt{c^2 - a^2}$  for  $a = 3, c = 5$

h.  $\sqrt{b^2 - 4ac}$  for  $a = -1, b = -5, c = 6$

|              |
|--------------|
| Applications |
|--------------|

7. Shea bought  $C$  candy bars for \$1.50 each.
- Write an algebraic expression for the total amount Shea spent.
  
  - Use this expression to determine the amount Shea will spend for 3 candy bars. Show all of your work and write your answer in a complete sentence.
8. Suppose sales tax in your town is currently 9%.
- Write an algebraic expression representing the sales tax for an item that costs  $D$  dollars.
  
  - Use this expression to determine the sales tax for an item that costs \$354. Show all of your work and write your answer in a complete sentence.
9. Ben bought  $M$  movie tickets for \$8.50 each and  $B$  bags of popcorn for \$3.50 each.
- Write an algebraic expression for the total amount Ben spent.
  
  - Use this expression to determine the amount Ben will spend if he buys 6 movie tickets and 4 bags of popcorn. Show all of your work and write your answer in a complete sentence.


10. Noelle is 5 inches shorter than Amy. Amy is  $A$  inches tall.
- Write an algebraic expression for Noelle's height.
  - Use this expression to determine Noelle's height if Amy is 5 feet 8 inches tall. Show all of your work and write your answer in a complete sentence.
11. Jamal studied  $H$  hours for a big test. Karla studied one fourth as long.
- Write an algebraic expression for the length of time that Karla studied.
  - Use this expression to determine the length of time that Karla studied if Jamaal studied for 5 hours and 20 minutes. Show all of your work and write your answer in a complete sentence.
12. A caterer charges a delivery fee of \$45 plus \$6.50 per guest.
- Write an algebraic expression to represent the total catering cost if  $G$  guests attend the reception.
  - Use this expression to determine the total catering cost for if 80 people attend the reception. Show all of your work and write your answer in a complete sentence.

13. Tickets to the museum cost \$18 for adults and \$12.50 for children.
- Write an algebraic expression to represent the cost for  $A$  adults and  $C$  children to visit the museum.
  
  
  
  
  
  
  
  
  
  
  - Use this expression to determine the cost for 4 adults and 6 children to attend the museum. Show all of your work and write your answer in a complete sentence.
14. The formula to convert from Fahrenheit to Celsius is  $C = \frac{5}{9}(F - 32)$ . The temperature on a summer day in Phoenix, Arizona is  $115^{\circ}\text{F}$ . What would this temperature be in degrees Celsius? Round your answer to the nearest tenth of a degree. Show all work, and write your answer in a complete sentence.
15. Isabel has a headache, and takes 500mg of Tylenol. The amount,  $A$ , of Tylenol (measured in mg) remaining in her body after  $n$  hours is given by the formula  $A = 500(0.882)^n$ . How much of the Tylenol remains in her body after 4 hours? Show all work, and round your answer to the nearest hundredth. Write your answer in a complete sentence.


16. A person's Body Mass Index (BMI) is given by the formula  $BMI = \frac{703W}{H^2}$ , where  $W$  is the weight of the person in pounds, and  $H$  is the person's height, measured in inches. If a person is 5 feet 7 inches tall, and weighs 142 pounds, what is that person's BMI? Show all of your work. Round your answer to the nearest tenth. Write your answer in a complete sentence.
17. The formula for the volume,  $V$ , of a cylinder of radius  $r$  and height  $h$  is  $V = \pi r^2 h$ . Determine the volume of a cylinder with radius 3 inches and height 8 inches. Write your answer in exact form (in terms of  $\pi$ ) and in approximate form, rounded to the nearest hundredth. Include appropriate units in your answer
18. The formula  $A = \frac{1}{2}bh$  gives the area of a triangle with base  $b$  and height  $h$ . Determine the area of a triangle with base 4cm and height  $2\frac{2}{3}$  cm. Write your answer as a proper fraction or mixed number in simplest form. Include appropriate units in your answer.

19. The formula  $V = 9.54 + 0.08m$  represents the value of an investment (in thousands of dollars) after  $m$  months. Determine the value of this investment after two years.
20. The formula  $E = 3861 - 77.2t$  gives the surface elevation (in feet above sea level) of Lake Powell  $t$  years after 1999. Use this formula to predict the surface elevation of lake Powell in the year 2016.
21. Simple interest is given by the formula  $A = P + Prt$ . Where  $A$  is the accrued value of the investment after  $t$  years, and  $P$  is the starting principal invested at an annual percentage rate of  $r$ , expressed as a decimal. Sally buys a \$5,000 savings bond that pays 2.3% simple interest each year. How much will the bond be worth after 5 years?
22. The formula for compound interest is  $A = P(1 + r)^t$  where  $A$  is the accrued amount after  $t$  years,  $P$  is the starting principal, and  $r$  is the annual interest rate expressed as a decimal. If you invest \$12,000 at an annual interest rate of 1.7% and leave it there for 30 years, what would your ending balance be? Round your answer to the nearest cent.

23. Use the Pythagorean Theorem to find the length of side  $x$  of the right triangle shown below. Write your answer in **exact form** and in **approximate form**, rounded to the nearest thousandth. Include appropriate units in your answer.



24. Use the Pythagorean Theorem to find the length of side  $x$  of the right triangle shown below. Write your answer in **exact form** and in **approximate form**, rounded to the nearest thousandth. Include appropriate units in your answer.





## Extension

25. Evaluate  $\frac{-b-\sqrt{b^2-4ac}}{2a}$  for  $a = 8$ ,  $b = -5$ , and  $c = -2$ . Round your answer to the nearest thousandth.
26. A pebble is dropped into a calm pond, causing ripples in the shape of concentric circles to expand on the surface of the water. The area of the outer ripple is given by the formula  $A = \pi r^2$ , where  $r$  is the radius of the outer ripple measured in inches. The formula  $r = 3t$  gives the radius of the outer ripple after  $t$  seconds. Determine the area of the outer ripple after 5 seconds. Write your answer in exact form (in terms of  $\pi$ ) and in approximate form, rounded to the nearest hundredth. Include appropriate units in your answer

27. The formula when interest is compounded  $n$  times per year is  $A = P \left(1 + \frac{r}{n}\right)^{nt}$  where  $A$  is the accrued amount after  $t$  years,  $P$  is the starting principal, and  $r$  is the interest rate, expressed as a decimal, that is compounded  $n$  times per year. If you invest \$1000 at an interest rate of 7%, and leave it there for 30 years, determine your ending balance if the interest is compounded
- Once each year
  - Twice each year
  - Monthly
  - Daily
  - Explain what happens to the ending balance as the number of compoundings increases. Why does this occur?


28. Working with square roots.

- a. Without using your calculator, fill in the blanks below.

$$\begin{array}{lll} \sqrt{1} = \_\_\_ & \sqrt{\_\_\_} = 5 & \sqrt{\_\_\_} = 9 \\ \sqrt{4} = \_\_\_ & \sqrt{\_\_\_} = 6 & \sqrt{100} = \_\_\_ \\ \sqrt{9} = \_\_\_ & \sqrt{\_\_\_} = 7 & \sqrt{\_\_\_} = 11 \\ \sqrt{16} = \_\_\_ & \sqrt{\_\_\_} = 8 & \sqrt{144} = \_\_\_ \end{array}$$

- b. Without using your calculator, place each of the following on the number line below.

$$\sqrt{2} \qquad \sqrt{11} \qquad \sqrt{40} \qquad \sqrt{60} \qquad \sqrt{99}$$



- c. Now use your calculator to evaluate each of the following. Round your answers to the nearest hundredth.

$$\sqrt{2} = \_\_\_\_\_\_ \quad \sqrt{11} = \_\_\_\_\_\_ \quad \sqrt{40} = \_\_\_\_\_\_ \quad \sqrt{60} = \_\_\_\_\_\_ \quad \sqrt{99} = \_\_\_\_\_\_$$

Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 1: Review

---

1. A towing company charges \$3.50 for each mile plus a nonrefundable reservation fee of \$12. Determine an algebraic expression to represent the total cost for towing your car  $m$  miles.
2. Tell the story of  $x$  in the following expression  $2(3 - x)^5$
3. Evaluate the following expressions for the given values. Show all of your work. Use your graphing calculator to check your answers.
  - a.  $4x^2 - x + 3$  for  $x = -5$
  - b.  $x^2 - y^2$  for  $x = -5, y = -3$
4. The formula to convert from Fahrenheit to Celsius is  $C = \frac{5}{9}(F - 32)$ . The temperature on a summer day in Phoenix, Arizona is  $113^\circ\text{F}$ . What would this temperature be in degrees Celsius? Show all work, and write your answer in a complete sentence.

5. The formula for the volume,  $V$ , of a cylinder of radius  $r$  and height  $h$  is  $V = \pi r^2 h$ . Determine the volume of a cylinder with radius 5 cm and height 40 cm. Give the exact answer (with  $\pi$ ) and the approximate answer, rounded to the nearest hundredth. Include appropriate units in your answer.
6. The formula for compound interest is  $A = P(1 + r)^t$  where  $A$  is the accrued amount after  $t$  years,  $P$  is the starting principal, and  $r$  is the annual interest rate expressed as a decimal. Bianca invests \$5000 at an annual interest rate of 4% and leaves it there for 10 years. What will her ending balance be? Show all of your work. Round your answer to the nearest cent.
7. The formula  $P = 289(1.009)^t$  estimates the population of the United States (in millions of people),  $t$  years after 2002. Use this formula to estimate the U.S. population in 2013. Show all of your work. Round your answer to the nearest million.

# Unit 2: Algebraic Expressions

---

**Section 2.1:** Some Vocabulary

**Section 2.2:** Like Terms

**Section 2.3:** The Distributive Property

**Section 2.4:** Simplifying Algebraic Expressions

**Section 2.5:** Applications

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Term   |  |
| Constant Term  |  |
| Factors  |  |
| Coefficient  |  |


|                                     |  |
|-------------------------------------|--|
| Like Terms                          |  |
| Combining Like Terms                |  |
| Distributive Property               |  |
| Simplifying an Algebraic Expression |  |
| Perimeter                           |  |
| Profit                              |  |

## Unit 2: Media Lesson

---

### Section 2.1: Some Vocabulary

| Definitions   |
|---|
| <p><b>Terms:</b> Parts of an algebraic expression separated by addition or subtraction symbols.</p> <p><b>Constant Term:</b> A number with no variable factors. A term whose value never changes.</p> |


 **Example 1:** Consider the algebraic expression  $4x^5 + 3x^4 - 22x^2 - x + 17$

- a. List the terms. \_\_\_\_\_
- b. Identify the constant term. \_\_\_\_\_

| Definitions  |
|--|
| <p><b>Factors:</b> Numbers or variables that are multiplied together</p> <p><b>Coefficient:</b> The number that multiplies the variable.</p> |


 **Example 2:** Complete the table below.

|                          | $-4m$ | $-x$ | $\frac{1}{2}bh$ | $\frac{2r}{5}$ |
|--------------------------|-------|------|-----------------|----------------|
| List the Factors         |       |      |                 |                |
| Identify the Coefficient |       |      |                 |                |

 **Example 3:** Consider the algebraic expression  $5y^4 - 8y^3 + y^2 - \frac{y}{4} - 7$

- How many terms are there? \_\_\_\_\_
- Identify the constant term. \_\_\_\_\_
- What is the coefficient of the first term? \_\_\_\_\_
- What is the coefficient of the second term? \_\_\_\_\_
- What is the coefficient of the third term? \_\_\_\_\_
- List the **factors** of the fourth term. \_\_\_\_\_

Section 2.1 – You Try

 Consider the algebraic expression  $2m^3 + m^2 - 2m - 8$

- How many terms are there? \_\_\_\_\_
- Identify the constant term. \_\_\_\_\_
- What is the coefficient of the first term? \_\_\_\_\_
- What is the coefficient of the second term? \_\_\_\_\_
- List the **factors** of the third term. \_\_\_\_\_



## Section 2.2: Like Terms

## Definition

Terms whose variable factors (letters *and* exponents) are exactly the same are called LIKE TERMS.

## Identify the Like Terms



**Example 1:** Identify the like terms in each of the following expressions

$$3a - 6a + 10a - a$$

$$5x - 10y + 6z - 3x$$

$$7n + 3n^2 - 2n^3 + 8n^2 + n - n^3$$

## Combine Like Terms



**Example 2:** Combine the like terms

$$3a - 6a + 10a - a$$

$$5x - 10y + 6z - 3x$$

$$7n + 3n^2 - 2n^3 + 8n^2 + n - n^3$$

## Section 2.2 – You Try




Combine the like terms. Show all steps as in the media examples.


a.  $3x - 4x + x - 8x$

b.  $-5 + 2a^2 - 4a + a^2 + 7$


Section 2.3: The Distributive Property  $a(b + c) = ab + ac$ 

Use the Distributive Property to Expand Each of the Following Expressions


 **Example 1:**  $5(2x + 4)$

 **Example 2:**  $-3(x^2 - 2x + 7)$

 **Example 3:**  $-(5x^4 - 8)$

 **Example 4:**  $\frac{2}{5} \left( \frac{x}{4} - \frac{1}{3} \right)$

## Section 2.3 – You Try

 Use the Distributive Property to expand the algebraic expression. Show all steps as in the media examples.

a.  $-5(3x^2 - 2x + 8)$

b.  $\frac{2}{3}\left(6x + \frac{1}{2}\right)$

## Section 2.4: Simplifying Algebraic Expressions

### Steps for Simplifying Algebraic Expressions

Step 1: Simplify within parentheses

Step 2: Use distributive property to eliminate parentheses

Step 3: Combine like terms.

 **Example 1:** Simplify the following algebraic expressions. Show all possible steps.


a.  $-3(2x - 4) - (3x + 8)$

b.  $3[2 - (x - 5)] - (4x - 10)$

c.  $\frac{8-5x}{2}$

d.  $\frac{9-3(2x-5)}{-6}$

## Section 2.4 – You Try

 Simplify completely. Show all steps as in the media examples.


a.  $2(7x^2 + 3x + 2) - (8x^2 - 7)$

b.  $\frac{2(x-6)+8}{2}$


## Section 2.5: Applications



**Example 1:** The perimeter of a rectangle is given by the formula  $2 \cdot \text{Length} + 2 \cdot \text{Width}$ . Write an algebraic expression that represents the **perimeter** of the figure shown below. Simplify completely. The perimeter of a rectangle is given by the formula



**Example 2:** Write an algebraic expression that represents the **perimeter** of the figure shown below. Simplify completely.



**Example 3:** A clothing store is having a ‘65% off’ sale on all its merchandise. Let  $P$  represent the original price of an item at the store. Write an algebraic expression to represent the sale price of the item. Simplify your answer.




**Example 4:** A local courier service estimates its monthly operating costs to be \$1500 plus \$0.85 per delivery. The service generates revenue of \$6 for each delivery. Let  $D$  represent the number of deliveries in a given month. Write an algebraic expression that represents the monthly **profit** for making  $D$  deliveries per month.

Section 2.5 – You Try



Simplify completely. Show all steps as in the media examples.

- a. Write an algebraic expression that represents the perimeter of the figure shown below. Simplify completely. Show your work.



- b. Suppose sales tax in your town is currently 9%. Write an algebraic expression representing the total amount paid for an item that costs  $D$  dollars after sales tax is added to the purchase. Simplify your answer.



## Unit 2: Practice Problems

### Skills Practice

1. Complete the table below.

|                          |      |         |      |     |                |         |                |               |
|--------------------------|------|---------|------|-----|----------------|---------|----------------|---------------|
|                          | $5t$ | $-3abc$ | $-y$ | $x$ | $\frac{3}{5}x$ | $\pi d$ | $\frac{4x}{7}$ | $\frac{m}{5}$ |
| Identify the Coefficient |      |         |      |     |                |         |                |               |

2. Consider the algebraic expression  $5n^8 - n^5 + n^2 + \frac{n}{8} - 1$

- a. How many terms are there? \_\_\_\_\_
- b. Identify the constant term. \_\_\_\_\_
- c. What is the coefficient of the first term? \_\_\_\_\_
- d. What is the coefficient of the second term? \_\_\_\_\_
- e. What is the coefficient of the third term? \_\_\_\_\_
- f. List the **factors** of the fourth term. \_\_\_\_\_

3. Consider the algebraic expression  $w^3 - w^2 - \frac{2w}{3} + 3$

- a. How many terms are there? \_\_\_\_\_
- b. Identify the constant term. \_\_\_\_\_
- c. What is the coefficient of the first term? \_\_\_\_\_
- d. What is the coefficient of the second term? \_\_\_\_\_
- e. What is the coefficient of the third term? \_\_\_\_\_

4. Identify and combine the Like Terms.

a.  $3d - 5d + d - 7d$

b.  $3x^2 + 3x^3 - 9x^2 + x - x^3$

c.  $a - 2b + 4a + b - (-2b)$

d.  $\frac{2}{5}r - \frac{2}{3}r + r$

5. Apply the distributive property to expand the following expressions.

a.  $6(4x - 8)$

b.  $-5(6w^2 - 3w + 1)$

c.  $-(4y^2 + 3y - 8)$

d.  $\frac{3}{4}\left(\frac{2}{5}x + \frac{7}{12}\right)$

e.  $\frac{1}{3}\left(\frac{3}{4}b - 5\right)$

f.  $-2\left(n^2 - 5n + \frac{1}{4}\right)$

6. Simplify by using the distributive property and combining like terms. Show all steps.

a.  $(5x^2 + 3x - 6) - (3x + 6)$

b.  $3(2x^2 - x + 3) + 2$

c.  $2a + 3ab - 5a + 8ab + 3b$

d.  $12 + 3x^2 + 4x - 2x^2 - x - 6$

e.  $5(2x + 3) + 4(3x - 7)$

f.  $-2(4x^2 + 3x - 2) - (x^2 - 6)$

7. Simplify completely. Show all steps.

a.  $\frac{12-9x}{3}$


b.  $\frac{21m-18}{6}$

c.  $\frac{3(4a-8)+2}{2}$


d.  $\frac{3(10x-4)+6}{6} + 3x + 1$

## Applications


8. Write an algebraic expression that represents the perimeter of the figure shown below. Simplify completely. Show your work.



9. Write an expression that represents the perimeter of the figure shown below. Simplify completely. Show your work.



10. Write an algebraic expression that represents the perimeter of the figure shown below. Simplify completely. Show your work.



11. Let  $B$  represent the bill for dinner at your favorite restaurant. Write an algebraic expression to represent the total amount paid for dinner if you decide to leave an 18% tip. Simplify your answer.

12. A clothing store is having a '40% off' sale on all its merchandise. Let  $P$  represent the original price of an item at the store. Write an algebraic expression to represent the sale price of the item. Simplify your answer.
13. Suppose sales tax in your town is currently 9.8%. Write an algebraic expression representing the total amount paid for an item that costs  $D$  dollars after sales tax is added to the purchase. Simplify your answer.
14. An account earns 3% interest each year. Let  $P$  represent the initial amount invested in this account. Write an algebraic expression representing balance in the account at the end of one year. Simplify your answer.
15. February is a busy time at Charlie's Chocolate Shoppe! During the week before Valentine's Day, Charlie advertises that his chocolates will be selling for \$1.50 a piece (instead of the usual \$2.00 each). The fixed costs to run the Chocolate Shoppe total \$650 for the week, and he estimates that each chocolate costs about \$0.60 to produce. Write an algebraic expression that represents Charlie's **profit** from selling  $n$  chocolates during the week before Valentine's Day. (HINT: Profit = Revenue – Costs) Simplify your answer.

## Extension

16. The formula for the surface area,  $S$ , of a cylinder of radius  $r$  and height  $h$  is  $S = 2\pi r^2 + 2\pi rh$ . Determine the surface area of a cylinder with radius 5 inches and height 4 inches. Give the exact answer (with  $\pi$ ) and the approximate answer, rounded to the nearest hundredth. Include appropriate units in your answer.
17. It is the day after Thanksgiving (Black Friday!), and April is standing in the very long line waiting to check out. She has two coupons, the first is for 10% off her entire purchase. The second is for \$10 off her entire purchase. Assume that *both* of the coupons can be applied to her purchase.
- Let  $M$  represent the value of the merchandise in April's cart. Write an algebraic expression to represent the amount she will pay (before tax) if she applies the \$10 off coupon before the 10% off coupon.
  - Let  $M$  represent the value of the merchandise in April's cart. Write an algebraic expression to represent the amount she will pay (before tax) if she applies the 10% off coupon before the \$10 off coupon.
  - Which coupon should be applied to her purchase first in order to save the most money?

Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 2: Review

---

1. Consider the algebraic expression  $6n^3 - n^2 + \frac{5n}{8} - 11$

- How many terms are there? \_\_\_\_\_
- Identify the constant term. \_\_\_\_\_
- What is the coefficient of the first term? \_\_\_\_\_
- What is the coefficient of the second term? \_\_\_\_\_
- List the **factors** of the third term. \_\_\_\_\_

2. Identify and combine the Like Terms. Write your answer in descending order.

$$5x^2 - 8x - 5x^3 - 9x^2 + x - x^3$$


3. Simplify by using the distributive property and combining like terms. Show all steps.

$$2(5x + 3y) - (3x + 6y)$$

4. Simplify completely. Show all steps.

$$\frac{8x+2}{4}$$

5. Write an expression that represents the perimeter of the figure shown below. Simplify completely. Show your work.



6. Let  $B$  represent the bill for dinner at your favorite restaurant. Write an algebraic expression to represent the total amount paid for dinner if you decide to leave a 15% tip. Simplify your answer.
7. Leonard has started a new business making cartoon bedspreads. His monthly expenses are \$1322. Each bedspread costs \$8.50 to produce. Leonard is selling each bedspread for \$17.50. Write an algebraic expression that represents Leonard's **profit** from selling  $n$  bedspreads. Simplify your answer.



## Unit 3: Solving Equations

---

**Section 3.1:** Algebraic Equations

**Section 3.2:** Solving One-Step Equations

**Section 3.3:** Solving Two-Step Equations

**Section 3.4:** Solving Multi-Step Equations

**Section 3.5:** Solving Equations – Applications

**Section 3.6:** Writing Equations – Applications

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Equality   |  |
| Equivalence  |  |
| Algebraic Equation   |  |
| Solution to an Algebraic Equation  |  |

|                                     |  |
|-------------------------------------|--|
| Equivalent Equations                |  |
| Addition Property of Equality       |  |
| Subtraction Property of Equality    |  |
| Multiplication Property of Equality |  |
| Division Property of Equality       |  |
| Solving an Equation                 |  |
| Isolating the Variable              |  |

## Unit 3: Media Lesson

---


### Section 3.1: Algebraic Equations


#### Definition


An algebraic equation is a mathematical sentence stating that an algebraic expression is *equal to* a specified value, variable, or another expression.

The solution to an equation is the value, or values, that make the equation true.

#### Verify that a given value is a solution to an equation

 **Example 1:** Verify that  $x = -3$  is a solution to the algebraic equation  $5x - 2 = 8x + 7$ .

 **Example 2:** Is  $m = -1$  a solution to the algebraic equation  $m + 9 = 3m + 5$ ?

 **Example 3:** Is  $a = 5$  a solution to the algebraic equation  $-4(a + 1) = 6(1 - a)$ ?

**Definition**

Equivalent equations are two or more equations that have the same solution.



**Example 4:** Verify that  $x = 2$  is a solution to the following equations.

$$8x - 5 = x + 9$$

$$7x - 5 = 9$$

$$7x = 14$$

**Section 3.1 – YOU TRY**

Complete the following problems. Show all steps as in the media examples.

a. Verify that  $p = -9$  is a solution to the algebraic equation  $p - 4 = 2p + 5$ .

b. Verify that  $x = 2$  is a solution to the algebraic equation  $2(5x - 12) = 1 - 5(x - 1)$ .

## Section 3.2: Solving One-Step Equations

## Properties of Equality

The Addition/Subtraction Property of Equality:

If  $a = b$ , then  $a + c = b + c$ .

If  $a = b$ , then  $a - c = b - c$

The Multiplication/Division Property of Equality:


If  $a = b$ , then  $a \times c = b \times c$ .


If  $a = b$  and  $c \neq 0$ , then  $\frac{a}{c} = \frac{b}{c}$


## Definition


To solve an equation means to “undo” all the operations of the equation, leaving the variable by itself on one side. This is known as **isolating the variable**.


Solve for the variable in each of the following equations. Check your answers.

 **Example 1:**  $x + 7 = 18$

 **Example 2:**  $r - 4 = -5$

 **Example 3:**  $-4 + b = 45$

 **Example 4:**  $3 = 19 + m$

 **Example 5:**  $-3y = -42$

 **Example 6:**  $\frac{x}{6} = -5$

 **Example 7:**  $\frac{3}{4}a = 8$

 **Example 8:**  $17 = -x$

**Section 3.2 – YOU TRY**

Solve for the variable in each equation and check your answer. Show all steps as in the media examples.

a.  $12 + x = -40$

b.  $\frac{3}{5}n = -2$

c.  $14 = -x$

d.  $-3 = \frac{w}{5}$

## Section 3.3: Solving Two-Step Equations

### STEPS FOR SOLVING A LINEAR TWO-STEP EQUATION

1. Apply the Addition/Subtraction Property of Equality.
2. Apply the Multiplication/Division Property of Equality to isolate the variable.
3. Check by substituting your answer into the original equation.

Solve for the variable in each of the following equations. Check your answers.



**Example 1:** Solve:  $2b - 4 = 12$

Check:



**Example 2:** Solve:  $4 + 3r = 5$

Check:




**Example 3:** Solve:  $3 = 19 - 2m$

Check:




**Example 4:** Solve:  $11 - y = 32$

Check:

 **Example 5:** Solve:  $3 + \frac{3}{5}x = 12$

Check:

**Section 3.3 – YOU TRY**

 Solve for the variable in each equation and check your answer. Show all steps as in the media examples.

a. Solve:  $14 - 3x = -40$

Check:

b. Solve:  $\frac{3}{4}w - 8 = -2$

Check:

c. Solve:  $14 = 2 - x$

Check:



## Section 3.4: Solving Multi-Step Equations

### STEPS FOR SOLVING A LINEAR EQUATION

1. Simplify each side of the equation. Remove parenthesis if necessary. Combine like terms.
2. Add or subtract terms on each side of the equation so that all terms containing the variable are on one side and all constant terms are on the other side.
3. Simplify each side of the equation by combining like terms.
4. Apply the Multiplication/Division Property of Equality to isolate the variable.
5. Check by substituting the solution into the original equation.

Solve for the variable in each of the following equations. Check your answers.




**Example 1:** Solve  $x - 5 = 4x + 7$

Check




**Example 2:** Solve  $3(4n - 2) = 5(n + 3)$

Check

 **Example 3:** Solve  $4 - (2y - 1) = 2(5y + 9) + y$       Check:

**Section 3.4 – You Try**

 Solve for the variable in each equation and check your answer. Show all steps as in the media examples.

a. Solve  $m - 5 = 8m + 2$       Check:

b. Solve  $2(5x - 12) = -(5x - 6)$       Check:

## Section 3.5: Solving Equations – Applications

For this type of problem, first determine the Givens and the Goal, then form a Strategy, Solve, and Check. Write your answer in a complete sentence.



**Example 1:** The maximum heart rate is the highest heart rate achieved during maximal exercise. In general, you gain the most benefits and lessen the risks when you exercise within your *target* heart rate zone. Usually this is when your exercise heart rate (pulse) is about 70% percent of your maximum heart rate. The formula  $T = 0.7(220 - a)$ , gives the target heart rate,  $T$ , in beats per minute, for a person who is  $a$  years of age. Determine the age of a person whose target heart rate is 135 beats per minute.

GIVEN:

GOAL:

STRATEGY:

SOLUTION:

CHECK:

FINAL RESULT AS A COMPLETE SENTENCE:

**Section 3.5 – YOU TRY**

For this problem, identify the Givens the Goal. Form a strategy, solve, check, and write your answer in a complete sentence. Show all steps.

The cost of tuition at a local community college is given by the equation  $C = 76n$ , where  $C$  represents the total cost of tuition and  $n$  represents the number of credits taken. If you have \$800 dollars to spend on tuition, how many credits can you take?

GIVEN:

GOAL:

STRATEGY:

SOLUTION:

CHECK:

FINAL RESULT AS A COMPLETE SENTENCE:

## Section 3.6: Writing Equations

### Steps for Writing and Solving Equations

- Step 1: Read and understand the problem. Underline the givens and circle the goal.
- Step 2: Form a strategy to solve the problem.
- Step 3: Choose a variable to represent the unknown quantity.
- Step 4: Read every word in the problem, and translate the given information into an algebraic equation.
- Step 5: Solve the equation
- Step 6: Write your answer in a complete sentence



**Example 1:** The cost of leasing a new Ford mustang is \$2,311 for a down payment and processing fee plus \$276 per month. For how many months can you lease this car with \$10,000?



**Example 2:** You have just bought a new Sony 55” 3D television set for \$1,600. The value of the television set decreases by \$250 per year. How long before the television set is worth half of its original value?



Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 3: Practice Problems

### Skills Practice

1. Verify that  $a = -1$  is a solution to  $4 - a = 6a + 11$ . Show all work.
2. Verify that  $x = -5$  is a solution to  $3(2x + 4) = 8(x + 2) + 6$ . Show all work.
3. Is  $x = 8$  a solution to the equation  $-16 = \frac{3}{4}x - 10$ ? Answer yes or no, and show all supporting work.
4. Is  $x = -3$  a solution to the equation  $3(6 + 2x) = 8 + (x - 5)$ ? Answer yes or no, and show all supporting work.

5. Solve for the variable in each of the following equations. Reduce, simplify, and check your answers. Show all steps, and box your answer.

a.  $8x - 2 = 30$

Check:

b.  $5 - x = 3$

Check:

c.  $-\frac{1}{2}x - 4 = 8$

Check:

d.  $\frac{2}{3}x + 3 = 15$

Check:



e.  $4x - 8 = -x + 7$

Check:

f.  $\frac{3}{4}x - \frac{1}{2} = \frac{9}{8}x + \frac{3}{2}$

Check:

g.  $6x - 4(-2x + 8) = 10$

Check:

h.  $-2(4x - 2) = -(2x - 8)$

Check:

i.  $(2x - 7) - (4x + 8) = 4(x + 6)$

Check:

|              |
|--------------|
| Applications |
|--------------|

For each of the following, *underline* the Givens and *circle* the Goal of the problem. Form a Strategy, Solve, and Check. Show all work, and write your answer in a complete sentence.

- John is a door to door vacuum salesman. His weekly salary,  $S$ , is \$200 plus \$50 for each vacuum he sells. This can be written as  $S = 200 + 50v$ , where  $v$  is the number of vacuums sold. If John earns \$1000 for a week's work, how many vacuums did he sell?
  
  
  
  
  
  
  
  
  
  
- Paul is planning to sell bottled water at the local Lollapalooza. He buys 2 crates of water (2000 bottles) for \$360 and plans on selling the bottles for \$1.50 each. Paul's profit,  $P$  in dollars, from selling  $b$  bottles of water is given by the formula  $P = 1.5b - 360$ . How many bottles does Paul need to sell in order to break even?
  
  
  
  
  
  
  
  
  
  
- Ringo has \$100 in the bank and is adding \$50 each week in savings. George has \$250 in the bank, and is adding \$40 each week in savings. Their plan is to wait until their savings are equal and then buy a Magic Yellow Bus and take a road trip. They figure out that the equation can be written as  $50w + 100 = 40w + 250$ , where  $w$  is the number of weeks. How long will it take for their savings to be equal?

9. The formula for the area,  $A$ , of a triangle with base  $b$  and height  $h$  is  $A = \frac{1}{2}bh$ . Determine the height of a triangle with a base of 18 inches and area 84.6 square inches. Round your answer to the nearest tenth, and include appropriate units in your answer.
10. Suppose you want to accumulate \$1,000,000 for your retirement in 30 years. You decide to put money into an account that earns 3% interest compounded annually. How much should you deposit? The formula for compound interest is  $A = P(1 + r)^t$ , where  $A$  is the accrued amount after  $t$  years,  $P$  is the starting principal, and  $r$  is the annual interest rate expressed as a decimal. Round your answer *up* to the nearest cent.
11. Andrew and Andrea want to start a college fund for their baby girl. They decide to put money into an investment that is expected to earn 4.2% simple interest each year. How much would they have to deposit now in order to accumulate \$100,000 by the time their newborn goes to college in 18 years? The formula for simple interest is  $A = P + Prt$ , where  $A$  is the accrued value of the investment after  $t$  years,  $r$  is the interest rate (expressed as a decimal), and  $P$  is the starting principal invested. Round your answer *up* to the nearest cent.

12. February is a busy time at Charlie's Chocolate Shoppe! During the week before Valentine's Day, Charlie advertises that his chocolates will be selling for \$1.80 a piece (instead of the usual \$2.00 each). The fixed costs to run the Chocolate Shoppe total \$450 for the week, and he estimates that each chocolate costs about \$0.60 to produce. Write an equation to represent Charlie's **profit**,  $P$ , from selling  $n$  chocolates during the week before Valentine's Day. (HINT: Profit = Revenue – Total Costs) use this equation the number of Chocolates Charlie will need to sell in order to break even.
13. A new Sony 55" 3D television set costs \$2,499. You are going to pay \$600 as a down payment, and pay the rest in equal monthly installments for one year. Write an equation to represent this situation, and use it to determine how much you should pay each month. Clearly indicate what the variable in your equation represents.
14. Your yard is a mess, and you decide to hire a landscaper. The Greenhouse charges a \$20 consultation fee plus \$11 per hour for the actual work. Garden Pros does not charge a consulting fee, but charges \$15 per hour for the actual work. Write an equation that will help you determine the number of hours at which the two companies charge the same. Clearly indicate what the variable represents. Solve the equation, and write your answer in a complete sentence.

15. Let  $p$  represent the marked price of an item at Toys R Us. Emma's aunt gave her a \$50 gift card to Toys R Us for her birthday. If sales tax is currently 9%, set up an equation to express how much she can spend using her gift card. Solve the equation, and interpret your answer in a complete sentence.

|           |
|-----------|
| Extension |
|-----------|

16. Solve for the variable in each of the following equations. Reduce, simplify, and check your answers. Show all steps, and box your answer.

a.  $2(4x + 3) = 8x + 1$

b.  $5(x + 6) - x = 4(x + 7) + 2$

17. Solve the following nonlinear equations.

a.  $x^2 = 25$

b.  $x^3 = 27$

c.  $|x| = 3$

d.  $\sqrt{x} = 7$

e.  $\sqrt[3]{x} = 2$

f.  $\frac{1}{x} = 4$

18. Write a story problem for the equation shown below. Solve the problem, and write your answer in a complete sentence.

$$300 - 50x = 0$$

Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 3: Review

---

1. Solve the following equations for  $x$ . Show your work. Reduce, simplify and CHECK your answers!

a.  $7 - (a - 3) = 3(2a - 6)$

Check

b.  $-31 = \frac{3}{5}x - 10$

Check

2. The formula to convert from Celsius to Fahrenheit is  $F = \frac{9}{5}C + 32$ . The temperature on a summer day in Phoenix, Arizona is  $113^{\circ}\text{F}$ . What would this temperature be in degrees Celsius? Show all work, and write your answer in a complete sentence

3. You decide to invest \$7000 into an account that pays 5% simple interest each year. How long will it take for the investment to double in value?

The formula for simple interest is  $A = P + Prt$ , where  $A$  is the accrued value of the investment after  $t$  years,  $r$  is the interest rate (expressed as a decimal), and  $P$  is the starting principal invested.

Show all steps, and write your answer in a complete sentence.

4. Carlos recently hired a roofer to do some necessary work. On the final bill, Carlos was charged a total of \$1105. \$435 was listed for parts and the rest for labor. If the hourly rate for labor was \$67, how many hours of labor was needed to complete the job?
- Write an *equation* that can be used to determine the number of hours needed to complete the job. **Clearly indicate what the variable represents.**
  - Solve the equation. Show all steps, and write your answer in a complete sentence.



## Unit 4: Inequalities

---

**Section 4.1:** Linear Inequalities

**Section 4.2:** Solving Linear Inequalities

**Section 4.3:** Solving Inequalities – Applications

**Section 4.4:** Compound Inequalities

**Section 4.5:** Absolute Value Equations and Inequalities

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Inequality Symbols   |  |
| Algebraic Inequality   |  |
| Compound Inequality  |  |
| Interval Notation  |  |


|                                     |  |
|-------------------------------------|--|
| Solution to an Algebraic Inequality |  |
| Solution Set                        |  |
| Absolute Value                      |  |
| Absolute Value Equation             |  |
| Absolute Value Inequality           |  |

# Unit 4: Media Lesson

## Section 4.1: Inequalities

| Symbol | In words | Examples |
|--------|----------|----------|
| $<$    |          |          |
| $\leq$ |          |          |
| $>$    |          |          |
| $\geq$ |          |          |
| $\neq$ |          |          |


| Definitions   |
|---|
| <p>An <b>algebraic inequality</b> is a mathematical sentence connecting an expression to a value, variable, or another expression with an inequality sign.</p> <p>A <b>solution</b> to an inequality is a value that makes the inequality true.</p> |

 **Example 1:** Determine whether the number 4 is a solution to the following inequalities.  
 $x > 1$        $x < 1$        $x \leq 9$        $x > 4$        $x \geq 4$

### THE SOLUTION SET OF A LINEAR INEQUALITY


| Inequality | Graph  | Interval Notation |
|------------|--|-------------------|
| $x > 2$    | $-\infty <   > \infty$ |                   |
|            | $-\infty <   > \infty$ |                   |
| $x \geq 2$ | $-\infty <   > \infty$ |                   |
|            | $-\infty <   > \infty$ |                   |
| $x < 2$    | $-\infty <   > \infty$ |                   |
|            | $-\infty <   > \infty$ |                   |
| $x \leq 2$ | $-\infty <   > \infty$ |                   |
|            | $-\infty <   > \infty$ |                   |

|  |
|--|
| Translate a statement into an inequality |
|--|

 **Example 2:** Write an inequality to represent the following situation. Clearly indicate what the variable represents.

- a. In order to go on the ride, a child must be more than 48 inches tall.
  
- b. Jordan can spend at most \$10 on lunch.

|                       |
|-----------------------|
| Section 4.1 – You Try |
|-----------------------|

 Complete the following problems.

- a. Which of the following values are in the solution set for  $n < 5$  ?

$$n = -3 \qquad n = 0 \qquad n = 4.99 \qquad n = 5 \qquad n = 12$$

- b. Translate the statement into an inequality. Let  $a$  represent the age of a child.

Children age 2 and under are free at Disneyland

- c. Complete the table below:


| Inequality  | Graph  | Interval Notation |
|-------------|--|-------------------|
| $x \geq -3$ | $-\infty < \text{--- --- --- --- --- --- --- --- ---} > \infty$  |                   |
|             | $-\infty < \text{--- --- --- --- --- --- --- --- ---} > \infty$  | $(-\infty, 11]$   |
|             | $-\infty \leftarrow \text{--- --- --- --- --- --- --- --- ---} \rightarrow \infty$<br><div style="text-align: center; margin-top: -10px;"> <span style="margin: 0 5px;">-5</span> <span style="margin: 0 5px;">-4</span> <span style="margin: 0 5px;">-3</span> <span style="margin: 0 5px;">-2</span> <span style="margin: 0 5px;">-1</span> <span style="margin: 0 5px;">0</span> <span style="margin: 0 5px;">1</span> <span style="margin: 0 5px;">2</span> <span style="margin: 0 5px;">3</span> <span style="margin: 0 5px;">4</span> <span style="margin: 0 5px;">5</span> </div> |                   |

## Section 4.2: Solving Linear Inequalities

## STEPS FOR SOLVING A LINEAR INEQUALITY


1. Simplify each side of the inequality. Remove parenthesis if necessary. Collect like terms.
2. Add or subtract terms on each side of the inequality so that all terms containing the variable are on one side and all constant terms are on the other side.
3. Simplify each side of the inequality by combining like terms.
4. Multiply or divide on both sides to isolate the variable. **CAUTION!!!** *If you multiply or divide both sides of an inequality by a **negative number**, you have to reverse the inequality sign.*
5. Check by substituting the solution (*endpoint and a value from the solution set*) into the original inequality.

Solve the inequality, check your answer, and graph the solution on a number line.


 **Example 1:** Solve the inequality, check your answer, and graph the solution on a number line.

$$3x > x + 6$$

Graph:




Interval Notation: \_\_\_\_\_


 **Example 2:** Solve the inequality and graph the solution on a number line.

$$3 - 5a \leq 2(a + 5)$$

Graph:




Interval Notation: \_\_\_\_\_

 **Example 3:** Solve the inequality and graph the solution on a number line.


$$-5(x + 2) \geq -3(x + 4)$$

Graph:




Interval Notation: \_\_\_\_\_

Section 4.2 – You Try

 Solve the inequality, check your answer, and graph the solution on a number line.

a.  $7 - 4x \geq -5$

Graph:




Interval Notation: \_\_\_\_\_

.

b.  $6x + 13 < 5(2x - 3)$

Graph:



Interval Notation: \_\_\_\_\_

## Section 4.3: Solving Inequalities – Applications

For each problem, underline the Givens and circle the Goal. Form a Strategy, Solve, and Check. Write your answer in a complete sentence.



**Example 1:** The cost of tuition is \$76 per credit hour. Write an *inequality* that can be used to determine the number of credit hours a student can take for under \$1000. Solve the inequality, and write your answer in a complete sentence.



**Example 2:** Sean owns a business that builds computers. The fixed operating costs for his business are \$2,700 per week. In addition to fixed operating costs, each computer costs \$600 to produce. Each computer sells for \$1,500. Write an *inequality* that can be used to determine the number of computers Sean needs to sell in order make a profit each week. Solve the inequality, and write your answer in a complete sentence.





## Section 4.4: Compound Inequalities

THE SOLUTION SET OF A COMPOUND INEQUALITY

| Inequality         | Graph  | Interval Notation |
|--------------------|--|-------------------|
| $-1 < x < 2$       | $-\infty < \begin{array}{ c } \hline \text{-----} \\ \hline \end{array} \infty$<br>$-\infty < \begin{array}{ c } \hline \text{-----} \\ \hline \end{array} \infty$ |                   |
| $-1 \leq x \leq 2$ | $-\infty < \begin{array}{ c } \hline \text{-----} \\ \hline \end{array} \infty$<br>$-\infty < \begin{array}{ c } \hline \text{-----} \\ \hline \end{array} \infty$ |                   |
| $-1 \leq x < 2$    | $-\infty < \begin{array}{ c } \hline \text{-----} \\ \hline \end{array} \infty$<br>$-\infty < \begin{array}{ c } \hline \text{-----} \\ \hline \end{array} \infty$ |                   |

Verify that a given value is a solution to the inequality

**Example 1:** Which of the following values are in the solution set for  $-3 \leq n < 5$ ?

- $n = -5$        $n = -3$        $n = 0$        $n = 4.99$        $n = 5$        $n = 12$



Translate a statement into an inequality

**Example 2:** Write a compound inequality to represent the following situation. Clearly indicate what the variable represents.

- a. A number is greater than or equal to 5 but less than 8.
  
  
  
  
  
  
  
  
  
  
  
- b. My car's tank can hold a maximum of 20 gallons of gas.

## Section 4.4 – You Try

 Complete the following problems.

a. Which of the following values are in the solution set for  $-8 \leq w < 2$  ?

$w = -11$

$w = -8$

$w = -5$

$w = 0$




$w = 2$

$w = -8.5$

b. Translate the statement into a compound inequality.

*A number,  $n$ , is greater than 0, and less than or equal to 8.*


c. Complete the table below:

| Inequality  | Graph  | Interval Notation |
|-------------|--|-------------------|
| $0 < x < 4$ |  |                   |
|             |  | $(-3, 1]$         |
|             |  |                   |

## Section 4.5: Absolute Value Equations and Inequalities

Absolute Value



 **Example 1:** Evaluate the following:  $|2| =$   $|-2| =$

Absolute Value Equations

Determine the solution to each of the following equations.

 **Example 2:**  $|x| = 2$   $|x| = 3$   $|x| = -4$

| Absolute Value Inequalities |   |
|-----------------------------|---|
| $ x  < 2$                   | List some values in the solution set: _____<br><br> |
| $ x  \leq 2$                | List some values in the solution set: _____<br><br> |
| $ x  > 2$                   | List some values in the solution set: _____<br><br> |

## Section 4.5 – You Try

 Complete the following problems.

a. Determine the solution to the equation  $|x| = 8$

b. Absolute Value Inequalities:

|              |  |
|--------------|--|
| $ x  < 3$    | List some values in the solution set: _____<br>$-\infty < \text{--- --- --- --- --- --- --- --- --- ---} > \infty$ |
| $ x  \geq 3$ | List some values in the solution set: _____<br>$-\infty < \text{--- --- --- --- --- --- --- --- --- ---} > \infty$ |

## Unit 4: Practice Problems

### Skills Practice

1. For each of the following, circle *all* correct answers.

a. Which of the given values are in the solution set for  $x < 3$ ?

$$x = 0 \quad x = -1 \quad x = -5 \quad x = 3 \quad x = 5 \quad x = -\frac{5}{3}$$

b. Which of the given values are in the solution set for  $x \geq -1$ ?

$$x = 0 \quad x = -1 \quad x = -5 \quad x = 3 \quad x = 5 \quad x = -\frac{5}{3}$$

c. Which of the given values are in the interval  $[-2, \infty)$ ?

$$x = 0 \quad x = -1 \quad x = -5 \quad x = 3 \quad x = 5 \quad x = -\frac{5}{3}$$

d. Which of the given values are in the interval  $(-\infty, -1)$ ?

$$x = 0 \quad x = -1 \quad x = -5 \quad x = 3 \quad x = 5 \quad x = -\frac{5}{3}$$

e. Which of the given values are in the interval  $(-1, 5]$ ?

$$x = 0 \quad x = -1 \quad x = -5 \quad x = 3 \quad x = 5 \quad x = -\frac{5}{3}$$

f. Which of the given values are in the interval  $-5 < x \leq 3$ ?

$$x = 0 \quad x = -1 \quad x = -5 \quad x = 3 \quad x = 5 \quad x = -\frac{5}{3}$$

2. Complete the table below:


| Inequality      | Graph   | Interval Notation |
|-----------------|---|-------------------|
| $x > 8$         | $-\infty < \text{--- --- --- --- --- --- --- --- --- ---} > \infty$ |                   |
| $x \leq -1$     | $-\infty < \text{--- --- --- --- --- --- --- --- --- ---} > \infty$ |                   |
| $8 \leq x < 12$ | $-\infty < \text{--- --- --- --- --- --- --- --- --- ---} > \infty$ |                   |
|                 | $-\infty < \text{--- --- --- --- --- --- --- --- --- ---} > \infty$ | $(-2, \infty)$    |
|                 | $-\infty < \text{--- --- --- --- --- --- --- --- --- ---} > \infty$ | $(-\infty, 6]$    |
|                 | $-\infty < \text{--- --- --- --- --- --- --- --- --- ---} > \infty$ | $(-10, -7]$       |

3. Solve the inequality, showing all steps. Write your answer as an inequality *and* in interval notation, then graph the solution set on the number line.

$$4x \leq 2x + 12$$

Interval Notation: \_\_\_\_\_

Graph:



4. Solve the inequality, showing all steps. Write your answer as an inequality *and* in interval notation, then graph the solution set on the number line.

$$14m + 8 > 6m - 8$$

Interval Notation: \_\_\_\_\_

Graph:




5. Solve the inequality, showing all steps. Write your answer as an inequality *and* in interval notation, then graph the solution set on the number line.

$$5(-2a - 8) \leq -9a + 4$$

Interval Notation: \_\_\_\_\_

Graph:



6. For each of the following, circle *all* correct answers.

a. Which of the given values are in the solution set for  $|x| = 5$  ?

$x = 0$        $x = -1$        $x = -5$        $x = -7$        $x = 3$        $x = 5$        $x = 9$

b. Which of the given values are in the solution set for  $|x| \geq 5$ ?

$x = 0$        $x = -1$        $x = -5$        $x = -7$        $x = 3$        $x = 5$        $x = 9$

c. Which of the given values are in the solution set for  $|x| < 5$  ?

$x = 0$        $x = -1$        $x = -5$        $x = -7$        $x = 3$        $x = 5$        $x = 9$

7. Graph the solution set for the inequalities shown below.

a.  $|x| < 1$        $-\infty < \text{---|---|---|---|---|---|---|---|---|} \rightarrow \infty$

b.  $|x| \geq 4$        $-\infty < \text{---|---|---|---|---|---|---|---|---|} \rightarrow \infty$



## Applications

8. Translate each of the given statements into an algebraic inequality.
- a. You must be at least 13 years of age in order to view a PG-13 movie. Let  $a$  represent your age.
  - b. Your car's gas tank can hold up to 25 gallons of gas. Let  $g$  represent the number of gallons in your gas tank.
  - c. A company must sell more than 850 items in order to make a positive profit. Let  $n$  represent the number of items sold.
  - d. The maximum heart rate,  $M$ , is the highest heart rate achieved during maximal exercise. In general, you gain the most benefits and lessen the risks when you exercise within your *target* heart rate zone. Usually this is when your exercise heart rate is between 60 and 80 percent of your maximum heart rate. Let  $T$  represent your target heart rate.
9. You have \$1200 for your trip to the beach. You estimate that it will cost \$160 a day for food, entertainment and hotel, plus \$230 round trip air fair.
- a. Write an *inequality* that can be used to determine the maximum number of days you can stay at the beach. Clearly indicate with the variable represents.
  - b. Solve the inequality, and interpret your answer in a complete sentence.

10. Let  $p$  represent the marked price of an item at Toys R Us. Bella's aunt gave her a \$100 gift card to Toys R Us for her birthday.
- If sales tax is currently 9%, set up an algebraic *inequality* to express how much she can spend using her gift card. Clearly indicate what the variable represents.
  
  - Solve the inequality, and interpret your answer in a complete sentence.
- 
11. Your car is worth \$1000 at most. It is old. You find out that it needs repairs to pass inspection. The auto shop tells you that the parts cost a total of \$520, and the labor cost is \$68 per hour. If the repairs are more than the car is worth, you are going to donate the car to charity.
- Write an *inequality* that can be used to determine the maximum number of hours the mechanic can spend working on your car to help you decide to repair it or donate it. Clearly indicate what the variable represents.
  
  - Solve the inequality, and interpret your answer in a complete sentence.

## Extension

12. Solve the *compound* inequality, showing all steps. Write your answer as an inequality *and* in interval notation, then graph the solution set on the number line.

$$1 < x + 3 \leq 7$$

Interval Notation: \_\_\_\_\_

Graph:

$$-\infty \leftarrow \text{-----} \rightarrow \infty$$

13. Solve the *compound* inequality, showing all steps. Write your answer as an inequality *and* in interval notation, then graph the solution set on the number line.

$$-12 < 4n < 20$$

Interval Notation: \_\_\_\_\_

Graph:

$$-\infty \leftarrow \text{-----} \rightarrow \infty$$

14. Solve the *compound* inequality, showing all steps. Write your answer as an inequality *and* in interval notation, then graph the solution set on the number line.

$$3 \leq 2v - 5 < 11$$

Interval Notation: \_\_\_\_\_

Graph:

$$-\infty \leftarrow \text{-----} \rightarrow \infty$$

15. Solve the *compound* inequality, showing all steps. Write your answer as an inequality *and* in interval notation, then graph the solution set on the number line.

$$-27 \leq -3x \leq 30$$

Interval Notation: \_\_\_\_\_

Graph:

$$-\infty \longleftarrow \longrightarrow \infty$$

16. Solve the *compound* inequality, showing all steps. Write your answer as an inequality *and* in interval notation, then graph the solution set on the number line.

$$2 < 6 - 4m \leq 6$$

Interval Notation: \_\_\_\_\_

Graph:

$$-\infty \longleftarrow \longrightarrow \infty$$

17. Solve the *compound* inequality, showing all steps. Write your answer as an inequality *and* in interval notation, then graph the solution set on the number line.

$$-1 \leq 5 - \frac{2}{3}b < 1$$

Interval Notation: \_\_\_\_\_

Graph:

$$-\infty \longleftarrow \longrightarrow \infty$$

Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 4: Review

---

1. Which of the given values are in the interval  $(-1, \infty)$ ? Circle all that apply.

$x = 0$

$x = -1$

$x = -5$

$x = 3$

2. Which of the given values are in the interval  $(-3, 5]$ ? Circle all that apply.

$x = 8$

$x = -2$

$x = -3$

$x = 5$

3. You have \$1400 for your trip to the beach. You estimate that it will cost \$250 a day for food, entertainment and hotel, plus \$198 for round trip air fair.

a. Write an *inequality* that can be used to determine the maximum number of full days you can stay at the beach. Clearly indicate what the variable represents.


b. Solve the inequality, and interpret your answer in a complete sentence.

4. Solve the inequality, showing all steps. Write your answer as an inequality *and* in interval notation, then graph the solution set on the number line.

$$1 - 3x > 14 - (4 - 6x)$$

Interval Notation: \_\_\_\_\_

Graph:



5. Complete the table below.

| Inequality      | Graph | Interval Notation |
|-----------------|-------|-------------------|
| $x < 0$         |       |                   |
| $-2 < x \leq 1$ |       |                   |
|                 |       | $[-3, \infty)$    |
|                 |       |                   |

## Unit 5: Graphs

---

**Section 5.1:** The Cartesian plane

**Section 5.2:** Working with Scale in the Cartesian Plane

**Section 5.3:** Characteristics of Graphs

**Section 5.4:** Interpreting Graphs

**Section 5.5:** Constructing good graphs from Data

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Input  |  |
| Output   |  |
| Cartesian Coordinate System  |  |
| Ordered Pair   |  |

|                      |  |
|----------------------|--|
| Quadrants            |  |
| Scale                |  |
| Vertical Intercept   |  |
| Horizontal Intercept |  |
| Local Maximum        |  |
| Local Minimum        |  |
| Behavior of Graphs   |  |



## Unit 5: Media Lesson

---

### Section 5.1: The Cartesian Plane

In this chapter, we will begin looking at the relationships between two variables. Typically one variable is considered to be the **INPUT**, and the other is called the **OUTPUT**. The input is the value that is considered first, and the output is the value that corresponds to or is matched with the input. The input/output designation may represent a cause/effect relationship, but that is not always the case.

|               |
|---------------|
| Ordered Pairs |
|---------------|





**Example 1:** Ordered Pairs (input value, corresponding output value)

| Input | Output | Ordered Pairs (input, output) |
|-------|--------|-------------------------------|
| 4     | -3     |                               |
| 5     | 8      |                               |
|       |        | (0, -4)                       |
|       |        | (-2, 6)                       |



**Example 2:** The Rectangular Coordinate System (Cartesian Coordinate System)






Plot and label the points.


- A.  $(-4, 2)$
- B.  $(3, 8)$
- C.  $(0, -5)$
- D.  $(-6, -4)$
- E.  $(5, 0)$
- F.  $(2, -8)$
- G.  $(0, 0)$

**Quadrants**

| Quadrant | Coordinates |
|----------|-------------|
| I        | $(+, +)$    |
| II       | $(-, +)$    |
| III      | $(-, -)$    |
| IV       | $(+, -)$    |



**Section 5.1 – You Try**




Plot and label the points.

- A.  $(6, -3)$
- B.  $(1, 9)$
- C.  $(-4, 0)$
- D.  $(-2, -8)$
- E.  $(0, 5)$
- F.  $(-9, 7)$

## Section 5.2: Working with Scale in the Cartesian Plane



**Example 1:** Give the coordinates of each of the points shown below.



A. \_\_\_\_\_

B. \_\_\_\_\_

C. \_\_\_\_\_

D. \_\_\_\_\_


E. \_\_\_\_\_

#### Tips for Choosing a Scale

- For the horizontal axis, start by identifying the lowest input value and the highest input value that must be plotted. Your scale must *start* at or below the lowest value, and *end* at or above the highest value.
- Choose “nice” intervals for the tick marks on your scale. (In general, 10’s and 5’s are better than 7’s or 8’s). All tick marks must be equally spaced.
- Do the same for the output values on the vertical axis. NOTE: The scales for the input and output do not need to be the same!



**Example 2:** Plot the given points on the graph below.



A.  $(-800, 1.8)$

B.  $(550, 0.2)$

C.  $(180, 0)$

D.  $(0, -1.5)$


E.  $(425, -0.4)$

F.  $(-950, 1)$

Section 5.2 – You Try



Plot and label the points.



A.  $(35, 125)$

B.  $(0, 100)$

C.  $(-40, 0)$

D.  $(-30, 150)$


E.  $(-25, -175)$

F.  $(5, -75)$

## Section 5.3: Characteristics of Graphs

## Vertical and Horizontal Intercepts


The **vertical intercept** is the point at which the graph crosses the vertical axis.



The input value of the vertical intercept is always \_\_\_\_\_

The coordinates of the vertical intercept will be \_\_\_\_\_

The **horizontal intercept** is the point at which the graph crosses the horizontal axis.




The output value of the horizontal intercept is always \_\_\_\_\_

The coordinates of the horizontal intercept will be \_\_\_\_\_



**Example 1:** Identify the vertical and horizontal intercepts of the graph below.



## Behavior of Graphs

A graph is **increasing** if as the inputs increase, the outputs increase.


A graph is **decreasing** if as the inputs increase, the outputs decrease.

A graph is **constant** if as the inputs increase, the outputs do not change.

| Increasing | Decreasing | Constant |
|------------|------------|----------|
|            |            |          |



**Example 2:** On the graph below, use a highlighter to identify where the graph is **increasing**.




## Section 5.3 – You Try



Consider the graph below.


- Identify the vertical and horizontal intercepts of the graph. Mark these points on the graph and label them as ordered pairs.
- Use a highlighter to show where the graph is **decreasing**.



## Section 5.4: Interpreting a Graph



**Example 1:** Consider the graph shown below.



Input Variable: \_\_\_\_\_


Units of Input Variable: \_\_\_\_\_


Output Variable: \_\_\_\_\_

Units of Output Variable: \_\_\_\_\_

- After 3.5 seconds, the rocket is \_\_\_\_\_ feet above the ground.
- The rocket is 50 feet above the ground after \_\_\_\_\_ seconds.
- Interpret the meaning of the ordered pair (5,82).
- Identify the vertical intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.
- Identify the horizontal intercepts. Write them both as ordered pairs and interpret their meaning in a complete sentence.
- Use a highlighter to show where the graph is **increasing**, and explain what this means in terms of the rocket.

## Section 5.4 - You Try

 The graph below shows Sally's distance from home over a 30 minute time period.



Input Variable: \_\_\_\_\_

Units of Input Variable: \_\_\_\_\_

Output Variable: \_\_\_\_\_

Units of Output Variable: \_\_\_\_\_

- Interpret the meaning of the ordered pair (15,10)
- After 3 minutes, Sally is \_\_\_\_\_ miles from home.
- After \_\_\_\_\_ minutes, Sally is 4 miles from home.
- Identify the vertical intercept. Write it as an ordered pair and interpret its meaning.
- Identify the horizontal intercept. Write it as an ordered pair and interpret its meaning.
- This graph is (circle one)      **increasing**      **decreasing**  
Explain what this means in terms of Sally's distance from home.



## Section 5.5: Constructing a Graph from Data


### Criteria for a Good Graph

1. The horizontal axis should be properly labeled with the name and units of the input variable.
2. The vertical axis should be properly labeled with the name and units of the output variable.
3. Use an appropriate scale.
  - Start at or just below the lowest value.
  - End at or just above the highest value.
  - Scale the graph so the adjacent tick marks are equal distance apart.
  - Use numbers that make sense for the given data set.
  - The axes must meet at (0,0) Use a “//” between the origin and the first tick mark if the scale does not begin at 0.
4. All points should be plotted correctly, and the graph should make use of the available space.



**Example 1:** The table below shows the total distance (including reaction time and deceleration time) it takes a car traveling at various speeds to come to a complete stop.

|                        |    |    |     |     |     |     |     |     |
|------------------------|----|----|-----|-----|-----|-----|-----|-----|
| Speed (miles per hour) | 15 | 25 | 35  | 45  | 50  | 60  | 75  | 80  |
| Stopping Distance (ft) | 44 | 85 | 135 | 196 | 229 | 304 | 433 | 481 |



Input: \_\_\_\_\_

Lowest Value: \_\_\_\_\_

Highest Value: \_\_\_\_\_

Output: \_\_\_\_\_

Lowest Value: \_\_\_\_\_

Highest Value: \_\_\_\_\_


## Section 5.5 – You Try



Consider the following data set.

|                            |   |    |     |     |    |     |
|----------------------------|---|----|-----|-----|----|-----|
| Elapsed time (seconds)     | 0 | 1  | 1.5 | 2.4 | 3  | 3.8 |
| Height of Golf Ball (feet) | 0 | 59 | 77  | 88  | 81 | 54  |


- What is the input variable? \_\_\_\_\_
  - What was the height of the ball after 3 seconds? \_\_\_\_\_
  - After how many seconds was the ball 77 feet in the air? \_\_\_\_\_
  - In a complete sentence, interpret the meaning of the ordered pair (1, 59).
- e. Construct a good graph of this data.



## Unit 5: Practice Problems


**Skills Practice**

1. Plot and label the points.






- A. (8, 2)
- B. (0, 0)
- C. (0, 5)
- D. (10, -10)
- E. (-4, 4)
- F. (-9, -1)
- G. (-5, 0)
- H. (2, -8)

2. Plot and label the points.






- A. (-800, 15)
- B. (650, 20)
- C. (100, 0)
- D. (0, -35)
- E. (-450, -40)
- F. (950, -30)




3. Identify the graph that best represents the speed of a car coming to a stop at a red light.




4. Identify the graph that best represents the height of an arrow that has been shot straight up in the air, and lands on the ground.



5. Identify the graph that best represents the distance traveled by a car driving at a constant speed.




6. Identify the vertical and horizontal intercepts of each of the graphs below. Write the intercepts as ordered pairs.




Vertical Intercept:

Horizontal Intercept:




Vertical Intercept:

Horizontal Intercepts:



Vertical Intercept:







Horizontal Intercepts:



Vertical Intercept:


Horizontal Intercept:

7. For each of the graphs below, use a highlighter to indicate the intervals where the graph is decreasing.




## Applications

8. The graph below shows the population of a town over a 10-year time period.



- a. What is the input variable? \_\_\_\_\_
- b. What is the output variable? \_\_\_\_\_
- d. The population of this town is (circle one)      **increasing**      **decreasing**
- e. The population of this town in the year 2006 was approximately \_\_\_\_\_.
- f. The population of this town in the year 2011 was approximately \_\_\_\_\_.
- g. The population of this town in the year \_\_\_\_\_ was approximately 10,000 people.
- h. Interpret the meaning of the ordered pair (9, 12).
- i. Identify the vertical intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.


9. Janey is selling homemade scented candles. The graph below shows her profit from selling the candles.



- What is the input variable? \_\_\_\_\_
- What is the output variable? \_\_\_\_\_
- If Janey sells 90 candles, her profit will be \_\_\_\_\_.
- If Janey sells \_\_\_\_\_ candles, her profit will be \$200.
- If Janey sells 15 candles, her profit will be \_\_\_\_\_.
- Interpret the meaning of the ordered pair (60, 50).
- Identify the vertical intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.
- Identify the horizontal intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.



10. The graph below shows the number of calories burned while riding a stationary bike.




- a. What is the output variable? \_\_\_\_\_
- b. Interpret the meaning of the ordered pair (8, 32).
- c. \_\_\_\_\_ calories are burned in 10 minutes.
- d. 60 calories are burned in \_\_\_\_\_ minutes.
- e. \_\_\_\_\_ calories are burned in 16 minutes.
- f. 100 calories are burned in \_\_\_\_\_ minutes.
- g. Identify the vertical intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.

11. The following data set gives the value of a car over time.

| Years since purchase | Value in Dollars |
|----------------------|------------------|
| 0                    | 20,025           |
| 1                    | 17,822           |
| 2                    | 15,862           |
| 3                    | 14,117           |
| 5                    | 11,182           |
| 8                    | 7,883            |


- What was the purchase price of the car? \_\_\_\_\_
- After one year the car will be worth what percent of its original value? Round your answer to the nearest tenth of a percent.
- After five years the car will be worth what percent of its original value? Round your answer to the nearest tenth of a percent.
- Use the values in the table to construct a properly scaled and labeled graph of the data.



12. A pebble falls from a bridge into the river below.



| Time (seconds) | Height above the water (feet) |
|----------------|-------------------------------|
| 0              | 144                           |
| 0.5            | 140                           |
| 1              | 128                           |
| 1.5            | 108                           |
| 2              | 80                            |
| 2.5            | 44                            |
| 3              | 0                             |

- What is the input variable? \_\_\_\_\_
- What is the output variable? \_\_\_\_\_
- In a complete sentence, interpret the meaning of the ordered pair (2, 80).
- Identify the vertical intercept. Write it as an ordered pair and interpret its meaning.
- Identify the horizontal intercept. Write it as an ordered pair and interpret its meaning.
- Use the values in the table to construct a properly scaled and labeled graph of the data.





## Extension








13. The graph below shows the *distance traveled* by a car. Draw a graph to represent the *speed* of the car during the same time period.



14. The graph below shows the *speed* of a car. Draw a graph to represent the *distance traveled* by the car during the same time period




15. The graphs below shows Sara’s distance from home over time. Describe the story that each graph tells about the Sara’s journey.


| Graph   | Story |
|---|-------|
|    |       |
|    |       |
|    |       |
|  |       |
|  |       |
|  |       |
|  |       |

16. Draw a graph to represent each situation.


- a. The height above the ground of a child swinging on a swing.



- b. Bill is walking to school when he realizes that he forgot his math book. He runs home to get it, and then jogs to school.




- c. The speed of a car stuck morning traffic.



## Unit 5: Review


---

1. Plot and label the points.



- A.  $(25, 2.5)$
- B.  $(40, -0.5)$
- C.  $(0, -3)$
- D.  $(15, 0)$
- E.  $(-45, 4)$
- F.  $(-30, -1.5)$


2. Consider the graph below.
- a. Identify the vertical and horizontal intercepts of the graph. Mark these points on the graph and label them as ordered pairs.
  - b. Use a highlighter to show where the graph is **increasing**.



3. Consider the following data set.

| Years Since 1980 | Sales (in millions of dollars) |
|------------------|--------------------------------|
| 0                | 3.2                            |
| 5                | 2.4                            |
| 10               | 1.5                            |
| 15               | 1.3                            |
| 21               | 1.1                            |
| 25               | 2.6                            |
| 26               | 3.5                            |

- a. What is the input variable? \_\_\_\_\_
- b. What is the output variable? \_\_\_\_\_
- c. What were the sales in 1995? \_\_\_\_\_
- d. In a complete sentence, interpret the meaning of the ordered pair (0, 3.2).
  
- e. Use the values in the table to construct a properly scaled and labeled graph of the data.





## Unit 6: Formulas and Patterns

---

**Section 6.1:** Connect the Dots?

**Section 6.2:** Equations and Graphs

**Section 6.3:** Graphing Equations by Plotting Points

**Section 6.4:** Intercepts

**Section 6.5:** Horizontal and Vertical Lines

**Section 6.6:** Looking for Patterns

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Continuous Graph   |  |
| Discrete Graph   |  |
| The Graph of an Equation   |  |
| Horizontal Intercept   |  |



|  |  |
|--|--|
| Finding the Horizontal Intercept given an equation |  |
| Vertical Intercept                                 |  |
| Finding the Vertical Intercept given an equation   |  |
| Horizontal Line                                    |  |
| Vertical Line                                      |  |

## Unit 6: Media Lesson

### Section 6.1: Connect the Dots?

#### General Notes

- If you are given a table of data, you can only plot those specific values (without connecting them), unless the context defines a *pattern or rate of change* that can be used to accurately define values in between the given data values.
- In the media, graphs are often presented as a solid line in order to show a general trend or to make the graph look more appealing. However, not all of the points on the line may make sense in the given situation.






**Example 1:** Match the stories with the graphs below, and label the axes accordingly.

Story A: Andy is selling snow cones for \$3 each. This graph shows the revenue earned from selling the snow cones.


Story B: Andrea is saving money for a trip to Disneyland. Every payday, she sets aside \$100 for the trip. She gets paid every two weeks. This graph shows the amount of money saved over time.

Story C: Andrew is walking to school. There are no streets to cross, so he is able to walk at a constant rate. This graph shows Andrew's distance from home over time.





**Example 2:** Consider the graph below. Do all of the points on the graph make sense in the given situation?



### Section 6.1 – You Try






Match the stories with the graphs below, and label the axes accordingly.

Story A. Water is being drained from a tub. This graph shows the amount of water remaining in the tub (in gallons) after  $m$  minutes.

Story B. Each ride at a carnival costs \$2. This graph shows the amount of money Henry has left over after riding  $x$  rides.

Story C. An electronics store is offering payment plans with 0% interest. Isabel purchases a laptop and pays \$250 on the first of every month to pay it off. This graph represents the remaining balance after  $m$  months.



## Section 6.2: Equations and Graphs

## Definition

The **graph of an equation** is the set of all points for which the equation is true.




**Example 1:** Verify that the ordered pairs below satisfy the equation  $y = 2x + 3$ .

$(-2, -1)$

$(0, 3)$

$(1, 5)$




 **Example 2:** Verify that the ordered pairs below satisfy the equation  $3x + 2y = 6$ .


$(-2, 6)$

$(0, 3)$

$(2, 0)$



Section 6.2 – You Try


 Verify that the ordered pairs below satisfy the equation  $y = x^2 + 2x - 5$ . Show all steps as in the media examples.

$(-3, -2)$


$(4, 19)$


$(0, -5)$

## Section 6.3: Graphing Equations by Plotting Points


 **Example 1:** Use the equation  $y = \frac{1}{2}x - 2$  to complete the table below. Graph your results.


| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -6  |     |              |
| -4  |     |              |
| -2  |     |              |
| 0   |     |              |
| 2   |     |              |
| 4   |     |              |
| 6   |     |              |



 **Example 2:** Use the equation  $y = -x^2 + 5$  to complete the table below. Graph your results.

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  |     |              |
| -2  |     |              |
| -1  |     |              |
| 0   |     |              |
| 1   |     |              |
| 2   |     |              |
| 3   |     |              |



 **Example 3:** Use the equation  $y = 2^x$  to complete the table below. Graph your results.


| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -2  |     |              |
| -1  |     |              |
| 0   |     |              |
| 1   |     |              |
| 2   |     |              |
| 3   |     |              |
| 4   |     |              |



Section 6.3 – You Try

 Use the equation  $y = |x - 2|$  to complete the table below. Graph your results.

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -6  |     |              |
| -4  |     |              |
| -2  |     |              |
| 0   |     |              |
| 2   |     |              |
| 4   |     |              |
| 6   |     |              |






## Section 6.4: Intercepts

## Vertical and Horizontal Intercepts

The **vertical intercept** is the point at which the graph crosses the vertical axis.




The input value of the vertical intercept is always \_\_\_\_\_

The coordinates of the vertical intercept will be \_\_\_\_\_

To determine the vertical intercept:

The **horizontal intercept** is the point at which the graph crosses the horizontal axis.



The output value of the horizontal intercept is always \_\_\_\_\_


The coordinates of the horizontal intercept will be \_\_\_\_\_

To determine the horizontal intercept:



**Example 1:** Determine the vertical and horizontal intercepts for  $y = 3x - 2$ .


| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |





**Example 2:** Determine the vertical and horizontal intercepts for  $4x - 2y = 10$ .

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |



Section 6.4 - You Try




Determine the vertical and horizontal intercepts for  $y = 24 - 6x$


| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |

## Section 6.5: Horizontal and Vertical Lines

Horizontal Lines  $y = b$ , where  $b$  is a real number

 **Example 1:** Graph the equation  $y = 2$


| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |



Vertical Lines  $x = k$ , where  $k$  is a real number

 **Example 2:** Graph the equation  $x = -3$

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |




## Section 6.5 - You Try



Complete the problems below.


a. Graph the equation  $y = -2$

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |



b. Graph the equation  $x = 4$

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |




## Section 6.6: Looking for Patterns



**Example 1:** Determine the pattern and complete the table. Graph the results, and write a formula to describe the relationship between the input and output variables.

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  |     |              |
| -2  | 3   |              |
| -1  | 4   |              |
| 0   | 5   |              |
| 1   |     |              |
| 2   |     |              |
| 3   | 8   |              |




Symbolic Rule:

---




**Example 2:** Determine the pattern and complete the table. Graph the results, and write a formula to describe the relationship between the input and output variables.

| $x$ | $y$            | Ordered Pair |
|-----|----------------|--------------|
| -3  |                |              |
| -2  | -1             |              |
| -1  | $-\frac{1}{2}$ |              |
| 0   | 0              |              |
| 1   | $\frac{1}{2}$  |              |
| 2   | 1              |              |
| 3   |                |              |




Symbolic Rule:

---

 **Example 3:** Determine the pattern and complete the table. Graph the results, and write a formula to describe the relationship between the input and output variables.


| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  | 9   |              |
| -2  | 4   |              |
| -1  |     |              |
| 0   | 0   |              |
| 1   | 1   |              |
| 2   |     |              |
| 3   | 9   |              |
| 4   | 16  |              |




Symbolic Rule:

\_\_\_\_\_

### Section 6.6 – You Try

 Determine the pattern and complete the table. Graph the results, and write a formula to describe the relationship between the input and output variables.

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  | 6   |              |
| -2  | 4   |              |
| -1  | 2   |              |
| 0   |     |              |
| 1   | -2  |              |
| 2   | -4  |              |
| 3   |     |              |



Symbolic Rule:

\_\_\_\_\_

## Unit 6: Practice Problems

### Skills Practice

1. Which of the following ordered pairs satisfy the equation  $y = -2x - 4$ ? **Circle all that apply, and show all supporting work.**

(9, -22)

(6, -5)

(-9, 14)

(2, 0)

(-4, 0)

2. Which of the following ordered pairs satisfy the equation  $3x - 2y = 8$ ? **Circle all that apply, and show all supporting work**

(2, -1)

(-4, 0)

(1, 8)

(-2, -7)

(-16, -8)

3. Which of the following ordered pairs satisfy the equation  $y = 1 - x$ . **Circle all that apply, and show all supporting work**

(-7, 8)

(0, 1)

(3, -2)

(-1, 0)

(-20, 21)

4. Which of the following ordered pairs satisfy the equation  $y = -2x$ . **Circle all that apply, and show all supporting work**

(6, -12)

(-1, 2)


(4, -8)

(0, -2)

(0, 0)


5. Graph the equation  $y = -4x + 2$ .

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |




6. Graph the equation  $y = \frac{2}{5}x - 3$

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |



7. Graph the equation  $y = 3 - x$ .


| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |






8. Graph the equation  $4x - 2y = 12$ .

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |




9. Graph the equation  $x - y = 4$ .

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |




10. Graph the equation  $y = x$ .

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |




11. Graph the equation  $y = \frac{2}{3}x$ .

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |




12. Graph the equation  $y = -4$ .

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |




13. Graph the equation  $x = 3$

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |




14. Graph the equation  $y = 5 - x^2$

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  |     |              |
| -2  |     |              |
| -1  |     |              |
| 0   |     |              |
| 1   |     |              |
| 2   |     |              |
| 3   |     |              |



15. Graph the equation  $y = |x + 2|$

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |
|     |     |              |
|     |     |              |
|     |     |              |
|     |     |              |



16. Complete the table below. Write the intercepts as ordered pairs.


| Equation       | Vertical Intercept | Horizontal Intercept |
|----------------|--------------------|----------------------|
| $y = 5x - 3$   |                    |                      |
| $y = 4 - x$    |                    |                      |
| $y = 4x$       |                    |                      |
| $y = 3$        |                    |                      |
| $5x + 6y = 12$ |                    |                      |
| $3x - 4y = 24$ |                    |                      |
| $x - 2y = 8$   |                    |                      |
| $x = 5$        |                    |                      |

- 17.** Determine the pattern and complete the table. Graph the results, and write a formula to describe the relationship between the input and output variables.

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  | 30  |              |
| -2  | 20  |              |
| -1  | 10  |              |
| 0   |     |              |
| 1   | -10 |              |
| 2   |     |              |
| 3   | -30 |              |

Symbolic Rule:

\_\_\_\_\_




- 18.** Determine the pattern and complete the table. Graph the results, and write a formula to describe the relationship between the input and output variables.

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  | -11 |              |
| -2  | -10 |              |
| -1  |     |              |
| 0   | -8  |              |
| 1   |     |              |
| 2   | -6  |              |
| 3   | -5  |              |

Symbolic Rule:

\_\_\_\_\_




19. Determine the pattern and complete the table. Graph the results, and write a formula to describe the relationship between the input and output variables.

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  | -27 |              |
| -2  | -8  |              |
| -1  | -1  |              |
| 0   | 0   |              |
| 1   |     |              |
| 2   |     |              |
| 3   | 27  |              |

Symbolic Rule:

\_\_\_\_\_




20. Determine the pattern and complete the table. Graph the results, and write a formula to describe the relationship between the input and output variables.

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  | -5  |              |
| -2  |     |              |
| -1  | -1  |              |
| 0   |     |              |
| 1   | 3   |              |
| 2   | 5   |              |
| 3   | 7   |              |

Symbolic Rule:

\_\_\_\_\_



## Applications

**21.** Jordan is saving money for emergencies (or a trip to Europe). She has \$420 under her mattress, and is adding \$60 to it each week.

a. Let  $A$  represent the total amount of money under her mattress, and  $w$  represent the number of weeks. Write an algebraic equation to represent this situation.

b. Use the equation in part a. to complete the table below.

|     |   |   |      |      |    |      |
|-----|---|---|------|------|----|------|
| $w$ | 0 | 8 |      |      | 37 |      |
| $A$ |   |   | 1800 | 2220 |    | 3000 |

c. Interpret the meaning of the ordered pair (18, 1500).

d. Identify the vertical intercept in this situation. Write it as an ordered pair and interpret its meaning in a complete sentence.

e. How much money will Jill have saved after 3 weeks?

f. Calculate the horizontal intercept for the equation you found in part a. and write it as an ordered pair. Does this point make sense in the given situation? Why or why not?

22. Jill is planning to sell bottled water at the local carnival. She buys 10 packages of water (240 bottles) for \$66 and plans on selling the bottles for \$1.50 each. Jill's profit,  $P$  in dollars, from selling  $b$  bottles of water is given by the formula  $P = 1.50b - 66$ .

- a. Complete the table below.

|     |   |    |     |     |     |
|-----|---|----|-----|-----|-----|
| $b$ | 0 | 50 | 100 | 200 | 240 |
| $P$ |   |    |     |     |     |

- b. Interpret the meaning of the ordered pair (84, 60).
- c. Identify the vertical intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.
- d. Determine the horizontal intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.
- g. Use the values in the table to construct a properly scaled and labeled graph of this equation.





23. Match the stories with the graphs below, and label the axes accordingly.







Story A: Heidie is filling a pool with water. This graph shows the amount of water in the pool (in gallons) over time.

Story B: John has \$15,000 in his bank account for college. Every semester, he withdraws \$3000 to pay for tuition and fees. This graph shows the remaining balance in his bank account over time.

Story C: A caterer charges \$12.50 per guest at a reception. This graph shows the cost for food at the reception, based on the number of guests attending.

Story D: A car comes to a stop at a red light. This graph shows the speed of a car over time.

Story E: Nik must complete all obstacles at each level of his video game before moving up to the next level. If he does not pass all obstacles, he has to restart at the beginning of the level. This graph shows Nik's progress in the video game over time.



After matching all of the stories with their graphs, there should be one graph remaining. In the space below, write a story that corresponds to the remaining graph. Label the axes accordingly.

## Extension

24. Which of the following ordered pairs satisfy the **inequality**  $y < 2x - 4$ ? Select all that apply and plot the selected points on the graph below.

(-5, 2)

(4, 1)

(3, -6)

(0, 0)

(6, 4)


(7, 0)

(1, -8)

(-5, 6)

(2, 0)

(7, -5)




25. In your own words, describe the distinction between a *continuous* graph and a *discrete* graph.

26. In your own words, describe the distinction between *continuous* data and *discrete* data.


27. In your own words, describe the distinction between a *continuous* variable and a *discrete* variable.

28. Consider the graph below. Do all of the points on the graph make sense in the given situation? Explain.



29. Use the equation  $y = 3^x$  to complete the table below. Graph your results.

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -2  |     |              |
| -1  |     |              |
| 0   |     |              |
| 1   |     |              |
| 2   |     |              |
| 3   |     |              |
| 4   |     |              |



## Unit 6: Review

---

1. Which of the following ordered pairs satisfy the equation  $y = x^2 - 3$  . **Circle all that apply, and show all supporting work**

(1, 2)


(4, 13)

(-3, -9)

(-5, 22)


2. Graph the equation  $x = -2$

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
|     |     |              |
|     |     |              |
|     |     |              |



3. Determine the pattern and complete the table. Graph the results, and write a formula to describe the relationship between the input and output variables.

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  | -5  |              |
| -2  | -4  |              |
| -1  | -3  |              |
| 0   |     |              |
| 1   | -1  |              |
| 2   | 0   |              |
| 3   |     |              |



Symbolic Rule:


\_\_\_\_\_

4. The maximum heart rate is the highest heart rate achieved during maximal exercise. In general, you get the most benefits and reduce the risks when you exercise near your *target* heart rate. Usually this is when your exercise heart rate (pulse) is about 80% percent of your maximum heart rate. For adults 19 years of age and older, the formula  $T = 176 - 0.8a$ , gives the target heart rate,  $T$ , in beats per minute, for a person who is  $a$  years of age.

- a. Complete the table below.

|                         |     |     |       |     |    |
|-------------------------|-----|-----|-------|-----|----|
| Age (years)             | 20  | 25  | 38    |     | 70 |
| Target Heart Rate (bpm) | 160 | 156 | 145.6 | 132 |    |

- b. In a complete sentence, interpret the meaning of the ordered pair (25, 156).
- c. Use the values in the table to construct a properly scaled and labeled graph of this equation.



## Unit 7: Introduction to Functions

---

**Section 7.1:** Relations and Functions

**Section 7.2:** Function Notation

**Section 7.3:** Domain and Range

**Section 7.4:** Practical Domain and Range

**Section 7.5:** Applications

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Relation   |  |
| Function   |  |
| Vertical Line Test   |  |
| Dependent Variable   |  |
| Independent Variable   |  |

|   |  |
|---|--|
| Behavior of Functions                               |  |
| Function Notation                                   |  |
| Compare:<br>Find $f(4)$<br>Find $x$ when $f(x) = 4$ |  |
| Domain  |  |
| Range   |  |
| Practical Domain                                    |  |
| Practical Range                                     |  |



## Unit 7: Media Lesson

### Section 7.1: Relations and Functions

#### Definitions

A **RELATION** is any set of ordered pairs.

A **FUNCTION** is a relation in which **every** input value is paired with **exactly one** output value

#### Table of Values

One way to represent the relationship between the input and output variables in a relation or function is by means of a table of values.



**Example 1:** Which of the following tables represent functions?

| Input | Output |
|-------|--------|
| 1     | 5      |
| 2     | 5      |
| 3     | 5      |
| 4     | 5      |

Yes

No

| Input | Output |
|-------|--------|
| 1     | 8      |
| 2     | -9     |
| 3     | 7      |
| 3     | 12     |

Yes

No

| Input | Output |
|-------|--------|
| 2     | 4      |
| 1     | -5     |
| 4     | 10     |
| -3    | -87    |

Yes

No

#### Ordered Pairs

A relations and functions can also be represented as a set of points or ordered pairs.



**Example 2:** Which of the following sets of ordered pairs represent functions?


$$A = \{(0, -2), (1, 4), (-3, 3), (5, 0)\}$$


$$B = \{(-4, 0), (2, -3), (2, -5)\}$$

$$C = \{(-5, 1), (2, 1), (-3, 1), (0, 1)\}$$

$$D = \{(3, -4), (3, -2), (0, 1), (2, -1)\}$$


$$E = \{(1, 3)\}$$


 **Example 3:** On the graphs below, plot the points for A, B, C, and D from Example 2, then circle the “problem points”



The Vertical Line Test

- If all vertical lines intersect the graph of a relation at no more than one point, the relation *is* also a function. One and only one output value exists for each input value.
- If any vertical line intersects the graph of a relation at more than one point, the relation “fails” the test and is NOT a function. More than one output value exists for some (or all) input value(s).

 **Example 4:** Use the Vertical Line Test to determine which of the following graphs are functions.



Behavior of Graphs

| Increasing | Decreasing | Constant |
|------------|------------|----------|
|            |            |          |

### Dependent and Independent Variables


In general, we say that the output **depends** on the input.

Output variable = **Dependent Variable**


Input Variable = **Independent Variable**

If the relation is a function, then we say that the output **is a function of** the input.

### Section 7.1 – You Try

 Is it a function? Circle “Yes” or “No” for each of the following.

Yes or No



Yes or No

| Input | Output |
|-------|--------|
| 4     | 12     |
| 6     | 14     |
| 8     | 14     |
| 10    | 16     |

Yes or No


(2, -3), (-5, 2), (-3, 1)

## Section 7.2: Function Notation: $f(\text{input}) = \text{output}$

If a relation is a function, we say that the *output is a function of the input*.

Function Notation:  $f(\text{input}) = \text{output}$


Example: If  $y$  is a function of  $x$ , then we can write  $f(x) = y$ .

 **Example 1:** The function  $V(m)$  represents value of an investment (in thousands of dollars) after  $m$  months. Explain the meaning of  $V(36) = 17.4$ .

### Ordered Pairs

 **Example 2:**

| Ordered Pair<br>(input, output)   | Function Notation<br>$f(\text{input}) = \text{output}$ |
|-----------------------------------|--|
| (2, 3)                            | $f(2) = 3$   |
| (-4, 6)                           | $f(\underline{\quad}) = \underline{\quad}$             |
| ( <u>      </u> , <u>      </u> ) | $f(5) = -1$  |

 **Example 3:** Consider the function:  $f = \{(2, -4), (5, 7), (8, 0), (11, 23)\}$

$$f(5) = \underline{\hspace{2cm}}$$

$$f(\underline{\hspace{2cm}}) = 0$$

|                 |
|-----------------|
| Table of Values |
|-----------------|



**Example 4:** The function  $B(t)$  is defined by the table below.

|        |    |    |    |    |    |    |
|--------|----|----|----|----|----|----|
| $t$    | 1  | 3  | 12 | 18 | 22 | 31 |
| $B(t)$ | 70 | 64 | 50 | 39 | 25 | 18 |


$$B(12) = \underline{\hspace{2cm}}$$

$$B(t) = 18 \text{ when } t = \underline{\hspace{2cm}}$$

|       |
|-------|
| Graph |
|-------|



**Example 5:** Consider the graph  $g(x)$  of shown below



$$g(2) = \underline{\hspace{2cm}}$$

$$g(\underline{\hspace{2cm}}) = 2$$

Ordered pair:  $\underline{\hspace{2cm}}$

Ordered pair:  $\underline{\hspace{2cm}}$


$$g(0) = \underline{\hspace{2cm}}$$

$$g(\underline{\hspace{2cm}}) = 1$$

Ordered pair:  $\underline{\hspace{2cm}}$

Ordered pair:  $\underline{\hspace{2cm}}$

## Section 7.2 –You Try

 Complete the problems below.

- a. Complete the table.

| Ordered Pair                  | Function Notation          |
|-------------------------------|----------------------------|
| (8, 1)                        | $f(\text{ } ) = \text{ } $ |
| ( $\text{ } $ , $\text{ } $ ) | $f(0) = 11$                |

- b. The function  $k(x)$  is defined by the following table

|        |    |    |    |   |   |   |   |
|--------|----|----|----|---|---|---|---|
| $x$    | -2 | -1 | 0  | 1 | 2 | 3 | 4 |
| $k(x)$ | 8  | 2  | -9 | 4 | 6 | 1 | 0 |

$$k(2) = \text{ }$$

$$k(x) = 1 \text{ when } x = \text{ }$$

Ordered Pair:  $\text{ }$

Ordered Pair:  $\text{ }$

- c. At an ice cream factory, the total cost production is a function of the number of gallons of ice cream produced. The function  $C(g)$ , gives the cost, in dollars, to produce  $g$  gallons of ice cream. Explain the meaning of  $C(580)=126$  in terms of ice cream production.

## Section 7.3: Domain and Range

## DEFINITIONS

The **DOMAIN** of a function is the set of all possible values for the **input** variable.

The **RANGE** of a function is the set of all possible values for the **output** variable.

## DOMAIN AND RANGE



**Example 1:** Consider the function below

|        |    |    |    |   |   |
|--------|----|----|----|---|---|
| $x$    | -2 | 0  | 2  | 4 | 6 |
| $k(x)$ | 3  | -7 | 11 | 3 | 8 |

Input values \_\_\_\_\_

Domain: { \_\_\_\_\_ }

Output values: \_\_\_\_\_

Range: { \_\_\_\_\_ }



**Example 2:** Consider the function:  $B = \{(2, -4), (5, 7), (8, 0), (11, 23)\}$

Input values \_\_\_\_\_


Domain: { \_\_\_\_\_ }

Output values: \_\_\_\_\_

Range: { \_\_\_\_\_ }





**Example 3:** Consider the graph of  $f(x)$  shown below




Domain: \_\_\_\_\_  $\leq x \leq$  \_\_\_\_\_

Range: \_\_\_\_\_  $\leq f(x) \leq$  \_\_\_\_\_


 **Example 4:** Determine the Domain and Range of each of the following graphs:



Range



Range



Range

**SECTION 7.3 – YOU TRY**

 Determine the Domain and Range of the functions below.


a.

| Input | Output |
|-------|--------|
| 4     | 12     |
| 6     | 12     |
| 8     | 12     |
| 10    | 12     |

Domain:

Range:

b. The graph of  $f(x)$  is shown below



Domain:

Range:



## Section 7.4: Practical Domain and Range

## Definitions


The **Practical Domain** of a function is the set of all possible values for the input variable *that make sense* in a given situation.

The **Practical Range** of a function is the set of all possible values for the output variable *that make sense* in a given situation.



**Example 1:** The gas station is currently charging \$3.83 per gallon for gas. The cost,  $C(n)$ , in dollars, to fill up your car depends on the number of gallons,  $n$ , that you pump. Your car's tank can hold a maximum of 20 gallons of gas.

- In this situation, the input variable is \_\_\_\_\_.
- The *practical* domain of this function is \_\_\_\_\_.
- The output variable in this situation is \_\_\_\_\_.
- The *practical* range of this function is \_\_\_\_\_.



## Section 7.4 – You Try




The platform for the high dive is 35 feet above the water. A diver jumps from the platform and lands in the water after 1.5 seconds. The function  $H(s)$  represents the height of the diver after  $s$  seconds.

- a. In this situation, the input variable is \_\_\_\_\_.
- b. The *practical* domain of this function is \_\_\_\_\_.
- c. The output variable in this situation is \_\_\_\_\_.
- d. The *practical* range of this function is \_\_\_\_\_.

## Section 7.5: Applications



**Example 1:** Consider the graph of the function  $H(t)$  shown below.



Input Variable: \_\_\_\_\_

Units of Input Variable: \_\_\_\_\_

Output Variable: \_\_\_\_\_


Units of Output Variable: \_\_\_\_\_

- Interpret the meaning of the statement  $H(5)=82$ .
- Determine  $H(7)$ . Write it as an ordered pair and interpret its meaning in a complete sentence.
- Determine  $t$  when  $H(t) = 50$ . Write it as an ordered pair and interpret its meaning in a complete sentence.
- Determine the maximum height of the rocket.
- Determine the practical domain for  $H(t)$ .
- Determine the practical range for  $H(t)$ .

## Section 7.5 – You Try



The graph of  $A(m)$  below shows the amount of water in a play pool.



Input Variable: \_\_\_\_\_

Units of Input Variable: \_\_\_\_\_

Output Variable: \_\_\_\_\_

Units of Output Variable: \_\_\_\_\_

- Interpret the meaning of the statement  $A(3)=28$ .
- Determine  $A(5)$ . Write it as an ordered pair and interpret its meaning in a complete sentence.
- Determine  $t$  when  $A(m) = 0$ . Write it as an ordered pair and interpret its meaning in a complete sentence.
- Describe what is happening to the water in the pool. (Is the pool being filled or drained?)
- Determine the practical domain for  $A(m)$ .
- Determine the practical range for  $A(m)$ .

## Unit 7: Practice Problems

**Skills Practice**

1. Are these functions? Circle yes or no.

| Input | Output |
|-------|--------|
| 3     | 12     |
| 7     | 12     |
| 4     | 12     |
| 2     | 12     |

Yes          No

| Input | Output |
|-------|--------|
| 1     | 8      |
| 2     | -9     |
| 3     | 7      |
| 3     | 12     |

Yes          No

| Input | Output |
|-------|--------|
| 2     | 4      |
| 1     | -5     |
| 4     | 10     |
| -3    | -87    |

Yes          No


2. Are these functions? Circle yes or no.

a.  $\{(2, -4), (6, -4), (0, 0), (5, 0)\}$           Yes    No


b.  $\{(1, 1), (2, 2), (3, 3), (4, 4)\}$           Yes    No

c.  $\{(1, -8), (5, 2), (1, 6), (7, -3)\}$           Yes    No


3. Are these functions? Circle yes or no.



Yes          No




Yes          No




Yes          No

4. In the space below, draw a graph that represents a function, and a graph that does NOT represent a function.

Function



Not a Function



5. The function  $r(x)$  is defined by the following table of values.

|        |    |   |   |   |    |
|--------|----|---|---|---|----|
| $x$    | 3  | 5 | 6 | 9 | 13 |
| $r(x)$ | -9 | 3 | 2 | 2 | 1  |

a.  $r(9) =$  \_\_\_\_\_

b.  $r(3) =$  \_\_\_\_\_

c.  $r(\text{_____}) = 1$

d.  $r(\text{_____}) = 3$

e. The domain of  $r(x)$  is { \_\_\_\_\_ }

f. The range of  $r(x)$  is { \_\_\_\_\_ }

6. Consider the function  $g = \{(2, 5), (0, 6), (5, 8), (-3, 7)\}$

a.  $g(0) =$  \_\_\_\_\_

b.  $g(5) =$  \_\_\_\_\_

c.  $g(\text{_____}) = 7$

d.  $g(\text{_____}) = 5$

e. The domain of  $g$  is { \_\_\_\_\_ }

f. The range of  $g$  is { \_\_\_\_\_ }


7. Given  $f(4) = 8, f(3) = 11, f(0) = 6$

a. The domain of  $f$  is { \_\_\_\_\_ }

b. The range of  $f$  is { \_\_\_\_\_ }

c. Write the function  $f$  as a set of ordered pairs.

8. The graph of  $f(x)$  is given below.



a. Domain: \_\_\_\_\_

b. Range \_\_\_\_\_


c.  $f(-3) =$  \_\_\_\_\_

d.  $f(0) =$  \_\_\_\_\_

e.  $f(x) = 4$  when  $x =$  \_\_\_\_\_

f.  $f(x) = 0$  when  $x =$  \_\_\_\_\_

9. The graph of  $g(x)$  is given below.



a. Domain: \_\_\_\_\_

b. Range \_\_\_\_\_


c.  $g(3) =$  \_\_\_\_\_

d.  $g(0) =$  \_\_\_\_\_

e.  $g(x) = -2$  when  $x =$  \_\_\_\_\_

f.  $g(x) = 0$  when  $x =$  \_\_\_\_\_

10. The graph of  $p(t)$  is given below.



a. Domain: \_\_\_\_\_

b. Range \_\_\_\_\_


c.  $p(-1) =$  \_\_\_\_\_

d.  $p(0) =$  \_\_\_\_\_

e.  $p(t) = -5$  when  $t =$  \_\_\_\_\_

f.  $p(t) = 3$  when  $t =$  \_\_\_\_\_

11. The graph of  $f(n)$  is given below.




a. Domain: \_\_\_\_\_

b. Range \_\_\_\_\_

c.  $f(-5) =$  \_\_\_\_\_

d.  $f(n) = 0$  when  $n =$  \_\_\_\_\_

12. The graph of  $r(x)$  is given below.



a. Domain: \_\_\_\_\_

b. Range \_\_\_\_\_

c.  $r(-10) =$  \_\_\_\_\_

d.  $r(x) = 300$  when  $x =$  \_\_\_\_\_




## Applications


13. A candy company has a machine that produces candy canes. The table below is a partial list of the relationship between the number of minutes the machine is operating and the number of candy canes produced by the machine during that time period.

|                           |    |    |    |    |    |
|---------------------------|----|----|----|----|----|
| <b>Minutes</b> $t$        | 3  | 5  | 8  | 12 | 15 |
| <b>Candy Canes</b> $C(t)$ | 12 | 20 | 32 | 48 | 60 |

- a. Include units.  $C(12) =$  \_\_\_\_\_
- b. In a complete sentence and including all appropriate units, explain the meaning of your answer in part a.
- c. Include units.  $C(t) = 12$  when  $t =$  \_\_\_\_\_
- d. In a complete sentence and including all appropriate units, explain the meaning of your answer in part c.
- e. This function is (circle one)    **increasing**    **decreasing**
- f. Construct a properly scaled and labeled graph  $C(t)$ .




14. The function  $D(t)$  is shown below.



- Determine  $D(0)$  and interpret its meaning in a complete sentence.
- Determine  $D(8)$  and interpret its meaning in a complete sentence.
- For what value of  $t$  is  $D(t) = 3$ ? Write a sentence explaining the meaning of your answer.
- For what value of  $t$  is  $D(t) = 0$ ? Write a sentence explaining the meaning of your answer.
- Determine the practical domain of  $D(t)$ .
- Determine the practical range of  $D(t)$ .

15. The graph of the function  $C(n)$  below shows the number of calories burned after riding a stationary bike for  $n$  minutes.



- a. Is this function increasing or decreasing? \_\_\_\_\_
- b. Interpret the meaning of the statement  $C(8) = 32$ .
- c. Determine  $C(10)$  and interpret its meaning in a complete sentence.
- d. For what value of  $n$  is  $C(n) = 80$ ? Write a sentence explaining the meaning of your answer.

|           |
|-----------|
| Extension |
|-----------|

16. Sort the following terms into the two groups below.

|                      | Input | Output |
|----------------------|-------|--------|
| Dependent Variable   |       |        |
| Domain               |       |        |
| Horizontal Axis      |       |        |
| Independent variable |       |        |
| Range                |       |        |
| Vertical Axis        |       |        |

17. In a relation, we say that the output **depends** on the input. If the relation is a function, then we say that the output **is a function of** the input. For each of the following, identify the input variable and the output variable, and then determine if the relation is a function.

a. Is the outside temperature in Tempe, AZ a function of the time of day?

Input Variable: \_\_\_\_\_

Output Variable: \_\_\_\_\_

Function?      Yes      No

b. Is your letter grade a function of your numerical grade in the class?

Input Variable: \_\_\_\_\_

Output Variable: \_\_\_\_\_

Function?      Yes      No

c. Is your numerical grade a function of your letter grade?

Input Variable: \_\_\_\_\_




Output Variable: \_\_\_\_\_

Function?      Yes      No


## Unit 7: Review

---

1. In the space below, draw a graph that represents an increasing function, a constant function, and a graph that does NOT represent a function.



2. The graph of  $f(x)$  is given below. Use interval notation for the domain and range.



a) Domain: \_\_\_\_\_

b) Range \_\_\_\_\_

c)  $f(0) =$  \_\_\_\_\_

d)  $f(x) = 0$  when  $x =$  \_\_\_\_\_

3. Consider the following table of values. Fill in the blanks below, and identify the corresponding ordered pairs.

|        |    |    |   |   |   |   |   |
|--------|----|----|---|---|---|---|---|
| $x$    | -2 | -1 | 0 | 1 | 2 | 3 | 4 |
| $g(x)$ | 1  | 4  | 8 | 6 | 5 | 0 | 2 |


$g(1) =$  \_\_\_\_\_

$g(x) = 1$  when  $x =$  \_\_\_\_\_

Ordered pair: \_\_\_\_\_

Ordered Pair: \_\_\_\_\_

4. The function  $D(t)$  shown below represents Sally's distance from home over a 30-minute time period.



- a. Identify the vertical intercept of  $D(t)$ . Write it as an ordered pair and explain its meaning in this situation.
- b. Identify the horizontal intercepts of  $D(t)$ . Write them as an ordered pairs and explain their meaning in this situation.
- c. Determine  $D(15)$  and interpret its meaning in a complete sentence.
- d. For what value of  $t$  is  $D(t) = 5$ ? Write a sentence explaining the meaning of your answer.
- e. Determine the practical domain of  $D(t)$ . \_\_\_\_\_
- f. Determine the practical range of  $D(t)$ . \_\_\_\_\_

# Unit 8: Formulas and Functions

---

**Section 8.1:** Words and Formulas

**Section 8.2:** Formulas in Function Notation

**Section 8.3:** Formulas in Function Notation – Applications

**Section 8.4:** Graphing Functions

**Section 8.5:** Connecting Representations

**Section 8.6:** Applications

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Input  |  |
| Output   |  |
| Function Notation  |  |
| Ordered Pair   |  |

|   |  |
|---|--|
| Symbolic Rule                                       |  |
| Verbal Description of a Function                    |  |
| Four Representations of a Function                  |  |
| Compare:<br>Find $f(4)$<br>Find $x$ when $f(x) = 4$ |  |



## Unit 8: Media Lesson

---


### Section 8.1: Words and Formulas



**Example 1:** Complete the table below.

| Symbolic Rule  | Verbal Description   |
|----------------|--|
| $h(x) = x - 5$ |  |
| $k(x) = 5 - x$ |  |
| $r(a) =  a $   |  |
| $S(t) = -t$    |  |
|                | The function $f(x)$ divides the input by 5.                      |
|                | The function $g(x)$ adds 7 to the input.                         |
|                | The function $c(t)$ squares the input.                           |
|                | The function $p(n)$ adds 1 to the input, then doubles the result |
|                | The function $q(w)$ doubles the input, then adds 1               |

## Section 8.1 – You Try

 Complete the table below.

| Symbolic Rule    | Verbal Description   |
|------------------|--|
| $f(x) = x^2 - 5$ |  |
|                  | The function $p(n)$ multiplies the input by 5 then subtracts that result from 11 |

## Section 8.2: Formulas in Function Notation



**Example 1:** Let  $f(x) = x^2 - 2x + 11$

a. Determine  $f(-3)$


b. Determine  $f(0)$



**Example 2:** Let  $h(x) = 2x - 5$

a. Determine  $h(4)$


b. For what value of  $x$  is  $h(x) = 17$ ?

 **Example 3:** Let  $g(x) = 71$

a. Determine  $g(5)$ .

b. Determine  $g(-40)$ .

Section 8.2 – You Try

 Let  $r(a) = 4 - 5a$ . Write each answer using function notation **and** as an ordered pair.

a. Determine  $r(-2)$ .

b. For what value of  $a$  is  $r(a) = 19$ ?

## Section 8.3: Formulas in Function Notation – Applications



**Example 1:** Grace is selling snow cones at a local carnival. Her profit, in dollars, from selling  $x$  snow cones is given by the function  $P(x) = 2.5x - 30$ .

- a. Write a complete sentence to explain the meaning of  $P(30) = 45$  in words.
- b. Determine  $P(10)$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_

- c. Determine  $P(0)$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_

- d. Determine  $x$  when  $P(x) = 100$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_

- e. Determine  $x$  when  $P(x) = 0$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_

## Section 8.3 – You Try



The function  $T(a) = 0.7(220 - a)$ , gives the target heart rate, in beats per minute, for a person who is  $a$  years of age.

a. Write a complete sentence to explain the meaning of  $T(30) = 133$  in words.

b. Determine  $T(50)$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_


e. Determine  $a$  when  $T(a) = 140$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_


## Section 8.4: Graphing Functions


**Example 1:** Graph the function  $S(t) = 4 - 2t$ 

| $t$ | $S(t)$ | Ordered Pair |
|-----|--------|--------------|
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |


**Example 2:** Graph the function  $f(x) = x^2 - 3$ 

| $x$ | $f(x)$ | Ordered Pair |
|-----|--------|--------------|
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |




 **Example 3:** Graph the function  $p(r) = 5$


| $r$ | $p(r)$ | Ordered Pair |
|-----|--------|--------------|
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |



Section 8.4 – You Try


 Graph the function  $f(x) = 5 - x$

| $x$ | $f(x)$ | Ordered Pair |
|-----|--------|--------------|
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |






## Section 8.5: Connecting Representations


 **Example 1:** Identify the pattern from the table, and use that information to construct the graph and determine the formula for the function  $g(x)$ . Then use words to describe the relationship between the input and output variables.

| $x$ | $g(x)$ | Ordered Pair |
|-----|--------|--------------|
| -3  | -6     |              |
| -2  | -4     |              |
| -1  | -2     |              |
| 0   | 0      |              |
| 1   | 2      |              |
| 2   | 4      |              |
| 3   | 6      |              |

Symbolic Rule:  $g(x) =$  \_\_\_\_\_

In words:





 **Example 2:** Use the formula for  $H(t)$  to complete the table. Graph the results. Then use words to describe the relationship between the input and output variables.

Symbolic Rule:  $H(t) = |t|$

| $t$ | $H(t)$ | Ordered Pair |
|-----|--------|--------------|
| -3  |        |              |
| -2  |        |              |
| -1  |        |              |
| 0   |        |              |
| 1   |        |              |
| 2   |        |              |
| 3   |        |              |


In words:




 **Example 3:** Use the description of the function  $f(x)$  to complete the table. Graph the results and determine a symbolic rule for the function  $f(x)$ .

*The function  $f(x)$  doubles the input value, then adds 5 to the result.*


| $x$ | $f(x)$ | Ordered Pair |
|-----|--------|--------------|
| -3  |        |              |
| -2  |        |              |
| -1  |        |              |
| 0   |        |              |
| 1   |        |              |
| 2   |        |              |
| 3   |        |              |



Symbolic Rule:  $f(x) =$  \_\_\_\_\_

 **Example 4:** Refer to the graph of  $k(n)$  to complete the table of values. Determine the formula for the function  $k(n)$ , then use words to describe the relationship between the input and output variables.


| $n$ | $k(n)$ | Ordered Pair |
|-----|--------|--------------|
| -3  |        |              |
| -2  |        |              |
| -1  |        |              |
| 0   |        |              |
| 1   |        |              |
| 2   |        |              |
| 3   |        |              |



Symbolic Rule:  $k(n) =$  \_\_\_\_\_

In words:


## Section 8.5 – You Try

 Identify the pattern from the table, and use that information to construct the graph and determine the formula for the function  $g(t)$ . Then use words to describe the relationship between the input and output variables.

| $t$ | $g(t)$ | Ordered Pair |
|-----|--------|--------------|
| -3  | -1     |              |
| -2  | 0      |              |
| -1  | 1      |              |
| 0   | 2      |              |
| 1   | 3      |              |
| 2   | 4      |              |
| 3   | 5      |              |

Symbolic Rule:  $g(t) =$  \_\_\_\_\_

In words:



## Section 8.6: Applications



**Example 1:** A local towing company charges \$3.25 per mile driven plus a nonrefundable base fee of \$30.00. They tow a maximum of 25 miles.


- Write a formula for the function  $C(x)$  which represents total cost as a function of the number of miles driven.
- Determine  $C(15)$ . Write your answer as ordered pair then explain its meaning in a complete sentence.
- Determine the value of  $x$  when  $C(x) = 82$ . Write your answer as ordered pair then explain its meaning in a complete sentence.
- Identify the practical domain and practical range of this function by filling in the blanks below. Include units in your answers.

Practical Domain: \_\_\_\_\_  $\leq x \leq$  \_\_\_\_\_

Practical Range: \_\_\_\_\_  $\leq C(x) \leq$  \_\_\_\_\_

- Construct a table of values and draw a good graph of  $C(x)$

| $x$ | $C(x)$ |
|-----|--------|
|     |        |
|     |        |
|     |        |
|     |        |
|     |        |
|     |        |



## Section 8.6 – You Try



The value, in dollars, of a washer/dryer set decreases as a function of time  $t$  in years. The function  $V(t) = -125t + 1500$  models this situation. You own the washer/dryer set for 12 years.


- Determine  $V(5)$ . Write your answer as ordered pair then explain its meaning in a complete sentence.
- Determine the value of  $t$  when  $V(t) = 500$ . Write your answer as ordered pair then explain its meaning in a complete sentence.
- Identify the practical domain and practical range of this function by filling in the blanks below. Include units in your answers.

Practical Domain: \_\_\_\_\_  $\leq t \leq$  \_\_\_\_\_

Practical Range: \_\_\_\_\_  $\leq V(t) \leq$  \_\_\_\_\_

- Construct a table of values and draw a good graph of  $V(t)$

| $t$ | $V(t)$ |
|-----|--------|
|     |        |
|     |        |
|     |        |
|     |        |
|     |        |
|     |        |
|     |        |





## Unit 8: Practice Problems

### Skills Practice

1. Complete the table below.

| Symbolic Rule   | Verbal Description  |
|-----------------|---|
| $f(x) = x + 8$  |   |
| $g(x) = 7 - x$  |   |
| $k(a) = 5a$     |   |
| $S(r) = 2r - 9$ |   |
|                 | The function $r(x)$ multiplies the input by -8                        |
|                 | The function $m(x)$ subtracts 3 from the input.                       |
|                 | The function $c(v)$ subtracts the input from 6.                       |
|                 | The function $p(t)$ adds 5 to the input, then divides the result by 4 |
|                 | The function $q(w)$ divides the input by 4, then adds 5               |

2. Let  $W(p) = 4p^2 - 9p + 1$ . Show all steps. Write each answer in function notation *and* as an ordered pair.

a. Determine  $W(5)$ .

b. Determine  $W(0)$ .

c. Determine  $W(-1)$ .

d. Determine  $W(-10)$ .

3. Let  $k(m) = 8 - 3m$ . Show all steps. Write each answer in function notation *and* as an ordered pair.

a. Determine  $k(5)$ .

b. Determine  $k(-3)$ .

c. For what value of  $m$  is  $k(m) = 29$ ?

d. For what value of  $m$  is  $k(m) = 0$ ?



4. Let  $R(t) = 1500 + 40t$ . Show all steps. Write each answer in function notation *and* as an ordered pair.

a. Determine  $R(18)$ .

b. For what value of  $t$  is  $R(t) = 3000$ ?

5. Let  $h(x) = 4$ . Show all steps. Write each answer in function notation *and* as an ordered pair.

a. Determine  $h(5)$ .

b. Determine  $h(81)$ .

6. Let  $b(w) = \sqrt{w + 3}$ . Show all steps. Write each answer in function notation *and* as an ordered pair. Round to the nearest hundredth as needed.

a. Determine  $b(1)$ .

b. Determine  $b(8)$ .

c. Determine  $p(-3)$ .


7. Let  $p(x) = \frac{45}{2x}$ . Show all steps. Write each answer in function notation *and* as an ordered pair.

a. Determine  $p(5)$ .

b. Determine  $p(-6)$ .


8. Graph the function  $S(t) = t + 4$ .

| $t$ | $S(t)$ | Ordered Pair |
|-----|--------|--------------|
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |




9. Graph the function  $f(x) = 4 - 2x$ .

| $x$ | $f(x)$ | Ordered Pair |
|-----|--------|--------------|
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |




10. Graph the function  $p(r) = 3$

| $r$ | $p(r)$ | Ordered Pair |
|-----|--------|--------------|
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |




11. Graph the function  $f(x) = x$

| $x$ | $f(x)$ | Ordered Pair |
|-----|--------|--------------|
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |



12. Identify the pattern from the table, and use that information to construct the graph and determine the formula for the function  $g(x)$ . Then use words to describe the relationship between the input and output variables.

| $x$ | $g(x)$ | Ordered Pair |
|-----|--------|--------------|
| -3  | 3      |              |
| -2  | 2      |              |
| -1  | 1      |              |
| 0   | 0      |              |
| 1   | -1     |              |
| 2   | -2     |              |
| 3   | -3     |              |




Symbolic Rule:  $g(x) =$  \_\_\_\_\_

In words:

13. Use the formula for  $H(t)$  to complete the table. Graph the results. Then use words to describe the relationship between the input and output variables.

Symbolic Rule:  $H(t) = 5 - t^2$

| $t$ | $H(t)$ | Ordered Pair |
|-----|--------|--------------|
| -3  |        |              |
| -2  |        |              |
| -1  |        |              |
| 0   |        |              |
| 1   |        |              |
| 2   |        |              |
| 3   |        |              |




In words:

14. Use the description of the function  $f(x)$  to complete the table. Graph the results and determine a symbolic rule for the function  $f(x)$ . Then use words to describe the relationship between the input and output variables.

*The function  $f(x)$  subtracts 3 from the input.*


| $x$ | $f(x)$ | Ordered Pair |
|-----|--------|--------------|
| -3  |        |              |
| -2  |        |              |
| -1  |        |              |
| 0   |        |              |
| 1   |        |              |
| 2   |        |              |
| 3   |        |              |



Symbolic Rule:  $f(x) =$  \_\_\_\_\_

15. Refer to the graph of  $k(n)$  to complete the table of values. Determine the formula for the function  $g(x)$ , then use words to describe the relationship between the input and output variables.

| $n$ | $k(n)$ | Ordered Pair |
|-----|--------|--------------|
| -3  |        |              |
| -2  |        |              |
| -1  |        |              |
| 0   |        |              |
| 1   |        |              |
| 2   |        |              |
| 3   |        |              |



Symbolic Rule:  $k(n) =$  \_\_\_\_\_

In words:

## Applications

16. A rock is dropped from the top of a building. The function  $h(t) = 100 - 16t^2$  gives the height (measured in feet) of the rock after  $t$  seconds.

a. Complete the table below.

|        |   |     |   |     |   |     |
|--------|---|-----|---|-----|---|-----|
| $t$    | 0 | 0.5 | 1 | 1.5 | 2 | 2.5 |
| $h(t)$ |   |     |   |     |   |     |

b. Is this function increasing or decreasing? \_\_\_\_\_


c. Determine  $h(1)$ . Write a sentence explaining the meaning of your answer.

d. For what value of  $t$  is  $h(t) = 0$ ? Explain the meaning of your answer.

e. Determine the practical domain \_\_\_\_\_

f. Determine the practical range \_\_\_\_\_

g. Construct a good graph of  $h(t)$ . Does it make sense to connect the data points?



17. John is a door to door vacuum salesman. His weekly salary is given by the linear function  $S(v) = 200 + 50v$ , where  $v$  is the number of vacuums sold.

- a. Determine  $S(12)$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_

- b. Determine  $S(0)$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_

- c. Determine  $v$  when  $S(v) = 500$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_

18. The function  $P(n) = 455n - 1820$  represents a computer manufacturer's profit when  $n$  computers are sold.

- a. Write a complete sentence to explain the meaning of  $P(5) = 455$  in words.
- b. Determine  $P(10)$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_

- d. Determine  $P(0)$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_

- e. Determine  $x$  when  $P(n) = 0$ . Show your work. Write your answer as an ordered pair and interpret the meaning of this ordered pair in a complete sentence.

Ordered Pair: \_\_\_\_\_



19. The function  $V(n) = 221.4 + 4.25n$  gives the value, in thousands of dollars, of an investment after  $n$  years. Determine  $V(20)$ , and write a sentence explaining the meaning of your answer.
20. The function  $E(t) = 3861 - 77.2t$  gives the surface elevation (in feet above sea level) of Lake Powell  $t$  years after 1999.
- Determine  $E(0)$ , and write a sentence explaining the meaning of your answer.
  - Determine  $E(4)$ , and write a sentence explaining the meaning of your answer.
  - This function accurately models the surface elevation of Lake Powell from 1999 to 2005. Determine the practical range of this linear function.

|           |
|-----------|
| Extension |
|-----------|

21. For a part-time student, the cost of tuition at a local community college is \$85 per credit hour. The function  $C(n)$  gives the tuition cost for  $n$  credit hours. As a part-time student, Gabe can take a maximum of 11 credit hours.

- Identify the input variable in this situation: \_\_\_\_\_
- Identify the output variable in this situation: \_\_\_\_\_
- Write a formula (symbolic rule) for the function  $C(n)$ :  $C(n) =$  \_\_\_\_\_
- Complete the table below and construct a properly scaled and labeled graph of  $C(n)$ .

| $n$ | $C(n)$ |
|-----|--------|
| 0   |        |
| 1   |        |
| 2   |        |
| 3   |        |
| 5   |        |
| 8   |        |
| 11  |        |



- Does it make sense to connect the points on the graph? Why or why not?
- Determine the practical domain of  $C(n)$ : \_\_\_\_\_
- Determine the practical range of  $C(n)$ : \_\_\_\_\_

Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 8: Review


---

1. Complete the table below.


| Symbolic Rule   | Verbal Description  |
|-----------------|---|
| $f(x) = 3x + 5$ |   |
|                 | The function $g(x)$ squares the input, then multiplies that result by 2 |

2. Graph the function  $p(r) = 3 - r$

| $r$ | $p(r)$ | Ordered Pair |
|-----|--------|--------------|
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |
|     |        |              |



3. A local towing company charges \$5.50 for each mile plus a reservation fee of \$12. They tow a maximum of 30 miles.
- Write a formula for the function  $C(x)$ , representing the total cost to tow the car  $x$  miles.
  - Determine  $C(8)$ . Show your work. Write your answer as an ordered pair and interpret its meaning in a complete sentence.
  - Determine  $x$  when  $C(x) = 100$ . Show your work. Write your answer as an ordered pair and interpret its meaning in a complete sentence.
  - Practical domain (include units): \_\_\_\_\_  $\leq x \leq$  \_\_\_\_\_
  - Practical range (include units): \_\_\_\_\_  $\leq C(x) \leq$  \_\_\_\_\_
  - Construct a good graph of  $C(x)$ .



## Unit 9: Introduction to Linear Functions

---

**Section 9.1:** Linear Functions

**Section 9.2:** Graphing Linear Functions

**Section 9.3:** Interpreting the Slope of a Linear Function

**Section 9.4:** Using Rates of Change to Build Tables and Graphs

**Section 9.5:** Is the Function Linear?

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Linear Functions   |  |
| Slope  |  |
| Using Slope to Graph a Linear Function   |  |
| Units of Slope   |  |

|   |  |
|---|--|
| Rate of Change                              |  |
| Constant Rate of Change                     |  |
| Interpreting the Slope of a Linear Function |  |

Name: \_\_\_\_\_

Date: \_\_\_\_\_


## Unit 9: Media Lesson


---

### Section 9.1: Linear Functions


A linear function is a function that fits the form:

A linear function can be graphically represented by a \_\_\_\_\_







Increasing Linear Function  
Slope > 0



Constant Function  
Slope = 0




Decreasing Linear Function  
Slope < 0




Not a Function  
Slope is Undefined (No Slope)

$$m = \text{Slope} = \frac{\text{Change in OUTPUT}}{\text{Change in INPUT}} = \frac{\Delta \text{OUTPUT}}{\Delta \text{INPUT}} = \frac{\Delta y}{\Delta x} = \frac{y_2 - y_1}{x_2 - x_1}$$




$$\text{Slope} = \frac{y_2 - y_1}{x_2 - x_1}$$



 **Example 1:** Determine the slope for each of the following:


a.  $(-2, 3)$  and  $(4, -1)$




b.  $(-3, -1)$  and  $(4, 2)$




c.  $(3, 2)$  and  $(-1, 2)$




d.  $(2, -3)$  and  $(2, 1)$



Section 9.1 – You Try

 Plot the points and determine the slope of the line between them.  $(-4, -1)$  and  $(5, -6)$




## Section 9.2: Graphing Linear Functions

## USING THE SLOPE TO GRAPH A LINEAR FUNCTION

$$m = \text{Slope} = \frac{\text{Change in OUTPUT}}{\text{Change in INPUT}} = \frac{\text{Vertical Change}}{\text{Horizontal Change}} \rightarrow \begin{matrix} \updownarrow \\ \leftrightarrow \end{matrix}$$


$$m = \frac{2}{5} \rightarrow \frac{\text{up } 2}{\text{right } 5}$$


$$m = \frac{2}{5} = \frac{-2}{-5} \rightarrow \frac{\text{down } 2}{\text{left } 5}$$




$$m = -2 = -\frac{2}{1} = \frac{-2}{1} \rightarrow \frac{\text{down } 2}{\text{right } 1}$$

$$m = -2 = -\frac{2}{1} = \frac{2}{-1} \rightarrow \frac{\text{up } 2}{\text{left } 1}$$




 **Example 1:** Draw an accurate graph for each of the following


a.  $(-2, -3)$  slope  $\frac{1}{2}$




b.  $(0, -1)$  slope  $-\frac{2}{3}$




c. (2, 1) slope 3



d. (1, -4) slope 0




e. (5, 2) undefined slope



Section 9.2 – You Try

Sketch the graph of a linear function that passes through the point (1, -2) with slope =  $-\frac{3}{5}$ .



Your line must extend accurately from edge to edge of the graph shown

Give the **coordinates** of at least two additional points on the line.

---

## Section 9.3: Interpreting the Slope of a Linear Function

$$\text{Slope} = \frac{\text{Change in Output}}{\text{Change in Input}}$$

$$\text{Units of Slope} = \frac{\text{Output Units}}{\text{Input Unit}} \rightarrow \text{Rate of Change}$$

Example:      Output = Height in Feet

Input = Time in Seconds

$$\text{Slope} = \frac{\text{Change in Height}}{\text{Change in Time}}$$


$$\text{Units of Slope} = \frac{\text{feet}}{\text{second}} = \text{feet/second}$$

What is the meaning of a slope of  $-5$ ?

What is the meaning of a slope of  $8$ ?





**Example 1:** Consider the graph shown below.



- Identify the vertical intercept and interpret its meaning.
- Identify the horizontal intercept and interpret its meaning.
- Determine the slope, and interpret its meaning.

## Section 9.3 – You Try

 The graph below shows Sally's distance from home over a 30 minute time period.



- Identify the vertical intercept. Write it as an ordered pair and interpret its meaning.
- Identify the horizontal intercept. Write it as an ordered pair and interpret its meaning.
- Determine the slope, and interpret its meaning.


## Section 9.4: Using Rates of Change to Build Tables and Graphs

For each of the examples below, *circle* the rate of change in each situation and *underline* the starting value. Then use the given information to complete the table. Graph the results, and decide if it would make sense to connect the data points on the graph.




**Example 1:** A local carpet cleaning company charges \$15 for each room plus a nonrefundable reservation fee of \$25.

| <i>Number of Rooms</i> | <i>Total Cost (dollars)</i> |
|------------------------|-----------------------------|
| 0                      |                             |
| 1                      |                             |
| 2                      |                             |
| 3                      |                             |
| 4                      |                             |
| 5                      |                             |
| 6                      |                             |



**Example 2:** Water is leaking out of a tank at a constant rate of 2 gallons per minute. The tank initially held 12 gallons of water.

| <i>Time (minutes)</i> | <i>Amount of Water in Tank (gallons)</i> |
|-----------------------|--|
| 0                     |  |
| 1                     |  |
| 2                     |  |
| 3                     |  |
| 4                     |  |
| 5                     |  |
| 6                     |  |



## Section 9.4 – You Try




Sara is selling snow cones at the local carnival for \$3 each.

Identify the rate of change in this situation. Be sure to include units in your answer.

Complete the table to show Sara's revenue from selling the snow cones. Graph the results, and decide if it would make sense to connect the data points on the graph.

| Number of Snow Cones | Revenue (in dollars) |
|----------------------|----------------------|
| 0                    |                      |
| 1                    |                      |
| 2                    |                      |
| 3                    |                      |
| 4                    |                      |
| 5                    |                      |
| 6                    |                      |





## Section 9.5: Is the Function Linear?

## Rate of Change of a Linear Function

Given any two points  $(x_1, y_1)$  and  $(x_2, y_2)$ , the **rate of change** between the points on the interval  $x_1$  to  $x_2$  is determined by computing the following ratio:

$$\text{Rate of Change} = \frac{\text{Change in Output}}{\text{Change in Input}} = \frac{y_2 - y_1}{x_2 - x_1}$$

If the function is LINEAR, then the rate of change will be *the same* between any pair of points. This constant rate of change is the SLOPE of the linear function.



**Example 1:** Determine if the following function is linear by computing the rate of change between several pairs of points. If it is linear, give the slope.

| $x$ | $y$ |
|-----|-----|
| -5  | 23  |
| -2  | 14  |
| 0   | 8   |
| 3   | -1  |
| 8   | -16 |



**Example 2:** Determine if the following function is linear by computing the rate of change between several pairs of points. If it is linear, give the slope.

| $n$ | $T(n)$ |
|-----|--------|
| -6  | -3     |
| -2  | -1     |
| 0   | 1      |
| 1   | 2      |
| 4   | 6      |



**Example 3:** Determine if the following function is linear by computing the rate of change between several pairs of points. If it is linear, give the slope.

| $x$ | $g(x)$ |
|-----|--------|
| -5  | 3      |
| -2  | 3      |
| 0   | 3      |
| 4   | 3      |
| 6   | 3      |

Section 9.5 – You Try



Determine if the following function is linear by computing the rate of change between several pairs of points. If it is linear, give the slope.

| $x$ | $y$ |
|-----|-----|
| -8  | -30 |
| -3  | -10 |
| 0   | 2   |
| 2   | 10  |
| 5   | 22  |

Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 9: Practice Problems

### Skills Practice

1. Determine the slope of the line between each of the following pairs of points. Show all steps, and reduce your answer to lowest terms.

a.  $(4, -5)$  and  $(-2, 3)$

b.  $(-3, 2)$  and  $(1, 8)$

c.  $(5, -9)$  and  $(5, 2)$


d.  $(2, -1)$  and  $(-2, 3)$

e.  $(4, 3)$  and  $(12, -3)$

f.  $(2, -4)$  and  $(7, -4)$


2. Determine the slope of each of the lines shown below.

a.




Slope = \_\_\_\_\_

b.




Slope = \_\_\_\_\_

c.




Slope = \_\_\_\_\_

d.




Slope = \_\_\_\_\_

e.



Slope = \_\_\_\_\_

f.




Slope = \_\_\_\_\_


3. Draw an **accurate** graph for each of the following by

- Plotting the point
- Using the slope to find at least two additional points


a.  $(1, -2)$  with slope  $= \frac{1}{4}$




b.  $(-1, 3)$  with slope  $= -\frac{3}{2}$




c.  $(3, 0)$  with slope  $= 5$




d.  $(0, -1)$  with slope  $= -3$



e.  $(2, -3)$  with undefined slope



f.  $(-3, 1)$  with slope  $= 0$



4. For each of the following, determine if the function is linear by computing the rate of change between several pairs of points. If it is linear, give the slope.

a.

| $x$ | $y$ |
|-----|-----|
| -3  | 2   |
| -1  | 8   |
| 0   | 16  |
| 2   | 64  |
| 3   | 128 |

b.


| $n$ | $A(n)$ |
|-----|--------|
| -4  | 28     |
| -1  | 19     |
| 5   | 1      |
| 11  | -17    |
| 14  | -26    |

c.

| $t$ | $r(t)$ |
|-----|--------|
| -6  | 5      |
| -3  | 6      |
| 4   | 7      |
| 11  | 8      |
| 18  | 9      |

## Applications

5. The graph below shows the distance you are from your house if you leave work and drive in the opposite direction.




- In a complete sentence, interpret the ordered pair  $(2, 140)$ .
- Identify the vertical intercept and interpret its meaning.
- Determine the slope, and interpret its meaning.
- At this rate, how far away from home will you be after 7 hours?
- At this rate, how long will it take for you to be 680 miles from your home?


6. You need to hire a caterer for a banquet.
  - a. Caterer A charges a nonrefundable delivery fee of \$45 plus \$5 per guest.
  - b. Caterer B charges a fee of \$150. This includes the delivery and food for up to 30 guests.

Use this information to complete the tables below. Draw a good graph of your results.

| <i>Number of<br/>Guests</i> | <i>Cost (dollars)<br/>Caterer A</i> |
|-----------------------------|-------------------------------------|
| 0                           |                                     |
| 1                           |                                     |
| 2                           |                                     |
| 3                           |                                     |
| 4                           |                                     |
| 5                           |                                     |
| 6                           |                                     |



| <i>Number of<br/>Guests</i> | <i>Cost (dollars)<br/>Caterer B</i> |
|-----------------------------|-------------------------------------|
| 0                           |                                     |
| 1                           |                                     |
| 2                           |                                     |
| 3                           |                                     |
| 4                           |                                     |
| 5                           |                                     |
| 6                           |                                     |



Which caterer should you choose? What considerations should be made before making this decision?



## Extension

7. Graph the lines A, B, C, and D on the grid below.


A: Passes through the point  $(0, -5)$  with slope  $\frac{2}{3}$

B: Passes through the point  $(0, -1)$  with slope  $\frac{2}{3}$

C: Passes through the point  $(0, 3)$  with slope  $\frac{2}{3}$

D: Passes through the point  $(0, 7)$  with slope  $\frac{2}{3}$

How are these lines geometrically related?



8. Amber starts off with \$1000 in her savings account. Determine the balance in the account after 1 year in each of the following situations:


a. Amber deposits \$50 every month.

b. Amber withdraws \$50 from her account every month.

c. Amber deposits \$500 into the account every six months.

d. Amber makes no withdrawals or deposits.

9. The graph below shows the cost and revenue for a company that produces and sells scented candles. The function  $R(x)$  gives the revenue earned when  $x$  candles are sold. The function  $C(x)$  gives the total cost to produce  $x$  candles.



- Identify the vertical intercept of  $C(x)$ . Write it as an ordered pair, and interpret its meaning.
- Determine the slope of  $C(x)$ . Interpret its meaning.
- Identify the vertical intercept of  $R(x)$ . Write it as an ordered pair, and interpret its meaning.
- Determine the slope of  $R(x)$ . Interpret its meaning.
- Discuss the significance of the point  $(40, 100)$  in terms of the cost, revenue, and *profit* for this company.

Name: \_\_\_\_\_


Date: \_\_\_\_\_

## Unit 9: Review


---

1. Determine the slope of the line between the points  $(2, -1)$  and  $(-2, 3)$ . Show all steps, and reduce your answer to lowest terms.

2. Determine the slope of the line shown below.



3. Draw an **accurate** graph of the line passing through the point  $(-2, 4)$  with slope  $-\frac{2}{5}$ .



4. Determine if the function  $g(x)$  is linear by computing the rate of change between several pairs of points. If it is linear, give the slope.

| $x$ | $g(x)$ |
|-----|--------|
| -8  | 39     |
| -2  | 18     |
| 0   | 11     |
| 4   | -3     |
| 12  | -31    |

5. The graph of the function  $C(n)$  below shows the number of calories burned after riding a stationary bike for  $n$  minutes.



- Interpret the meaning of the statement  $C(8) = 32$
- Determine  $C(10)$  and interpret its meaning in a complete sentence.
- Identify the vertical intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.
- Determine the slope of  $C(n)$  and interpret its meaning in a complete sentence.

## Unit 10: The Equation of a Linear Function

---

**Section 10.1:** The Equation of a Linear Function

**Section 10.2:** Writing Linear Equations in Slope-Intercept Form

**Section 10.3:** Parallel and Perpendicular Lines

**Section 10.4:** Applications – Slope-Intercept Form

**Section 10.5:** Interpreting a Linear Function in Slope-Intercept Form

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Slope-Intercept Form   |  |
| How to Graph a Linear Equation given in Slope-Intercept Form   |  |
| How to Write the Equation of a Line in Slope-Intercept Form given two points.  |  |
| Slopes of Parallel Lines   |  |

|                                 |  |
|---------------------------------|--|
| Slopes of Perpendicular Lines   |  |
| The slope of a Vertical Line    |  |
| The Equation of a Vertical Line |  |

## Unit 10: Media Lesson

### Section 10.1: The Equation of a Linear Function

#### Slope – Intercept Form

SLOPE-INTERCEPT FORM:

$$y = mx + b$$

$$y = b + mx$$

$$f(x) = mx + b$$

| Slope            | Behavior   |
|------------------|------------|
| $m > 0$          | Increasing |
| $m < 0$          | Decreasing |
| $m = 0$          | Horizontal |
| $m$ is undefined | Vertical   |



**Example 1:** Fill in the table below.

| Equation     | Slope | I, D, H, V | Vertical Intercept |
|--------------|-------|------------|--------------------|
| $y = 3x + 5$ |       |            |                    |
| $y = 8 - x$  |       |            |                    |
| $y = 2x$     |       |            |                    |
| $y = -8$     |       |            |                    |



**Example 2:** Determine the *horizontal* intercepts of each of the following.

$y = 3x + 5$

$y = 8 - x$



$y = 2x$

$y = -8$

To find a horizontal intercept: \_\_\_\_\_



**Example 3:** The equation of a vertical line




**Example 4:** Draw an **accurate** graph of the function  $f(x) = 4 - 3x$ .

Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_



*To find the Horizontal Intercept:*

\_\_\_\_\_

\_\_\_\_\_


Two additional points on the line:

\_\_\_\_\_

Slope-Intercept Form  
 $f(x) = mx + b$   
 $f(x) = b + mx$



Section 10.1 – You Try


 Complete the problems below.

- a. Fill in the table below. Write intercepts as ordered pairs. Write “DNE” if the answer does not exist.

| Equation     | Slope | I, D, H, V | Vertical Intercept |
|--------------|-------|------------|--------------------|
| $y = x - 11$ |       |            |                    |
| $G(x) = -2x$ |       |            |                    |
| $x = 5$      |       |            |                    |

I = Increasing, D = Decreasing, H = Horizontal (Constant), V = Vertical

- b. Draw an **accurate** graph of the function  $y = \frac{3}{4}x - 5$ .



Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

Two additional points on the line:

\_\_\_\_\_

## Section 10.2: Writing the Equation of a Line in Slope-Intercept Form

Slope-Intercept Form  $y = mx + b$




**Example 1:** Give the equation of the line in slope-intercept form


a. With vertical intercept  $(0, 2)$  and slope  $-9$


b. Passing through  $(2, 3)$  with slope  $-5$

c. Passing through  $(2, 6)$  and  $(4, 16)$


 **Example 2:** Give the equation of the linear function that would generate the following table of values. Use your calculator to check.


| $x$ | $f(x)$ |
|-----|--------|
| -5  | 238    |
| -3  | 174    |
| -1  | 110    |
| 1   | 46     |
| 7   | -146   |
| 12  | -306   |


 **Example 3:** Give the equation of the linear function shown below.



 **Example 4:** Give the equation of the horizontal line passing through the point (1, 3).



 **Example 5:** Give the equation of the vertical line passing through the point (1, 3).



**Section 10.2 – You Try**

Complete the problems below. Show as much work as possible, as demonstrated in the Media Examples.


a. Give the equation of the line passing through the points  $(1, 7)$  and  $(3, -9)$ .

b. Give the equation of the horizontal line passing through the point  $(5, 11)$ .

## Section 10.3: Parallel and Perpendicular Lines

## Parallel Lines


The slopes of Parallel Lines are \_\_\_\_\_

**Slope-Intercept Form**

$$y = mx + b \quad f(x) = mx + b$$


$$m = \text{slope}$$

$$b = \text{vertical intercept } (0, b)$$

 **Example 1:** Give the equation of the line passing through the point (8, 3) that is **parallel** to the line  $y = -2x + 3$ .

## Perpendicular Lines

The slopes of perpendicular lines are \_\_\_\_\_




If Line 1 and Line 2 are perpendicular to each other, then

| Slope of Line 1 | Slope of Line 2 |
|-----------------|-----------------|
| $\frac{2}{3}$   |                 |
| 5               |                 |
| -8              |                 |
| $-\frac{4}{5}$  |                 |

**Negative (Opposite)  
Reciprocals**

$$\frac{a}{b} \text{ and } -\frac{b}{a}$$

 **Example 2:** Give the equation of the line passing through the point (8, 3) that is **perpendicular** to the line  $y = -2x + 3$ .

Section 10.3 – You Try

 Give the equation of the line passing through the point (-3, 1) that is:

a. **Parallel** to the line  $y = 8x - 5$ .

b. **Perpendicular** to the line  $y = 8x - 5$ .

## Section 10.4: Applications – Slope-Intercept Form

|  |   |
|--|---|
| <p style="text-align: center;"><b>Slope-Intercept Form</b></p> $y = mx + b \quad f(x) = mx + b$ <p style="text-align: center;"><math>m = \text{slope} = \text{rate of change}</math></p> <p style="text-align: center;"><math>b = \text{vertical intercept (initial value)}</math></p> | <p><b>If we are not given the slope and vertical intercept, we need:</b></p> <ul style="list-style-type: none"><li>• One point and the slope</li><li>• Two points</li></ul> |
|--|---|



**Example 1:** You have just bought a new Sony 55" 3D television set for \$2300. The TV's value decreases at a rate of \$250 per year. Construct a linear function to represent this situation.



**Example 2:** In 1998, the cost of tuition at a large Midwestern university was \$144 per credit hour. In 2008, tuition had risen to \$238 per credit hour. Determine a linear equation to represent the cost,  $C$ , of tuition as a function of  $x$ , the number of years since 1990.





## Section 10.5

### Interpreting a Linear Function in Slope-Intercept Form



**Example 1:** The function  $A(m) = 200 - 1.25m$  represents the balance in a bank account (in thousands of dollars) after  $m$  months.

a. Identify the slope of this linear function and interpret its meaning in a complete sentence.

b. Identify the vertical intercept. Write it as an ordered pair and interpret its practical meaning in a complete sentence.

Ordered Pair: \_\_\_\_\_

c. Determine the horizontal intercept of this linear function. Write it as an ordered pair and interpret its practical meaning in a complete sentence.

Ordered Pair: \_\_\_\_\_


d. Determine  $A(12)$ . Write your answer as an ordered pair and interpret its practical meaning in a complete sentence.

Ordered Pair: \_\_\_\_\_

e. How long will it take for the balance in this account to reach \$80,000? Write the corresponding ordered pair.

Ordered Pair: \_\_\_\_\_

## Section 10.5 – You Try

 The function  $E(t) = 3860 - 77.2t$  gives the surface elevation (in feet above sea level) of Lake Powell  $t$  years after 1999. Your answers must include all appropriate units.

a. Identify the slope of this linear function and interpret its meaning in a complete sentence.

b. Identify the vertical intercept. Write it as an ordered pair and interpret its practical meaning in a complete sentence.

Ordered Pair: \_\_\_\_\_

c. Determine  $E(5)$ . Write your answer as an ordered pair and interpret its practical meaning in a complete sentence.

Ordered Pair: \_\_\_\_\_

Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 10: Practice Problems

### Skills Practice

1. Determine the slope, behavior (increasing, decreasing, constant, or vertical), and vertical intercept (as an ordered pair) of each of the following. Write “DNE” if an answer does not exist.

| Equation               | Slope | Behavior | Vertical Intercept |
|------------------------|-------|----------|--------------------|
| $y = x - 2$            |       |          |                    |
| $f(a) = 6 - 4a$        |       |          |                    |
| $P(n) = 3n$            |       |          |                    |
| $y = 4$                |       |          |                    |
| $x = 7$                |       |          |                    |
| $y = \frac{3}{5}x - 4$ |       |          |                    |
| $y = x$                |       |          |                    |
| $B(x) = 8 - x$         |       |          |                    |
| $V(t) = -70$           |       |          |                    |

2. Determine the horizontal intercepts for each of the following. Write “DNE” if there is no horizontal intercept.

a.  $y = x - 2$

b.  $f(a) = 6 - 4a$


c.  $P(n) = 3n$

d.  $y = 4$

e.  $x = 7$

f.  $y = \frac{3}{5}x - 4$

3. Draw an **accurate** graph of the function  $f(x) = 4x + 5$ .




Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

4. Draw an **accurate** graph of the function  $y = \frac{2}{5}x - 3$




Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

5. Draw an **accurate** graph of the function  $g(x) = 3 - x$ .




Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

6. Draw an **accurate** graph of the function  $y = -2x$ .




Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

7. Draw an **accurate** graph of the function  $r(a) = 5$ .




Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

8. Draw an **accurate** graph of the function  $C(x) = \frac{x}{5}$




Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

9. Draw an **accurate** graph of the function  $y = x$ .



Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

**10.** Determine the equation of the line between each of the following pairs of points.

a.  $(4, -5)$  and  $(2, 3)$

b.  $(-3, 2)$  and  $(1, 8)$

c.  $(5, -9)$  and  $(5, 2)$

d.  $(2, -1)$  and  $(-2, 3)$

e.  $(4, 3)$  and  $(12, -3)$

f.  $(2, -4)$  and  $(7, -4)$


11. Give the equation of the linear function that generates the following table of values. Write your answer in slope-intercept form.

| $x$ | $f(x)$ |
|-----|--------|
| -5  | 91     |
| -2  | 67     |
| 1   | 43     |
| 4   | 19     |
| 9   | -21    |

12. Give the equation of the linear function that generates the following table of values. Write your answer in slope-intercept form.


| $t$ | $C(t)$ |
|-----|--------|
| 5   | -1250  |
| 15  | -900   |
| 20  | -725   |
| 35  | -200   |
| 45  | 150    |

13. Give the equation of the linear function shown below. Write your answer in slope-intercept form.







14. Give the equation of the linear function shown below.




15. Give the equation of the linear function shown below.




16. Give the equation of the linear function shown below.



17. Give the equation of the linear function shown below. Write your answer in slope-intercept form.



18. Give the equation of the linear function shown below. Write your answer in slope-intercept form.



19. Give the equation of the horizontal line passing through the point  $(-6, 11)$ . \_\_\_\_\_

20. Give the equation of the vertical line passing through the point  $(4, 7)$ . \_\_\_\_\_

21. Give the equation of the  $x$ -axis. \_\_\_\_\_

22. Give the equation of the  $y$ -axis. \_\_\_\_\_

23. Give the equation of the line passing through the point  $(1, -5)$  that is parallel to  $y = 12 - 8x$ .

24. Give the equation of the line passing through the point  $(4, 0)$  that is parallel to  $y = 9 - \frac{3}{2}x$ .


25. Give the equation of the line passing through the point  $(10, 3)$  that is perpendicular to  $y = \frac{2}{5}x + 1$ .

26. Give the equation of the line passing through the point  $(-12, -1)$  that is perpendicular to  $y = 3 - 4x$ .

|              |
|--------------|
| Applications |
|--------------|

27. A candy company has a machine that produces candy canes. The number of candy canes produced depends on the amount of time the machine has been operating. The machine produces 160 candy canes in five minutes. In twenty minutes, the machine can produce 640 candy canes.
- Determine the equation of the linear function that represents this situation. Let  $C(x)$  represent the number of candy canes produced in  $x$  minutes. Write your answer in function notation.
  - Determine  $C(10)$ . Write a sentence explaining the meaning of your answer.
  - What is the practical meaning of the slope of this linear function? Include units.
  - Determine horizontal intercept of this linear function. Write it as an ordered pair and interpret its meaning.
  - How many candy canes will this machine produce in 1 hour?

28. Your workplace is 20 miles from your house. The graph below shows the distance you are from your house if you leave work and drive in the opposite direction.




- Determine the equation of the linear function that represents this situation. Let  $D(t)$  represent your distance from home after  $t$  hours. Write your answer in function notation.
- Use the equation from part a to determine how long it would take for you to be 500 miles from your house. Express your answer in hours and minutes.
- How far from your house would you be after 12 hours?
- Interpret the meaning of the slope of this linear function.

29. A local carpet cleaning company charges \$10 for each room plus a reservation fee of \$25. They clean a maximum of 12 rooms. Also, they have the policy that once a reservation is made, if you cancel, the reservation fee is non-refundable.


- a. Determine the equation of the linear function  $C(n)$  that represents the total cost for cleaning  $n$  rooms.
- b. Complete the table below. Graph the results, and decide if it would make sense to connect the data points on the graph.

| $n$ | $C(n)$ |
|-----|--------|
| 0   |        |
| 1   |        |
| 2   |        |
| 3   |        |
| 6   |        |
| 12  |        |



30. Water is leaking out of a tank at a constant rate of 1 gallon every 2 minutes. The tank initially held 30 gallons of water.
- Determine the equation of the linear function  $A(t)$  that represents the amount of water (in gallons) remaining in the tank after  $t$  minutes.
  - Complete the table below. Graph the results, and decide if it would make sense to connect the data points on the graph.

| $t$ | $A(t)$ |
|-----|--------|
| 0   |        |
| 1   |        |
| 2   |        |
| 3   |        |
| 5   |        |
| 10  |        |
| 60  |        |



- Determine the practical domain of  $A(t)$ : \_\_\_\_\_
- Determine the practical range of  $A(t)$ : \_\_\_\_\_

31. With good credit, and a \$5000 down payment, you can finance a new 2012 Chevrolet Camaro convertible for 60 months for \$615.17 per month.
- Determine the equation of the linear function,  $T(n)$ , that represents the total amount paid for this car after  $n$  months.
  - Use the equation from part a to determine the total payment over the 60-month time period.
  - A new 2012 Chevrolet Camaro convertible has a base MSRP of \$35,080. Why is this value lower than your answer in part b?



32. The function  $P(n) = 455n - 1820$  represents a computer manufacturer's profit when  $n$  computers are sold.

- a. Identify the slope, and interpret its meaning in a complete sentence.
  
  
  
  
  
  
  
  
  
  
- b. Identify the vertical intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.
  
  
  
  
  
  
  
  
  
  
- c. Determine the horizontal intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.

33. John is a door to door vacuum salesman. His weekly salary is given by the linear function  $S(v) = 200 + 50v$ , where  $v$  is the number of vacuums sold.


- a. Identify the slope, and interpret its meaning in a complete sentence.
  
  
  
  
  
  
  
  
  
  
- b. Identify the vertical intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.

34. The function  $V(n) = 221.4 + 4.25n$  gives the value, in thousands of dollars, of an investment after  $n$  years.
- Identify the slope, and interpret its meaning in a complete sentence.
  - Identify the vertical intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.
35. The function  $V(t) = 86.4 - 1.2t$  gives the value, in thousands of dollars, of an investment after  $t$  years.
- Identify the slope, and interpret its meaning in a complete sentence.
  - Identify the vertical intercept. Write it as an ordered pair and interpret its meaning in a complete sentence.
  - Determine the horizontal intercept. Write it as an ordered pair and discuss its meaning.

36. When a new charter school opened in 2005, there were 300 students enrolled. Write a formula for the function  $N(t)$  representing the number of students attending this charter school  $t$  years after 2005, assuming that the student population
- a. Increases by 20 students per year.
  - b. Decreases by 40 students per year.
  - c. Increases by 100 students every 4 years.
  - d. Decreases by 60 students every two years.
  - e. Remains constant (does not change).

## Extension

37. The graph below shows the cost and revenue for a candle company. The function  $R(x)$  gives the revenue earned when  $x$  candles are sold. The function  $C(x)$  gives the total cost to produce  $x$  candles.



- Determine the formula for  $C(x)$ :  $C(x) =$  \_\_\_\_\_
- Determine the formula for  $R(x)$ :  $R(x) =$  \_\_\_\_\_
- Profit is found by subtracting the costs from the revenue. Determine the formula for the profit,  $P(x)$ , earned from selling  $x$  candles.
- Identify the vertical intercept of  $P(x)$ . Write it as an ordered pair, and interpret its meaning.
- Identify the slope of  $P(x)$ . Interpret its meaning.
- Discuss the cost, revenue, and *profit* for this company when 40 candles are sold.


Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 10: Review

---

1. Draw an **accurate** graph of the function  $y = 3 - 5x$ .



Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_


Horizontal Intercept: \_\_\_\_\_

2. Determine the equation of the line between the points  $(-6, 14)$  and  $(18, -2)$ . Your answer must be written in slope-intercept form.

3. Give the equation of the vertical line passing through the point  $(1, 8)$ . \_\_\_\_\_

4. Give the equation of the horizontal line passing through the point  $(1, 8)$ . \_\_\_\_\_

5. Give the equation of the linear function shown below. Write your answer in slope-intercept form.



6. In the year 2000, the median cost for in-state tuition and fees at a public 4-year college was \$3412. In the year 2010, the median cost for tuition had risen to \$7231.
- Determine a linear function,  $C(t)$  to represent the cost for tuition and fees  $t$  years since 2000. Show all of your work. Write your answer in function notation,  $C(t) = mt + b$ .
  - Determine  $C(13)$ . Show all of your work. Write your answer in a complete sentence.
  - Identify the slope of this linear function and write a sentence explaining its meaning in this situation.

# Unit 11: Linear Equations and Inequalities

---

**Section 11.1:** General Form  $ax + by = c$

**Section 11.2:** Applications – General Form

**Section 11.3:** Linear Inequalities in Two Variables

**Section 11.4:** Graphing Linear Inequalities in Two Variables

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| General (Standard) Form  |  |
| How to Graph a Linear Equation given in General Form   |  |
| Linear Inequality in Two Variables   |  |
| Solution Set to a Linear Inequality in Two Variables   |  |

|  |  |
|--|--|
| <p>The graph of a Linear Inequality in Two Variables</p>                     |  |
| <p>How to graph the Solution Set of a Linear Inequality in Two Variables</p> |  |



## Unit 11: Media Lesson

---

### Section 11.1: General Form: $ax + by = c$

| <b>Slope-Intercept Form<br/>of a Linear Equation</b>   | <b>General (Standard) Form<br/>of a Linear Equation</b>  |
|--|--|
| $y = mx + b$ <p><math>x = \text{input, } y = \text{output}</math><br/><math>m = \text{slope}</math><br/><math>b = \text{vertical intercept } (0, b)</math></p> | $ax + by = c$ <p><math>x = \text{input, } y = \text{output}</math><br/><math>a, b, \text{ and } c \text{ are constants}</math></p> |



**Example 1:** Consider the linear equation  $3x - 5y = 30$

a. Write this equation in slope-intercept form.

b. Identify the slope.

**Determining Intercepts:**

To find the **vertical intercept**, set  $x = 0$  and solve for  $y$ .

To find the **horizontal intercept**, set  $y = 0$  and solve for  $x$ .

c. Determine the vertical intercept.


d. Determine the horizontal intercept.



**Example 2:** Draw an **accurate** graph of the function  $3x + 2y = 16$ .

Slope-Intercept Form:

\_\_\_\_\_



Slope: \_\_\_\_\_


Vertical Intercept: \_\_\_\_\_


Horizontal Intercept: \_\_\_\_\_

Additional points on the line:

\_\_\_\_\_

## Section 11.1 – YOU TRY

 Draw an **accurate** graph of the function  $4x - y = 7$



Slope-Intercept Form:

\_\_\_\_\_

Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

Additional points on the line:

\_\_\_\_\_

## Section 11.2: Applications – General Form



**Example 1:** Movie tickets cost \$7 for adults (matinee), \$5.50 for children. A total of \$668 was collected in ticket sales for the Saturday matinee.

- a. Write an equation representing the total amount of money collected.
  
  
  
  
  
  
  
  
  
  
- b. If 42 adult tickets were purchased for this matinee, how many children were there?


### Section 11.2 – YOU TRY




At a concession stand, two hot dogs and three sodas cost \$12.

- a. Let  $h$  represent the price of each hot dog, and  $s$  represent the price of each soda. Write a linear equation in general form to represent this situation.
  
  
  
  
  
  
  
  
  
  
- b. If sodas cost \$1.50 each, how much is each hot dog?

## Section 11.3: Linear Inequalities in Two Variables

 **Example 1:** Graph the equation  $y = 2x - 3$




 **Example 2:** Which of the ordered pairs below satisfy the **equation**  $y = 2x - 3$ ?

(5, 3)

(2, 1)


(0, 0)


 **Example 3:** Which of the ordered pairs below satisfy the **inequality**  $y \leq 2x - 3$ ?

(5, 3)

(2, 1)

(0, 0)

 **Example 4:** Graph the linear **inequality**  $y \leq 2x - 3$





**Example 5:** Which of the ordered pairs below satisfy the **inequality**?  $y < 2x - 3$


(5, 3)

(2, 1)

(0, 0)



**Example 6:** Graph the linear **inequality**  $y < 2x - 3$



Section 11.3 – You Try



Complete the problems below. Show as much work as possible, as demonstrated in the Media Examples.

a. Which of the ordered pairs below satisfy the linear inequality  $y \geq 4 - 2x$ ?

(1,2)

(0, 0)

(5, 0)

b. Which of the ordered pairs below satisfy the linear inequality  $y < 4 - 2x$ ?

(1,2)

(0, 0)

(5, 0)

## Section 11.4: Graphing Linear Inequalities in Two Variables

### Graphing The Solution Set of a Linear Inequality in Two Variables

Step 1: Rewrite the inequality as an equality statement.

Step 2: Graph the linear equation. This is the boundary of the solution region.

Step 3: Determine if the line should be solid or dotted.


- If the original inequality statement is either  $<$  or  $>$ , draw a dotted line.
- If the original inequality statement is either  $\leq$  or  $\geq$ , draw a solid line.

Step 4: Choose a test point and plug it into the original inequality.


- If the test point satisfies the inequality, shade in the direction of the test point.
- If the test point does not satisfy the inequality, shade in the opposite direction of the test point.



**Example 1:** Graph the inequality  $y < 5 - 3x$




**Example 2:** Graph the inequality  $3x - 2y \geq 6$






**Example 3:** Graph the inequality  $y \geq 2x$



Section 11.4 – You Try



Graph the inequality  $y > 2x - 1$





Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 11: Practice Problems

### Skills Practice

1. Which of the ordered pairs below satisfy the **equation**  $x - y = 5$ ?

(-2, 3)

(6, 1)

(0, -5)

(-3, -8)

2. Which of the ordered pairs below satisfy the **equation**  $2x + 3y = 6$ ?

(0, 3)

(6, -2)


(3, 0)

(-3, 4)

3. Write the equation  $x - y = 5$  in Slope-Intercept Form.

4. Write the equation  $2x + 3y = 6$  in Slope-Intercept Form.

5. Draw an **accurate** graph of the linear equation  $2x + 4y = 12$ .




Slope-Intercept Form: \_\_\_\_\_

Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

6. Draw an **accurate** graph of the function  $3x - 2y = 10$ .



Slope-Intercept Form: \_\_\_\_\_

Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

7. Which of the ordered pairs below satisfy the linear inequality  $y > 3 - x$ ?

(1,2)

(0, 0)

(5, 0)

8. Which of the ordered pairs below satisfy the linear inequality  $y \geq \frac{3}{5}x - 1$ ?

(1,2)

(0, 0)

(5, 0)

9. Which of the ordered pairs below satisfy the linear inequality  $4x - y < 3$ ?

(1,2)

(0, 0)

(5, 0)

10. Which of the ordered pairs below satisfy the linear inequality  $y < -4$ ?


(1,2)

(0, 0)


(5, 0)

11. Graph the solution sets of each of the following linear inequalities.


a.  $y > 3 - x$




b.  $y \geq \frac{3}{5}x - 1$




c.  $4x - y < 3$




d.  $x + y \leq -5$




e.  $y > \frac{x}{2}$




f.  $y < -4$




g.  $x \geq 2$



h.  $5x - 3y > 0$



i.  $2x < -6y$



## Applications

12. At a concession stand, three hot dogs and five sodas cost \$18.50.
- c. Let  $h$  represent the price of each hot dog, and  $s$  represent the price of each soda. Write a linear equation in general form to represent this situation.
  
  - d. If hot dogs cost \$3.25 each, how much is each soda?
13. The Science Museum charges \$14 for adult admission and \$11 for each child. The museum bill for a school field trip was \$896.
- a. Write a linear equation in general form to represent this situation. Clearly indicate what each variable represents.
  
  - b. Nine adults attended the field trip. How many children were there?
14. Bill begins a 50 mile bicycle ride. Unfortunately, his bicycle chain breaks, and he is forced to walk the rest of the way. Bill walks at a rate of 4 miles per hour, and rides his bike at a rate of 18 miles per hour.
- a. Let  $b$  represent the amount of time Bill spent bicycling before the chain broke, and  $w$  represent the amount of time Bill spent walking. Write a linear equation in general form to represent this situation. (Hint: Distance = rate  $\cdot$  time)
  
  - b. Bill had been riding his bike for two hours when the chain broke. Use the equation in part a to determine the amount of time he spent walking.

## Extension

15. *\*Refer to your course syllabus\**

- a. The Final Exam for this class is worth \_\_\_\_\_ % of your course grade.
- b. Let  $x$  represent the score you make on the Final Exam (as a percent), and  $y$  represent your grade in the class (as a percent) just prior to taking the Final Exam. Write a linear *inequality* in general form to represent this situation, assuming that you want your final course grade to be:
  - A: At least 90%
  - B: At least 80%
  - C: At least 70%

Hint: If your Final Exam is worth 30% of your course grade, then everything else would be worth  $100\% - 30\% = 70\%$  of your course grade.

- c. Suppose you have a 77% in the class just before taking the final exam. What score do you need to make on the Final Exam to earn an A, B, or C in the class? Assume that your instructor *does not* round up!




Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 11: Review

---

1. Draw an **accurate** graph of the linear equation  $2x + 3y = 6$ . Determine the slope and intercepts of this linear equation and rewrite this equation in Slope-Intercept Form.




Slope-Intercept Form: \_\_\_\_\_

Slope: \_\_\_\_\_

Vertical Intercept: \_\_\_\_\_

Horizontal Intercept: \_\_\_\_\_

2. Draw and **accurate** graph of the solution set of linear inequality  $y < 5 - 2x$ .



3. Which of the ordered pairs below satisfy the linear inequality  $2x - 3y < 5$ ? Circle all that apply.

(2, 0)

(1, -1)

(0, 0)

(2, 4)

4. Tickets to a movie cost \$8.50 for adults and \$6.00 for children. A total of \$409 was collected in ticket sales for the 9:30AM show.

a. Write an equation representing the total amount of money collected.

b. If 37 children's tickets were purchased, how many adults were there?

## Unit 12: Systems of Equations

---

**Section 12.1:** Systems of Linear Equations

**Section 12.2:** The Substitution Method

**Section 12.3:** The Addition (Elimination) Method

**Section 12.4:** Applications

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| System of Linear Equations   |  |
| Solution to a System of Linear Equations   |  |
| Types of Solutions to a System of Linear Equations   |  |

|                               |  |
|-------------------------------|--|
| Substitution Method           |  |
| Addition (Elimination) Method |  |

## Unit 12: Media Lesson

### Section 12.1: Systems of Linear Equations

#### Definitions

Two linear equations that relate the same two variables are called a **system of linear equations**.

A **solution** to a system of linear equations is an **ordered pair** that satisfies both equations.



**Example 1:** Verify that the point (5, 4) is a solution to the system of equations

$$y = 2x - 6$$

$$y = x - 1$$


#### Types of Solutions to a Linear System of Equations

Graphically, the solution to a system of linear equations is a point at which the graphs intersect.

Types of Solutions to a Linear System of Equations:


- **One unique solution:** The lines intersect at exactly one point
- **No solution:** The two lines are parallel and will never intersect
- **Infinitely many solutions:** This occurs when both lines graph as the same line

One Unique Solution  
(One Intersection Point)




*Consistent and Independent*

No Solution  
(Parallel Lines)



*Inconsistent*

Infinitely Many Solutions  
(Same Line)



*Consistent and Dependent*


## Solving a System of Linear Equations by Graphing



**Example 2:** Solve the system of equations by graphing. Check your answer.

$$y = 6 - \frac{2}{3}x$$


$$y = x + 1$$




**Example 3:** Solve the system of equations by graphing. Check your answer.


$$4x - 3y = -18$$


$$2x + y = -4$$




 **Example 4:** Solve the system of equations by graphing. Check your answer.

$$\begin{aligned}x - 3y &= 3 \\ 3x - 9y &= -18\end{aligned}$$



 **Example 5:** Solve the system of equations by graphing. Check your answer.

$$\begin{aligned}2x + y &= 3 \\ 6x + 3y &= 9\end{aligned}$$




## Section 12.1 – You Try



Solve the system of equations by graphing. Check your answer.

$$x - y = 2$$

$$x + y = 6$$



Verify that your solution is correct:



## Section 12.2: The Substitution Method

Consider the following equations:  $y = 2x$   
 $x + y = 3$

### Using Substitution to Solve a Linear System of Equations

- Step 1: Solve one of the equations of the system for one of the variables.
- Step 2: Substitute the expression for the variable obtained in step 1 into the other equation.
- Step 3: Solve the equation.
- Step 4: Substitute the result back into one of the original equations to find the ordered pair solution.
- Step 5: Check your result by substituting your result into either one of the original equations.



**Example 1:** Solve the system of equations using the Substitution Method.

$$3x - 2y = 16$$

$$2x + y = 20$$



**Example 2:** Solve the system of equations using the Substitution Method.

$$5x - 4y = 9$$

$$x - 2y = -3$$



**Example 3:** Solve the system of equations using the Substitution Method.

$$3x + y = 5$$

$$6x + 2y = 11$$



**Example 4:** Solve the system of equations using the Substitution Method.

$$x - y = -1$$

$$y = x + 1$$

Section 12.2 – You Try



Solve the system of equations using the Substitution Method. Check your answer.

$$x - 2y = -11$$

$$5x + 2y = 5$$

## Section 12.3: The Addition (Elimination) Method

Consider the following systems of equations:

$$\begin{aligned}x - 2y &= -11 \\5x + 2y &= 5\end{aligned}$$

### Using the Addition (Elimination) Method to Solve a Linear System of Equations

Step 1: “Line up” the variables.

Step 2: Determine which variable you want to eliminate. Make those coefficients opposites.

Step 3: Add straight down (one variable should “drop out”)

Step 4: Solve resulting equation

Step 5: Substitute this result into either of the ORIGINAL equations

Step 6: Solve for the variable

Step 7: CHECK!!!!!! Plug solution into BOTH equations!



**Example 1:** Solve the system of equations using the Addition (Elimination) Method.

$$4x - 3y = -15$$

$$x + 5y = 2$$



**Example 2:** Solve the system of equations using the Addition (Elimination) Method.

$$3x - 2y = -12$$

$$5x - 8y = 8$$



**Example 3:** Solve the system of equations using the Addition (Elimination) Method.

$$7x - 2y = 41$$

$$3x - 5y = 1$$

Section 12.3 – You Try




Solve the system of equations using the Addition (Elimination) Method. Check your answer.

$$2x + 3y = 18$$

$$x - y = 4$$



## Section 12.4 – You Try

 Tickets to a 3D movie cost \$12.50 for adults and \$8.50 for children. The theater can seat up to 180 people. A total of \$1,826 was collected in ticket sales for the sold-out 7:15PM show. Determine the number of adult tickets and the number of children’s tickets that were sold.

- a. Write an equation representing the total number of tickets sold. Clearly indicate what each variable represents.
  
  
  
  
  
  
  
  
  
  
- b. Write an equation representing the total amount of money collected from the sale of all tickets.
  
  
  
  
  
  
  
  
  
  
- c. Solve this system of linear equations.

Number of adult tickets sold: \_\_\_\_\_

Number of children’s tickets sold: \_\_\_\_\_

Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 12: Practice Problems

### Skills Practice

1. Is the point  $(6, 1)$  a solution to the system of equations below? You must show correct work to justify your answer.

$$\begin{aligned}y &= x - 5 \\y &= 2x + 4\end{aligned}$$


2. Is the point  $(-2, 5)$  a solution to the system of equations below? You must show correct work to justify your answer.

$$\begin{aligned}2x + y &= 1 \\3x - 2y &= -16\end{aligned}$$

3. Is the point  $(5, 3)$  a solution to the system of equations below? You must show correct work to justify your answer.

$$\begin{aligned}3x - 2y &= 9 \\2x + 5y &= 4\end{aligned}$$


4. Solve the system of equations by **graphing**. Your lines must extend accurately to the edge of the graph. Verify that your solution is correct.



$$y = 7 - x$$
$$y = 3x - 5$$

Solution: \_\_\_\_\_

5. Solve the system of equations by **graphing**. Your lines must extend accurately to the edge of the graph. Verify that your solution is correct.




$$x - y = -2$$
$$x + y = 4$$

Solution: \_\_\_\_\_




6. Solve the system of equations by **graphing**. Your lines must extend accurately to the edge of the graph. Verify that your solution is correct.



$$\begin{aligned}x - 2y &= 10 \\ 5x - y &= -4\end{aligned}$$

Solution: \_\_\_\_\_


7. Solve the system of equations by **graphing**. Your lines must extend accurately to the edge of the graph. Verify that your solution is correct.



$$\begin{aligned}3x - y &= 8 \\ -3x + y &= 1\end{aligned}$$

Solution: \_\_\_\_\_

8. Solve the system of equations by **graphing**. Your lines must extend accurately to the edge of the graph. Verify that your solution is correct.



$$\begin{aligned}x + 2y &= -4 \\2x + 4y &= -8\end{aligned}$$

Solution: \_\_\_\_\_

9. Solve the system of equations using the **substitution** method. Show all steps.

$$\begin{aligned}5x + y &= 2 \\3x - 4y &= 15\end{aligned}$$

Solution: \_\_\_\_\_

10. Solve the system of equations using the **substitution** method. Show all steps.

$$2x + y = 8$$

$$6x + 3y = 24$$

Solution: \_\_\_\_\_

11. Solve the system of equations using the **substitution** method. Show all steps.

$$x - y = 9$$

$$5x + 3y = 21$$

Solution: \_\_\_\_\_

12. Solve the system of equations using the **addition (elimination) method**. Show all steps.

$$-3x + 2y = 12$$

$$x + y = 16$$

Solution: \_\_\_\_\_

13. Solve the system of equations using the **addition (elimination) method**. Show all steps.

$$3x - 2y = -12$$

$$12x - 8y = 22$$

Solution: \_\_\_\_\_

14. Solve the system of equations using the **addition (elimination) method**. Show all steps.

$$3x + 2y = -18$$

$$4x - 3y = -24$$

Solution: \_\_\_\_\_

15. Solve the system of equations using the **addition (elimination) method**. Show all steps.

$$5x + 2y = -10$$

$$3x + 4y = 8$$

Solution: \_\_\_\_\_

16. The functions  $f(x)$  and  $g(x)$  are defined by the following tables. At what point is  $f(x) = g(x)$ ?

| $x$    | -2 | -1 | 0 | 1 | 2  | 3  | 4  |
|--------|----|----|---|---|----|----|----|
| $f(x)$ | 11 | 8  | 5 | 2 | -1 | -4 | -7 |

| $x$    | -2 | -1 | 0 | 1 | 2 | 3 | 4 |
|--------|----|----|---|---|---|---|---|
| $g(x)$ | 7  | 6  | 5 | 4 | 3 | 2 | 1 |

Solution (write the ordered pair): \_\_\_\_\_

17. The functions  $f(x)$  and  $g(x)$  are defined by the following tables. At what point is  $f(x) = g(x)$ ?

| $x$    | -2 | -1 | 0 | 1  | 2  | 3   | 4   |
|--------|----|----|---|----|----|-----|-----|
| $f(x)$ | 8  | 1  | 0 | -1 | -8 | -27 | -64 |


| $x$    | -2 | -1 | 0  | 1  | 2  | 3  | 4  |
|--------|----|----|----|----|----|----|----|
| $g(x)$ | 8  | 10 | 12 | 14 | 16 | 18 | 20 |

Solution (write the ordered pair): \_\_\_\_\_

## Applications

18. Your yard is a mess, and you decide to hire a landscaper. The Greenhouse charges a \$80 consultation fee plus \$14 per hour for the actual work. Garden Pros does not charge a consulting fee, but charges \$30 per hour for the actual work.
- a. Write an equation that describes the cost,  $C$ , if you hire The Greenhouse for  $h$  hours of work.
  
  
  
  
  
  
  
  
  
  
  - b. Write a second equation that describes Garden Pros' charge,  $C$ , for  $h$  hours of work.
  
  
  
  
  
  
  
  
  
  
  - c. Solve this system of linear equations. Write your answer as an ordered pair.
  
  
  
  
  
  
  
  
  
  
  - d. Interpret the solution in a complete sentence.
  
  
  
  
  
  
  
  
  
  
  - e. Your yard needs a lot of work, and you anticipate that the job will take at least 6 hours. Which service do you choose? Why?

19. The graph below shows the cost and revenue for a company that produces and sells scented candles. The function  $R(x)$  gives the revenue earned when  $x$  candles are sold. The function  $C(x)$  gives the total cost to produce  $x$  candles.



- Discuss the significance of the point  $(40, 100)$  in terms of the cost, revenue, and *profit* for this company.
  - What happens if *fewer than* 40 widgets are sold?
  - What happens if *more than* 40 widgets are sold?
20. At a concession stand, five hot dogs and five sodas cost \$30. Two hot dogs and four sodas cost \$15. Determine the price of each hot dog and each soda.

Price for each soda: \_\_\_\_\_

Price for each hot dog: \_\_\_\_\_

21. The Science Museum charges \$14 for adult admission and \$11 for each child. The total bill for 68 people from a school field trip was \$784. How many adults and how many children went to the museum?

Number of children \_\_\_\_\_

Number of adults \_\_\_\_\_

22. Tickets to a 3D movie cost \$12.50 for adults and \$8.50 for children. The theater can seat up to 260 people. A total of \$1,734 was collected in ticket sales for the 7:15PM show, in which only 60% of the tickets were sold. How many adults and how many children were in the theater?

Number of children \_\_\_\_\_

Number of adults \_\_\_\_\_



23. Emery invested \$10,000 in two mutual funds. Fund A earned 4% profit during the first year, while Fund B suffered a 2% loss. If she received a total of \$130 profit, how much had she invested in each mutual fund?

Amount invested in Fund A: \_\_\_\_\_

Amount invested in Fund B: \_\_\_\_\_

24. Bill begins a 100 mile bicycle ride. Unfortunately, his bicycle chain breaks, and he is forced to walk the rest of the way. The whole trip takes 6 hours. If Bill walks at a rate of 4 miles per hour, and rides his bike at a rate of 20 miles per hour, find the amount of time he spent walking. Write your answer in a complete sentence. (Hint: Distance = rate · time)

## Extension

25. The functions  $f(x)$  and  $g(x)$  are defined by the following tables.

At what point(s) is  $f(x) = g(x)$ ?

|        |    |    |   |   |   |   |    |
|--------|----|----|---|---|---|---|----|
| $x$    | -2 | -1 | 0 | 1 | 2 | 3 | 4  |
| $f(x)$ | 4  | 1  | 0 | 1 | 4 | 9 | 16 |

|        |    |    |   |   |   |   |    |
|--------|----|----|---|---|---|---|----|
| $x$    | -2 | -1 | 0 | 1 | 2 | 3 | 4  |
| $g(x)$ | -1 | 1  | 3 | 5 | 7 | 9 | 11 |

Solutions (write the ordered pairs): \_\_\_\_\_

26. Construct a system of linear equations (in slope-intercept form) that has the ordered pair (3,5) as a solution.

27. Construct a system of linear equations (in general form) that has the ordered pair (2,4) as a solution.


Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 12: Review

---

1. Solve the system of equations by **graphing**. Your lines must extend accurately to the edge of the graph. Verify that your solution is correct.



$$\begin{aligned}4x - 3y &= -18 \\3x + y &= -7\end{aligned}$$

Solution: \_\_\_\_\_

2. Solve the system of equations using the **substitution** method. Show all steps. Verify that your solution is correct.

$$\begin{aligned}2x - 3y &= -19 \\x + 2y &= 8\end{aligned}$$

Solution: \_\_\_\_\_

3. The functions  $f(x)$  and  $g(x)$  are defined by the following tables.  
At what point is  $f(x) = g(x)$ ?

|        |    |    |   |   |   |   |    |
|--------|----|----|---|---|---|---|----|
| $x$    | -2 | -1 | 0 | 1 | 2 | 3 | 4  |
| $f(x)$ | 4  | 1  | 0 | 1 | 4 | 9 | 16 |

|        |    |    |   |   |   |   |    |
|--------|----|----|---|---|---|---|----|
| $x$    | -2 | -1 | 0 | 1 | 2 | 3 | 4  |
| $g(x)$ | -1 | 8  | 3 | 5 | 7 | 9 | 11 |

Solution (write the ordered pair): \_\_\_\_\_

4. Jamaal invested \$10,000 in two mutual funds. Fund A earned 6% profit during the first year, and Fund B earned 2% profit. If he received a total of \$374 profit, how much had he invested in each mutual fund? Show all steps. Verify that your solution is correct.

Amount invested in Fund A: \_\_\_\_\_

Amount invested in Fund B: \_\_\_\_\_

## Unit 13: Polynomials and Exponents

---

**Section 13.1:** Polynomials

**Section 13.2:** Operations on Polynomials

**Section 13.3:** Properties of Exponents

**Section 13.4:** Multiplication of Polynomials

**Section 13.5:** Applications from Geometry

**Section 13.6:** Division Properties of Exponents

| KEY TERMS AND CONCEPTS   |  |
|--|--|
| Look for the following terms and concepts as you work through the Media Lesson. In the space below, explain the meaning of each of these concepts and terms <i>in your own words</i> . Provide examples that are not identical to those in the Media Lesson. |  |
| Polynomial   |  |
| Monomial   |  |
| Binomial   |  |
| Trinomial  |  |
| Leading Term   |  |

|                               |  |
|-------------------------------|--|
| Leading Coefficient           |  |
| Degree of a Polynomial        |  |
| Constant Term                 |  |
| The Multiplication Property   |  |
| Raising a Power to a Power    |  |
| Raising a Product to a power  |  |
| The Division Property         |  |
| Raising a Quotient to a Power |  |

## Unit 13: Media Lesson

### Section 13.1: Polynomials

| Definitions  |
|--|
| <p><b>Polynomial:</b> An algebraic expression composed of the sum of terms containing a single variable raised to a non-negative integer exponent.</p> |
| <p><b>Monomial:</b> A polynomial consisting of <b>one</b> term</p>   |
| <p><b>Binomial:</b> A polynomial consisting of <b>two</b> terms</p>  |
| <p><b>Trinomial:</b> A polynomial consisting of <b>three</b> terms</p>   |
| <p><b>Leading Term:</b> The term that contains the highest power of the variable in a polynomial</p>   |
| <p><b>Leading Coefficient:</b> The coefficient of the leading term</p>   |
| <p><b>Constant Term:</b> A number with no variable factors. A term whose value never changes.</p>  |
| <p><b>Degree:</b> The highest exponent in a polynomial</p>   |

 **Example 1:** Complete the table.

| Polynomial            | Name | Leading Coefficient | Constant Term | Degree |
|-----------------------|------|---------------------|---------------|--------|
| $24a^6 + a^2 + 5$     |      |                     |               |        |
| $2m^3 + m^2 - 2m - 8$ |      |                     |               |        |
| $5x^2 + x^3 - 7$      |      |                     |               |        |
| $-2x + 4$             |      |                     |               |        |
| $4x^3$                |      |                     |               |        |

## Section 13.1 – You Try




Complete the table.

| Polynomial     | Name | Leading Coefficient | Constant Term | Degree |
|----------------|------|---------------------|---------------|--------|
| $n^2 - 2n + 8$ |      |                     |               |        |
| $4x^3$         |      |                     |               |        |
| $6x - 7$       |      |                     |               |        |




## Section 13.2: Operations on Polynomials


### Addition of Polynomials

 **Example 1:** Add.  $(3n^2 - 2n + 8) + (3n^3 - 7n^2 - n - 9)$

### Subtraction of Polynomials

 **Example 2:** Subtract.  $(a^3 + 5a + 11) - (4a^3 + 6a^2 - a + 1)$

### Combine and Simplify

 **Example 3:** Perform the indicated operations. Simplify.

$$(3x - 1) - (x^2 - x - 9) + (4x^3 + x^2 - 7x + 2)$$

## Section 13.2 – YOU TRY



Perform the indicated operations. Simplify completely. Show all steps as in the media examples.

a.  $(x^2 - x + 8) + (5x^2 - 6x - 11)$

b.  $(8x^2 - 4x + 5) - (3x^2 - 4x + 6)$

c.  $(5x + 8) + (x^2 - x - 1) - (x^3 + 3x^2 - 4x + 8)$

## Section 13.3: Properties of Exponents

Given any real numbers  $a, b, c, m,$  and  $n$

$n^1 = \underline{\hspace{2cm}}$

$1^n = \underline{\hspace{2cm}}$

$n^0 = \frac{\hspace{2cm}}{n \neq 0}$

$0^n = \frac{\hspace{2cm}}{n \neq 0}$

$3^4 = \underline{\hspace{2cm}}$

$3^3 = \underline{\hspace{2cm}}$

$3^2 = \underline{\hspace{2cm}}$

$3^1 = \underline{\hspace{2cm}}$

$3^0 = \underline{\hspace{2cm}}$

$3^{-1} = \underline{\hspace{2cm}}$

$3^{-2} = \underline{\hspace{2cm}}$

$3^{-3} = \underline{\hspace{2cm}}$

$3^{-4} = \underline{\hspace{2cm}}$

| Multiplication Properties of Exponents |                                |
|--|--------------------------------|
| $a^m \cdot a^n = a^{m+n}$<br><br>Why?  | $(a^m)^n = a^{mn}$<br><br>Why? |



**Example 1:** Evaluate and simplify the following expressions.  
Assume  $x \neq 0$ ,  $x \neq -1/2$ ,  $a \neq 0$ ,  $b \neq 0$ , and  $c \neq 0$ .

$5x^0$

$(2x + 1)^0$

$a^0 + b^0 + c^0$

The Multiplication Property:  $a^m \cdot a^n = a^{m+n}$




**Example 2:** Simplify the following expressions

$n^3 n^9$

$b^5 \cdot b^4 \cdot b$

$5x^2 y^5 (7xy^9)$


Raising a Power to a Power:  $(a^m)^n = a^{mn}$

 **Example 3:** Simplify the following expressions

$$(x^3)^9$$

$$5b^2(b^5)^8$$

Raising a Product to a Power:  $(ab)^n = a^n b^n$

 **Example 4:** Simplify the following expressions

$$(5x)^2$$


$$(x^3y^2)^9$$

$$(-8ab^5)^2$$

$$5(-2w^7)^3$$

$$5n^4(-3n^3)^2$$

Section 13.3 – You Try

 Simplify the following expressions. Show all steps as in the media examples.

a.  $(2x^4)^2$

b.  $2(x^2)^3$

c.  $8g^3 \cdot 5g^4$

d.  $2n^0$

## Section 13.4: Multiplication of Polynomials

### Multiplication of Monomials

 **Example 1:** Multiply and simplify.

$$(3x^5)(-2x^9)$$

### The Distributive Property

 **Example 2:** Expand and simplify.

$$5x^3(2x^5 - 4x^3 - x + 8)$$

### Multiplication of Polynomials

 **Example 3:** Multiply and simplify.

a.  $(x + 3)(x + 4)$

b.  $(m - 5)(m - 6)$

c.  $(2d - 4)(3d + 5)$

d.  $(x - 2)(x^2 + 2x - 4)$

## Squaring a Binomial

**Example 4:** Multiply and simplify

a.  $(n + 5)^2$

b.  $(3 - 2a)^2$

## Section 13.4 – You Try



Multiply and simplify. Show all steps as in the media examples.


a.  $-3x^2(x^5 + 6x^3 - 5x)$


b.  $(3x - 4)(5x + 2)$


c.  $(2p - 5)^2$


## Section 13.5: Applications from Geometry


 **Example 1:** Write a polynomial in simplest form that represents the area of the square.



 **Example 1 (another way):** Write a polynomial in simplest form that represents the area of the square.




 **Example 2:** Write a polynomial in simplest form that represents the area of the shaded region.



## Section 13.5 – You Try



Write a polynomial in simplest form that represents the area of the dark blue region of the figure shown below. Show all steps as in the media examples.





## Section 13.6: Division Properties of Exponents

$$\text{The Division Property: } \frac{a^m}{a^n} = a^{m-n} \quad a \neq 0$$

$$\frac{x^5}{x^2} = \frac{x \cdot x \cdot x \cdot x \cdot x}{x \cdot x} = \frac{x \cdot x \cdot x}{1} = \frac{x^3}{1} = x^3$$

$$\frac{x^5}{x^2} = x^{5-2} = x^3$$

 **Example 1:** Simplify the following expressions. Variables represent nonzero quantities.

$$\frac{x^{50}}{x^4}$$

$$\frac{4a^{10}b^5}{6ab^2}$$

$$\text{Raising a Quotient to a Power: } \left(\frac{a}{b}\right)^n = \frac{a^n}{b^n} \quad b \neq 0$$

 **Example 2:** Simplify the following expressions. Variables represent nonzero quantities.

$$\left(\frac{5}{7}\right)^2$$

$$\left(\frac{x^5}{y^3}\right)^4$$

$$\left(\frac{-4t^{10}}{u^6}\right)^2$$

## Section 13.6 – You Try



Simplify the following expressions. Variables represent nonzero quantities. Show all steps as in the media examples.

a.  $\left(\frac{3a^{10}}{7}\right)^2$

b.  $\frac{6x^3y^8}{9xy^5}$

Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 13: Practice Problems

### Skills Practice

1. Complete the table below.

| Polynomial       | Name | Leading Coefficient | Constant Term | Degree |
|------------------|------|---------------------|---------------|--------|
| $5n^8 - n^5 + 1$ |      |                     |               |        |
| $x - 5$          |      |                     |               |        |
| $8r^2$           |      |                     |               |        |

2. Simplify completely. Show all steps, and box your answers.

a.  $(2x)^3$

b.  $5(3n)^2$

c.  $y^3 \cdot y^7 \cdot y$

d.  $(-2x)^3$

e.  $5w(8w^3)$

f.  $(-2x^5)^2$

g.  $(-5w^8)^2$

h.  $3x^0 + 2x^0$

i.  $(-4x)^2 + 4x^2$

j.  $(5x - 7)^0$

3. Multiply and simplify completely. Show all steps, and box your answers.

a.  $4x^2(3x - 5)$

b.  $4a^2(3a^2 - 2a - 5)$

c.  $(p + 5)(p + 7)$

d.  $(x + 2)(x - 2)$

e.  $(2x - 4)(3x - 5)$

f.  $(5w - 8)(3w + 11)$

g.  $(x + 2)^2$

h.  $(2x - 4)^2$

i.  $(x - 4)(x^2 + x - 5)$

j.  $3(x + 2)(x + 4)$

k.  $4(x + 2)^2$

l.  $(q - 2)^3$

4. Simplify completely. Show all steps, and box your answers.

a.  $\frac{x^8}{x^3}$

b.  $\left(\frac{2}{5}\right)^4$

c.  $\frac{8n^8p^5}{12np^4}$

d.  $\left(\frac{3a^5}{7b}\right)^2$

5. Evaluate the algebraic expression  $x^2$  given  $x = -7$ . Show your work.

6. Evaluate the algebraic expression  $5x^3$  given  $x = -2$ . Show your work.

7. Evaluate the algebraic expression  $(5x)^2$  given  $x = -2$ . Show your work.


8. Evaluate the algebraic expression  $5(2x)^2$  given  $x = -3$ . Show your work.

9. Evaluate the algebraic expression  $\frac{6}{5x}$  given  $x = -2$ . Show your work.


10. Evaluate the algebraic expression  $\frac{1}{4x^2}$  given  $x = -5$ . Show your work.

## Applications


11. Write an algebraic expression that represents the perimeter of the figure shown below. Simplify completely. Show your work.




12. Write an algebraic expression that represents the total area of the figure shown below. Simplify completely. Show your work.




13. Write an expression that represents the total area of the figure shown below. Simplify completely.




14. Write an expression that represents the area of the shaded region of the figure shown below. Simplify completely.




15. Write an expression that represents the total area of the figure shown below. Simplify completely.



16. Write an expression that represents the perimeter of the figure shown below. Simplify completely.



17. Write an algebraic expression that represents the total area of the figure shown below. Simplify completely. Show your work.





|           |
|-----------|
| Extension |
|-----------|

18. If possible, simplify each of the following by combining like terms or using properties of exponents.


a.  $2n^5 + 3n^5 =$  \_\_\_\_\_

b.  $2n^5 \cdot 3n^5 =$  \_\_\_\_\_


c.  $3n^3 + 3n^5 =$  \_\_\_\_\_

d.  $3n^3 \cdot 3n^5 =$  \_\_\_\_\_

19. Write an algebraic expression that represents the total area of the figure shown below. Simplify completely. Show your work.



20. Write a polynomial in simplest form that represents the volume of the figure shown below.



21. Simplify completely. Show all steps, and box your answers.

a.  $4p(-5p^3)^2$

b.  $3(-2x)^3 - 3x(-2)^3$

c.  $4w^5(3w^8)^2$

d.  $10p^3(-5p^7)^2$

e.  $2a^3b(3ab^5)^2$

f.  $(3x^4)^3 - (5x^6)^2$

Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Unit 13: Review

---

1. Consider the polynomial  $n^2 - 7n - 11$

a. Is this a monomial, binomial, or trinomial? \_\_\_\_\_

b. Identify the constant term. \_\_\_\_\_

c. What is the leading coefficient? \_\_\_\_\_

d. What is the degree of this polynomial? \_\_\_\_\_

e. Identify the coefficient of the second term. \_\_\_\_\_

2. If possible, simplify each of the following by combining like terms or using properties of exponents.

a.  $8n^3 + 5n^3 =$  \_\_\_\_\_

b.  $8n^3 \cdot 5n^3 =$  \_\_\_\_\_

c.  $8n^3 + 8n^5 =$  \_\_\_\_\_

d.  $8n^3 \cdot 8n^5 =$  \_\_\_\_\_

3. Simplify completely. Show all steps, and box your answers.

a.  $(-5x^5)^3$

b.  $4x^2(8x^2 - 5x - 3)$

c.  $(3 - 5x)^2$

d.  $\frac{24m^8}{18m^3}$


e.  $\left(\frac{5x}{3}\right)^2$

f.  $(4x^3 + 6x^2 - x + 7) - (3x^3 + x^2 - x - 5)$


4. Evaluate the algebraic expression  $8(2x)^2$  given  $x = -5$ . Show your work.

5. Evaluate the algebraic expression  $\frac{2}{3x^2}$  given  $x = 4$ . Show your work.

6. Write an algebraic expression that represents the perimeter of the figure shown below. Simplify completely. Show your work.



7. Write an algebraic expression that represents the total area of the figure shown below. Simplify completely. Show your work.



## Appendix A: You-Try Answers

---

### Unit R

Section R1: a. 86            b. 7

Section R2: a.  $\frac{2}{3}$             b.  $\frac{21}{5}$             c.  $3\frac{2}{11}$             d.  $\frac{3}{5} = \frac{6}{10} = \frac{15}{25}$  Answers will vary

Section R3: a.  $\frac{19}{15} = 1\frac{4}{15}$     b.  $\frac{2}{5}$             c.  $\frac{9}{10}$             d.  $\frac{3}{5}$             e.  $\frac{3}{35}$             f.  $\frac{25}{32}$

Section R4: a.  $|-5| = 5$      $-|-5| = -5$     b. -16            c. 20

### Unit 1

Section 1.1: a.  $80n$             b.  $450 + 38h$  or  $38h + 450$             c.  $3.5P + 1.5S$

Section 1.2: a. Step 1: Subtract 3 from x.    Step 2: Divide by 5            b.  $(2x + 5)^2$

Section 1.3: -39

Section 1.4: If Paul sells all 2000 bottles, his profit will be \$2640.

Section 1.5: a. Exact form:  $160\pi$  cubic inches  
 Approximate form: (using 3.14 for  $\pi$ ) 502.4 cubic inches  
 Approximate form: (using the  $\pi$  key on your calculator) 502.65 cubic inches

b. Exact form:  $\sqrt{244}$  mm  
 Approximate form: 15.62 mm

## Unit 2

Section 2.1: a. 4                      b. -8                      c. 2                      d. 1                      e. -2,  $m$

Section 2.2: a.  $-8x$                       b.  $3a^2 - 4a + 2$

Section 2.3: a.  $-15x^2 + 10x - 40$                       b.  $4x + \frac{1}{3}$

Section 2.4: a.  $6x^2 + 6x + 11$                       b.  $x - 2$

Section 2.5: a.  $12x - 4$                       b. 1.09D

## Unit 3

Section 3.2: a.  $x = -52$                       b.  $n = -\frac{10}{3}$                       c.  $x = -14$                       d.  $w = -15$

Section 3.3: a.  $x = 18$                       b.  $w = 8$                       c.  $x = -12$




Section 3.4: a.  $m = -1$                       b.  $x = 2$

Section 3.5: You can take 10 credits.

Section 3.6: a.  $50 + 36h = 212$ ,  $h$  = the number of hours worked  
b. If the cost is \$212, then the landscapers worked for 4.5 hours.

## Unit 4




Section 4.1: a.  $n = -3, 0, 4.99$       b.  $a \leq 2$ 

|             |                                       |  |                 |
|-------------|---------------------------------------|--|-----------------|
| c.          |                                       |  |                 |
| $x \geq -3$ | Use “[” or “•” for the endpoint at -3 |  | $[-3, \infty)$  |
| $x \leq 11$ | Use “]” or “•” for the endpoint at 11 |  | $(-\infty, 11]$ |
| $x < 2$     |                                       |  | $(-\infty, 2)$  |



Section 4.2: a.  $x \leq 3$ , Interval Notation:  $(-\infty, 3]$ b.  $x > 7$ , Interval Notation:  $(7, \infty)$ Section 4.3: a.  $3.79g < 20$ , where  $g$  = the number of gallons pumped

b. Up to 5.27 gallons of gasoline can be purchased for under \$20

Section 4.4: a.  $w = -8$      $w = -5$      $w = 0$       b.  $0 < n \leq 8$ 


|                 |  |  |           |
|-----------------|--|--|-----------|
| c.              |  |  |           |
| $0 < x < 4$     |  |  | $(0, 4)$  |
| $-3 < x \leq 1$ |  |  | $(-3, 1]$ |
| $-1 \leq x < 4$ |  |  | $[-1, 4)$ |

Section 4.5: a.  $x = -8, 8$ 


|              |   |  |
|--------------|---|--|
| b.           |   |  |
| $ x  < 3$    | Values in solution set: -2, -1, 0, 1, 2 Answers will vary |  |
| $ x  \geq 3$ | Values in solution set: -5, -4, 4, 5 Answers will vary    |  |

|        |
|--------|
| Unit 5 |
|--------|


## Section 5.1



## Section 5.2



Section 5.3: Vertical Intercept:  $(0, -2)$   
 Horizontal Intercepts:  $(-1, 0), (1, 0), (3, 0)$



Section 5.4: Input variable: Time                                  Units of input variable: minutes  
 Output variable: Distance from Home                          Units of output variable: miles

a. After 15 minutes, Sally is 10 miles from home.  
 b. 18  
 c. 24  
 d.  $(0, 20)$  After 0 minutes, Sally is 20 miles from home.  
 e.  $(30, 0)$  After 30 minutes, Sally is 0 miles from home.  
 f. Decreasing. Sally's distance from home is decreasing. She is going home.


Section 5.5: a. Elapsed time                                  b. 81 feet                                  c. 1.5 seconds  
 d. After 1 second, the ball is 59 feet above the ground.



**Unit 6**



Section 6.1: C, B, A

Section 6.3:



Section 6.4: Vertical Intercept: (0, 24) Horizontal intercept: (4, 0)


Section 6.5:



Section 6.6:

| $x$ | $y$ | Ordered Pair |
|-----|-----|--------------|
| -3  | 6   | $(-3, 6)$    |
| -2  | 4   | $(-2, 4)$    |
| -1  | 2   | $(-1, 2)$    |
| 0   | 0   | $(0, 0)$     |
| 1   | -2  | $(1, -2)$    |
| 2   | -4  | $(2, -4)$    |
| 3   | -6  | $(3, -6)$    |

Symbolic Rule:  $y = -2x$



## Unit 7

Section 7.1: a. Yes                      b. Yes                      c. Yes

Section 7.2: a.

| Ordered Pair | Function Notation |
|--------------|-------------------|
| (8, 1)       | $f(8) = 1$        |
| (0, 11)      | $f(0) = 11$       |

b.  $k(2) = 6$     (2, 6)                       $k(x) = 1$  when  $x = 3$     (3, 1)

c. It costs \$126 to produce 580 gallons of ice cream.

Section 7.3: a.

Domain: {4, 6, 8, 10}                      Range: {12}

b. Domain:  $-1 \leq x < 3$  or  $[-1, 3)$                       Range:  $-5 < f(x) \leq 4$  or  $(-5, 4]$

Section 7.4: a.

$s$ , time

b.  $0 \leq s \leq 1.5$  seconds

c.  $H(s)$ , height above the water

d.  $0 \leq H(s) \leq 35$  feet

Section 7.5:

Input variable: Time

Units of input variable: minutes

Output variable: Amount of Water

Units of output variable: gallons

a. After 3 minutes, there are 28 gallons of water in the pool.

b. (5, 20) After 5 minutes, there are 20 gallons of water in the pool.

c. (10, 0) After 10 minutes, the pool is empty.

d. Drained

e. Practical Domain:  $0 \leq m \leq 10$  minutes

f. Practical Range:  $0 \leq A(m) \leq 40$  gallons


## Unit 8

| Section 8.1: | Symbolic Rule    | Verbal Description   |
|--------------|------------------|--|
|              | $f(x) = x^2 - 5$ | The function $f(x)$ squares the input, then subtracts 5 from the result            |
|              | $p(n) = 11 - 5n$ | The function $p(n)$ multiplies the input by 5, then subtracts that result from 11. |

Section 8.2: a.  $r(-2) = 14$   $(-2, 14)$       b.  $r(-3) = 19$   $(-3, 19)$


Section 8.3: a. A person who is 30 years old has a target heart rate of 133 beats per minute.  
 b. A person who is 50 years old has a target heart rate of 119 beats per minute.  
 c. A person who is 20 years old has a target heart rate of 140 beats per minute.

Section 8.4:



Section 8.5: Symbolic Rule:  $g(t) = t + 2$

Words: The function  $g(t)$  adds 2 to the input.




Section 8.6: a.  $V(5) = 875$   $(5, 875)$  After 5 years, the washer/dryer is worth \$875.  
 b.  $V(8) = 500$   $(8, 500)$  After 8 years, the washer/dryer is worth \$500.  
 c. Practical Domain:  $0 \text{ years} \leq t \leq 12 \text{ years}$ , Practical Range:  $\$0 \leq V(t) \leq \$1500$

## Unit 9

Section 9.1: Slope:  $-\frac{5}{9}$

Section 9.2: Additional Points:  $(-4, 1)$ ,  $(6, -5)$



Section 9.3:

- Vertical Intercept:  $(0, 15)$  Sally was 15 miles from home after 0 minutes.
- Horizontal Intercept:  $(30, 0)$  Sally arrives at home after 30 minutes
- Slope:  $-1/2$  mile per minute  
Sally's distance from home is decreasing at a rate of  $1/2$  mile per minute.

Section 9.4: Rate of change: \$3 per snow cone.

| Number of Snow Cones | Revenue (in dollars) |
|----------------------|----------------------|
| 0                    | 0                    |
| 1                    | 3                    |
| 2                    | 6                    |
| 3                    | 9                    |
| 4                    | 12                   |
| 5                    | 15                   |
| 6                    | 18                   |


Section 9.5: Linear. Slope = 4

## Unit 10

Section 10.1: a.

| Equation     | Slope | I, D, H, V | Vertical Intercept |
|--------------|-------|------------|--------------------|
| $y = x - 11$ | 1     | I          | (0, -11)           |
| $G(x) = -2x$ | -2    | D          | (0, 0)             |
| $x = 5$      | DNE   | V          | DNE                |

b.

Slope:  $\frac{3}{4}$ 

Vertical Intercept: (0, -5)


Horizontal Intercept:  $(\frac{20}{3}, 0)$ Section 10.2: a.  $y = -8x + 15$       b.  $y = 11$ Section 10.3: a.  $y = 8x + 25$       b.  $y = -\frac{1}{8}x + \frac{5}{8}$ Section 10.4: a.  $H(t) = \frac{1}{2}t + 3$  or  $H(t) = 3 + \frac{1}{2}t$ b.  $S(n) = -8n + 905$  or  $S(n) = 905 - 8n$ 

Section 10.5: a. The surface elevation is decreasing at a rate of 77.2 feet per year.

b. In 1999, the surface elevation of Lake Powell was 3860 feet above sea level.

c. In 2004, the surface elevation of Lake Powell was 3474 feet above sea level.

## Unit 11

Section 11.1: Slope-Intercept Form:  $y = 4x - 7$ 


Slope: 4

Vertical Intercept:  $(0, -7)$ Horizontal Intercept:  $(\frac{7}{4}, 0)$ Additional points line:  $(1, -3)$   $(2, 1)$   $(3, 5)$   $(4, 9)$ 

Section 11.2: a.  $2h + 3s = 12$   $h$  = the price of a hot dog;  $s$  = the price of a soda  
 b. Each hot dog costs \$3.75.


Section 11.3: a.  $(1, 2)$ ,  $(5, 0)$  b.  $(0, 0)$ Section 11.4:  $y > 2x - 1$ 

Dotted line



## Unit 12

Section 12.1: (4, 2)



Section 12.2: (-1, 5)

Section 12.3: (6, 2)

Section 12.4: a. A = number of adult tickets, C = number of child tickets       $A + C = 180$   
 b.  $12.5A + 8.5C = 1826$   
 c. 74 adult tickets sold, 106 children's tickets sold.

## Unit 13

Section 13.1:

| Polynomial     | Name      | Leading Coefficient | Constant Term | Degree |
|----------------|-----------|---------------------|---------------|--------|
| $n^2 - 2n + 8$ | Trinomial | 1                   | 8             | 2      |
| $4x^3$         | Monomial  | 4                   | 0             | 3      |
| $6x - 7$       | Binomial  | 6                   | -7            | 1      |

Section 13.2: a.  $6x^2 - 7x - 3$       b.  $5x^2 - 1$       c.  $-x^3 - 2x^2 + 8x - 1$ Section 13.3: a.  $4x^8$       b.  $2x^6$       c.  $40g^7$       d. 2Section 13.4: a.  $-3x^7 - 18x^5 + 15x^3$       b.  $15x^2 - 14x - 8$       c.  $4p^2 - 20p + 25$ Section 13.5:  $x^2 + 7x$ Section 13.6: a.  $\frac{9a^{20}}{49} = \frac{9}{49}a^{20}$       b.  $\frac{2x^2y^3}{3} = \frac{2}{3}x^2y^3$